Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: SAN JUAN 30-5 UNIT Well Location: T30N / R5W / SEC 14 /

SWSE / 36.807545 / -107.323682

County or Parish/State: RIO

ARRIBA / NM

Well Number: 258A Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMSF080538 Unit or CA Name: SAN JUAN 30-5

**UNIT--FR** 

**Unit or CA Number:** 

NMNM78419D

**US Well Number:** 3003929228 **Operator: HILCORP ENERGY** 

**COMPANY** 

# **Subsequent Report**

**Sundry ID: 2818269** 

Type of Submission: Subsequent Report Type of Action: Workover Operations

Date Sundry Submitted: 10/22/2024 Time Sundry Submitted: 12:12

Date Operation Actually Began: 09/26/2024

Actual Procedure: During a recent workover on the above well, the tubing was downsized. Please see the attached workover operations.

## **SR Attachments**

#### **Actual Procedure**

SAN\_JUAN\_30\_5\_UNIT\_258A\_Tbg\_Dwnsz\_SR\_Writeup\_20241022121154.pdf

eceived by OCD: 10/24/2024 8:24:34 AM Well Name: SAN JUAN 30-5 UNIT

Well Location: T30N / R5W / SEC 14 /

SWSE / 36.807545 / -107.323682

County or Parish/State: RIPage 2 0

ARRIBA / NM

Well Number: 258A

Type of Well: OTHER

**Allottee or Tribe Name:** 

Lease Number: NMSF080538

**US Well Number: 3003929228** 

Unit or CA Name: SAN JUAN 30-5

UNIT--FR

**Unit or CA Number:** NMNM78419D

**Operator: HILCORP ENERGY** 

COMPANY

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: AMANDA WALKER** Signed on: OCT 22, 2024 12:11 PM

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

# **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

**BLM POC Name: MATTHEW H KADE BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647736 BLM POC Email Address: MKADE@BLM.GOV

**Disposition:** Accepted Disposition Date: 10/22/2024

Signature: Matthew Kade

Page 2 of 2

Form 3160-5 (June 2019)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEI	MINIMENT OF THE IT	VIEKIOK		_			
BUREAU OF LAND MANAGEMENT			5. Lease Serial No.				
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.  SUBMIT INTRIPLICATE - Other instructions on page 2				6. If Indian, Allottee or Tribe Name			
				7. If Unit of CA/Agreement	, Name an	nd/or No.	
1. Type of Well	_			8. Well Name and No.			—
Oil Well Gas V	Well Other						
2. Name of Operator				9. API Well No.			
3a. Address 3b. Phone No.			de area code)	10. Field and Pool or Explor	ratory Are	ea	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)				11. Country or Parish, State			
12. CHE	ECK THE APPROPRIATE BO	X(ES) TO INDICAT	E NATURE (	OF NOTICE, REPORT OR O	THER DA	ATA	
TYPE OF SUBMISSION			ТҮРІ	E OF ACTION			
Notice of Intent	Acidize	Deepen		Production (Start/Resume	e) 🔲	Water Shut-Off	
	Alter Casing	Hydraulic F	Fracturing	Reclamation		Well Integrity	
Subsequent Report	Casing Repair	New Constr		Recomplete		Other	
	Change Plans	Plug and Al	bandon	Temporarily Abandon			
Final Abandonment Notice	Convert to Injection	Plug Back	l	Water Disposal			
14. I hereby certify that the foregoing is	strue and correct. Name (Prin	ted/Typed)					
		Title					
Signature		Date					
	THE SPACE	FOR FEDERA	L OR STA	TE OFICE USE			
Approved by							
			Title		Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				'			
Title 18 U.S.C Section 1001 and Title 4	3 U.S.C Section 1212, make it	t a crime for any pers	on knowingly	and willfully to make to any	departme	nt or agency of the United St	tates

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

## **Additional Information**

## **Location of Well**

 $0. \ SHL: \ SWSE \ / \ 791 \ FSL \ / \ 1753 \ FEL \ / \ TWSP: \ 30N \ / \ RANGE: \ 5W \ / \ SECTION: \ 14 \ / \ LAT: \ 36.807545 \ / \ LONG: \ -107.323682 \ (\ TVD: \ 0 \ feet, \ MD: \ 3680 \ feet \ )$   $BHL: \ SWSE \ / \ 791 \ FSL \ / \ 1753 \ FEL \ / \ TWSP: \ 30N \ / \ SECTION: \ / \ LAT: \ 36.807545 \ / \ LONG: \ 107.323682 \ (\ TVD: \ 0 \ feet, \ MD: \ 3680 \ feet \ )$ 



#### **Well Operations Summary L48**

Well Name: SAN JUAN 30-5 UNIT #258A

API: 3003929228 Field: FC State: NEW MEXICO

Permit to Drill (PTD) #: Sundry #: Rig/Service:

Jobs

Actual Start Date: 9/26/2024 End Date: 10/1/2024

 Report Number
 Report Start Date
 Report End Date

 1
 9/26/2024
 9/26/2024

Operation

TRAVEL TO SAN JUAN 30-5 UNIT 258A. SLICK LINE WORK. FLUID LEVEL NONE. RAN 2 1/2" PULL ING TOOL 3635' NO FISH. RAN 2.34 GAUGE RING TO 3564' TAG NIPPLE. NO EQUIPMENT IN WELL.

SPOT EQUIPMENT ON LOCATION AND RU ALL EQUIPMENT. ND WELL HEAD.

PREFORM HANGING BOP TEST. PRESSURE TEST BLIND RAMS, 250 PSI LOW SIDE. (GOOD TEST). HIGH SIDE 1500 PSI. (GOOD TEST). TBG RAMS 250 PSI LOW SIDE (GOOD TEST). HIGH SIDE 1500 PSI GOOD TEST).

NU BOP PREP TO GO HOME. SDON

TRAVEL FROM LOCATION TO YARD

 Report Number
 Report Start Date
 Report End Date

 2
 9/27/2024
 9/27/2024

Operation

TRAVEL TO LOCATION FROM YARD.

HOLD PJSM WITH CREW ON LOCATION.

UNLOAD TRAILER AND PREP TO SCAN OUT OF WELL. RU RIG FLOOR AND TOOL IT

POOH AND SCAN TBG. TBG LOOKS GOOD NO SCALE OR CORROSION. RD SCAN EQUIPMENT.

(113) YELLOW

(2) BLUE

CHANGE OUT BOP PIPE RAMS FROM 2-7/8" TO 2-3/8".

TRAVEL FROM LOCATION YARD.SDOW.

 Report Number
 Report Start Date
 Report End Date

 3
 9/30/2024
 9/30/2024

Operation

TRAVEL FROM YARD TO LOCATION.

HOLD PJSM WITH CREW ON LOCATION.

STRAP AND PU TBG, EXP CHECK, SEATING NIPPLE, TIH W/2 3/8" 4.7# J-55 PROD TBG. EOT @ 3566'

ND RIG FLOOR, ND BOP AND NU WELL TREE.

PUMP 5 BBLS FRESH WATER AND 6 GAL INHIBITOR. DROP BALL WAIT 5 MINS. PRESSURE TEST TO 500 PSI. (GOOD TEST). PUMP OFF PLUG @ 1100 PSI. RD AIR UNIT.

Operation

RD PULLING UNIT. READY TO MOVE TO NEXT WELL. NEED TO RIG PULLING UNIT BACK UP TO GET NEW TBG HANGER, 7-1/16' FLANGE, 2- 1/16' MASTER VALVE AND ADAPTER BACK TO 2-3/8" EUE.

TRAVEL FROM LOCATION TO YARD.

 Report Number
 Report Start Date
 Report End Date

 4
 10/1/2024
 10/1/2024

TRAVEL TO LOCATION FROM YARD.

HOLD PJSM WITH CREW ON LOCATION

ND WELL TREE. NU BOP, RU FLOOR AND TOOL IT. PULL 2-7/8" TBG HANGER AND CHANGE TO 2- 3/8" TBG HANGER. ND BOP, RD FLOOR AND NU WELL TREE.

RD PULLING UNIT MOV TO NEXT WELL SAN JUAN 30-6 UNIT 488.

TRAVEL TO NEXT WELL

WellViewAdmin@hilcorp.com Page 1/1 Report Printed: 10/22/2024

Report Printed: 10/22/2024




## **Current Schematic - Version 3**

#### Well Name: SAN JUAN 30-5 UNIT #258A

Released to Imaging: 11/17/2025 8:08:20 AM

API/UWI 3003929228	Surface Legal Location 014-030N-005W-O	Field Name FC	Route 1203	State/Province NEW MEXICO	Well Configuration Type Vertical	
Ground Elevation (ft) 6,850.00	Original KB/RT Elevation (ft) 6,866.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 16.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	
Tubing Strings						
Run Date 9/30/2024 12:00	Set Depth (ftKB) 3,565.88	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00		Original Spud Date 4/20/2006 00:00	

## Original Hole [Vertical]



Page 1/1

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 395397

#### **CONDITIONS**

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	395397
	Action Type:
	[C-103] Sub. Workover (C-103R)

#### CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	None	11/17/2025