

Well Name: PAN AMERICAN FEDERAL	Well Location: T30N / R14W / SEC 24 / SESW / 36.795564 / -108.262683	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF081231B	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453369700C1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2883280

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 11/18/2025	Time Sundry Submitted: 03:22
Date Operation Actually Began: 10/08/2025	

Actual Procedure: Dugan Production plugged and abandoned the well from 10/08/2025 to 10/09/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Pan_American_Federal_3_gps_marker_20251118152054.pdf
- Pan_American_Federal_3_BLM_OCD_apvd_plug_changes_20251118151628.pdf
- Pan_American_Federal_3_SR_PA_formation_tops_20251118151609.pdf
- Pan_American_Federal_3_SR_PA_completed_wellbore_schematic_20251118151603.pdf
- Pan_American_Federal_3_SR_PA_completed_work_20251118151557.pdf

Received by OCD: 11/19/2025 7:16:17 AM

Page 2 of 12

Well Name: PAN AMERICAN FEDERAL	Well Location: T30N / R14W / SEC 24 / SESW / 36.795564 / -108.262683	County or Parish/State: SAN JUAN / NM
Well Number: 3	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF081231B	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453369700C1	Operator: DUGAN PRODUCTION CORPORATION	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: NOV 18, 2025 03:22 PM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO BOX 420	
City: FARMINGTON	State: NM
Phone: (505) 325-1821	
Email address: TYRAFEIL@DUGANPRODUCTION.COM	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/19/2025
Signature: Kenneth Rennick	

Dugan Production plugged and abandoned the well from **10/08/2025 to 10/09/2025** per the following procedure:

- MI & RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 40 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1280'.
- RIH & set 5½" cement retainer to 1218'. Fruitland-PC perforations @ 1266'-1384'.
- Load and circulate hole clean with 30 bbls of water.
- **Pressure test casing to 650 psi for 30 minutes, Good test.**
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Run CBL from 1218' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Sting in attempt to establish injection rate. Locked up, no injection rate. Sting out.
- **Plug IA, Pictured Cliffs-Fruitland:** Spot inside 5½" casing above cement retainer @ 1218' to 200' w/118 sks (135.7 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland tops (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. **Plug IA, Inside 5½" casing, cement retainer at 1218', 118 sks, 135.7 cu ft, Pictured Cliffs-Fruitland, 200'-1218'.**
- **Plug IB, Kirtland-Surface:** Spot inside 5½" casing from 255' to Surface w/40 sks (46 cu ft) Class G neat cement to cover the Kirtland-surface casing shoe to surface (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. WOC 4 hrs. RU welder. Cut wellhead off. Tagged TOC at 0' inside & 35' annulus. Good tag. **Plug IB, Inside 5½" casing, 40 sks, 46 cu ft, Kirtland-Surface Casing shoe, 0'-255'.**
- Fill cellar and install dry hole marker with 25 sks, 28.75 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Natasha Dishface with BLM witnessed the job.
- Photos of P & A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 10/09/2025.**

Completed P & A Wellbore Schematic

Pan American Federal # 3

30-045-33697


Fruitland - PC

1140' FSL & 1980' FWL

N-S24-T30N-R14W

San Juan County, NM

Lat: 36.7955551 Long:-108.2627182



8-5/8" 24# J-55 casing @ 121' Hole size 12-1/4"

Cemented w/ 95 sks Type 5 w/ 2% CaCl₂

Circ 6 bbls cement to surface

Plug I B, Inside 5½" casing, 40 sks, 46 cu ft, Surface Casing shoe, 0'-255'.

5 ½" 15.5# J-55 casing @ 1544', Hole size 7"

Cemented w/ 100 sks Lodense, tailed w/ 50 sks Type 5

(Total 318 Cu.ft) Circ 10 bbls cement

Plug I A, Inside 5½" casing, cement retainer at 1218', 118 sks, 135.7 cu ft, Pictured Cliffs-Fruitland-Kirtland, 200'-1218'.

Fruitland & Pictured Cliffs Perforated @ 1266' – 1384'

PBTD at 1503', TD at 1560'

Pan American Federal # 3

30-045-33697

Fruitland - PC

1140' FSL & 1980' FWL

N-S24-T30N-R14W

San Juan County, NM

Lat: 36.7955551 Long:-108.2627182

Formation Tops (Referenced for the P/A)

- Kirtland - Surface
- Surface Casing - 121'
- Fruitland - 1072'
- Perforations - 1266'-1384'
- Pictured Cliffs - 1364'

Tyra Feil

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Friday, October 10, 2025 7:17 AM
To: Rennick, Kenneth G; Omar Ramirez; Aliph Reena; Garcia, John, EMNRD; Lucero, Virgil S; Dishface, Natasha N
Cc: Tyra Feil; Indalecio Roldan
Subject: RE: [EXTERNAL] Dugan Pan American Federal #3 CBL

If I hadn't previously... OCD agrees

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Friday, October 10, 2025 7:08 AM
To: Omar Ramirez <oramirez@aztecwell.com>; Aliph.Reena@duganproduction.com; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Dishface, Natasha N <ndishface@blm.gov>
Cc: Tyra.Feil@duganproduction.com; Indalecio Roldan <indalecio.rolan@duganproduction.com>
Subject: Re: [EXTERNAL] Dugan Pan American Federal #3 CBL

Not sure if this has been responded too. But the BLM finds the procedure appropriate.

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Thursday, October 9, 2025 11:20 AM
To: Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Rennick, Kenneth G <krennick@blm.gov>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Dishface, Natasha N <ndishface@blm.gov>
Cc: Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>; Indalecio Roldan <indalecio.rolan@duganproduction.com>
Subject: [EXTERNAL] Dugan Pan American Federal #3 CBL

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Please see CBL attached for the Pan American Federal #3

It appears from looking at the CBL TOC is at around 30'... We request to follow original procedure and fill up with 1" poly line after cutoff.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell: 505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 527809

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 527809
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	11/19/2025