

Well Name: O H RANDEL	Well Location: T26N / R11W / SEC 9 / NENE / 36.506993 / -108.00372	County or Parish/State: SAN JUAN / NM
Well Number: 13	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM03153	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004532961	Operator: HILCORP ENERGY COMPANY	

Subsequent Report

Sundry ID: 2883132

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 11/18/2025	Time Sundry Submitted: 08:50
Date Operation Actually Began: 11/12/2025	

Actual Procedure: Hilcorp Energy Company has plugged and abandoned the subject well on 11/17/2025 per the attached detailed reports.

SR Attachments

Actual Procedure

O_H_RANDEL_13_PA_SR_20251118084959.pdf

Well Number: 13

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM03153

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004532961

Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TAMMY JONES

Signed on: NOV 18, 2025 08:50 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Compliance Specialist

Street Address: 382 ROAD 3100

City: AZTEC

State: NM

Phone: (505) 324-5185

Email address: TAJONES@HILCORP.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 11/19/2025

Signature: Kenneth Rennick

O H RANDEL 13**30.045.32961****PLUG AND ABANDONMENT**

11/12/2025 - MOVE P&A EQUIP TO LOC. LOTO. SPOT EQUIP. RU RIG PUMPING EQUIP. CK PSI: TBG-0#, CSG-0#, INT-0#, BH-0#. BDW 0 MIN. SIW. SDFN.

11/13/2025 - HELD PJSM. SERVICE & START EQUIP. CK PSI; TBG-0#, CSG-0#, INTER-0#, BH-0#, BDW 0 MINS. (STUCK ROD PUMP) WORK RODS FREE. LD 74 3/4" GUIDED RODS, 4 SB, 1 PUMP. XOVER TBG EQUIP. FT BOP. ND WH. NU BOP. RU RF & TBG EQUIP. PULL HANGER. LD 60 JTS OF 2 3/8" J55. SWAP FLOATS. TALL, RABBIT & PUP. RIH W/ 4.5" SM TO 1350'. TOOHL LD SM. TIH & SET 4.5" CIBP @ 1349' MD. EST CIRC W/ 20 BBLS FW. PUMP 25 TOTAL. PSI TEST CSG TO 600# PSI FOR 30 MNS. TEST OK. TOOHL LD. JSA. RU DRAKE WL RIH W/ CBL TOOL. LOG WELL FROM 1349' - SURF. RD WL. TIH W/ TS TO CIBP. **PLUG #1 FROM 1349' - 1139'. (210') (4.5") M&P 16 SKS OF CLASS G, 15.8PPG, 1.15YIELD. 3.2BLSRY, 1.9MIX, 4.3DIS.** LD TOC. REVERSE OUT. TOOHL. SIW, WOC. DRAIN EQUIP. CLEAN & SECURE LOC. DEBRIEF CREW. **(BLM REP LUCAS MASON)**

11/14/2025 - HELD PJSM. SERVICE & START EQUIP. CK PSI; TBG-0#, CSG-0#, INTER-0#, BH-0#, BDW 0 MINS. **TIH TAG TOC @ 1213'. (BLM REP APPORVED TAG)** LD TBG TO PLUG #2. JSA. RU DRAKE WL. RIH W/ TG & PERF @ 942'. EST A RATE OF 1.2BPM @ 950#. RD WL. TIH W/ CR & SET @ 892'. ATTMEPT RATE BELOW CR/ NO RATE. **(APPROVED TO SPOT 24 SKS ABOVE CR) PLUG #2 FROM 892' - 576'(316')4.5") M&P 24 SKS CLASS G, 15.8PPG, 1.15YIELD, 4.9BLSRY, 2.8MIX, 2.1DIS, 2%CAL.** LD TOC REVERSE OUT. TOOHL SIW. WOC. **TIH TAG TOC @ 630'. (BLM REP APPORVED TAG)** LD TBG TO PLUG #3. JSA. RU DRAKE WL. RIH W/ TG & PERF @ 277'. EST CIRC FROM INTER CSG. RD WL. PUP TO 327'. (PSI FROM INTER CSG, SIW 30 MINS. NO PSI OR FLOW REGISTERED) **PLUG #3 FROM 327' - 0' (4.5"X 7") M&P 67 SKS CLASS G, 25 INSIDE / 42 OUTSIDE, 15.8PPG, 1.15YIELD, 13.7BLSRY, 7.9MIX,** CIRC CMNT TO SURF. LD ALL TBG. SIW, SDFN. WOC. **(BLM REP LUCAS MASON)**

11/17/2025 - HELD PJSM. SERVICE & START EQUIP. CK PSI; TBG-0#, CSG-0#, INTER-0#, BH-0#, BDW 0 MINS. RD RF & TBG EQUIP. ND BOP. NU WH. DIG OUT WH. MONITOR & BUBBLE TEST WH. TEST OK, CUT & REMOVE WH. FIND TOC @ 15' INSIDE / 30' OUTSIDE. WELD & INSTALL DHM @ 36.50685 N / 108.00366 W. RU POLY PIPE. TOP OFF CSG & CELLAR W/ 50 SKS CLAS G, 15.8PPG, 1.15 YIELD. RD P&A PKG. DRAIN EQUIP. CLEAN & SECURE LOC. MOL. **RIG RELEASED 09:00 ON 11/17/2026. (BLM REP LUCAS MASON)**

O H RANDEL 13

30.045.32961

PLUG AND ABANDONMENT



O H RANDEL 13

30.045.32961

PLUG AND ABANDONMENT






Current Schematic - Version 3

Well Name: O H RANDEL #13

API / UWI 3004532961	Surface Legal Location T26N-R11W-S09	Field Name Basin Fruitland Coal	Route 0605	State/Province NEW MEXICO	Well Configuration Type Horizontal
Ground Elevation (ft) 6,417.00	Original KB/RT Elevation (ft) 6,429.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
Tubing Strings					
Run Date 10/4/2023 10:00	Set Depth (ftKB) 1,963.29	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00	Weight/Length (lb/ft) 4.70	Original Spud Date 12/15/2006 20:00

Horizontal 1, <WellboreIDC> [Horizontal]



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 528254

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 528254
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	11/20/2025