

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-23566
1. Type of Well: Oil Well ☐ Gas Well ☐ Other INJECTION		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name NORTH VACUUM ABO UNIT
4. Well Location Unit Letter <u>J</u> : <u>1807</u> feet from the <u>S</u> line and <u>1880</u> feet from the <u>E</u> line Section <u>14</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 142
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 298299
10. Pool name or Wildcat VACUUM; ABO, NORTH		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☒	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

In response to Violations cBZL2520958744 and cBZL2520958745, approval of the following procedure is requested:

- MIRU
- POOH w/ tbg.
- PU bit and scraper and RIH to 8,465'. POOH.
- MIRU wireline. PU new 5-1/2" Permapak packer and RIH. Set @ 8,455'. RDMO wireline.
- PU Packer and RBP and test casing – confirm leak interval. POOH.
- PU Casing Patch and RIH to set patch across leak interval identified between 4,694' – 4,712'.
- Set Patch per manufacturer instructions.
- PU Seal Assembly on Injection Tubing and RIH. Sting into permanent packer @ 8,455'. Pressure test casing. Sting out of packer, circulate backside with packer fluid, and sting back into packer.
- Run MIT for NMOCD directive.
- RDMO and RTI.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE REGULATORY ANALYST DATE 10/28/2025

Type or print name CONNIE BLAYLOCK E-mail address: cblaylock@txopartners.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Vacuum ABO Unit #142

N. Vacuum ABO Field

Lea County, NM


API 30-025-23566

Elevation

GL- 4030

DF- 4043

KB- 4044



Vacuum ABO Unit #142

N. Vacuum ABO Field

Lea County, NM


API 30-025-23566

Elevation

GL- 4030

DF- 4043

KB- 4044

PROPOSED

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 520677

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 520677
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
anthony.harris	Post workover MIT required with OCD witness	11/25/2025
anthony.harris	Submit Post workover C-103 Subsequent Report to summarize the work performed. Attach an updated wellbore diagram showing tubing details, packer setting depth and casing patch details (setting depth(s), Outside Diameter, Inside Diameter)	11/25/2025