Sundry Print Report

County or Parish/State: SAN

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: POLES PARADISE Well Location: T30N / R14W / SEC 9 /

SWNW / 36.830066 / -108.319343

JUAN / NM

Well Number: 90S Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMNM16057 Unit or CA Name: Unit or CA Number:

**CORPORATION** 

## **Subsequent Report**

**Sundry ID: 2885100** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/03/2025 Time Sundry Submitted: 12:44

**Date Operation Actually Began:** 11/04/2025

**Actual Procedure:** Dugan Production plugged and abandoned the well from 11/04/2025 - 11/05/2025 per the attached procedure.

## **SR Attachments**

#### **Actual Procedure**

 $Poles\_Paradise\_90S\_gps\_marker\_photos\_20251203124258.pdf$ 

Poles\_Paradise\_90S\_CBL\_BLM\_OCD\_comms\_20251203124246.pdf

Poles\_Paradise\_90S\_SR\_PA\_formation\_tops\_20251203124239.pdf

Poles\_Paradise\_90S\_SR\_PA\_completed\_wellbore\_schematic\_20251203124233.pdf

Poles\_Paradise\_90S\_SR\_PA\_completed\_work\_20251203124228.pdf

eived by OCD: 12/8/2025 12:59:16 PM Well Name: POLES PARADISE

Well Location: T30N / R14W / SEC 9 /

SWNW / 36.830066 / -108.319343

County or Parish/State: SAN 2 of

JUAN / NM

Well Number: 90S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM16057

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 300453245000S1** 

**Operator: DUGAN PRODUCTION** 

**CORPORATION** 

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: DEC 03, 2025 12:43 PM **Operator Electronic Signature: TYRA FEIL** 

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

## **Field**

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM **Zip:** 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

# **BLM Point of Contact**

**BLM POC Name: KENNETH G RENNICK BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Accepted **Disposition Date: 12/05/2025** 

Signature: Kenneth Rennick


Page 2 of 2

Dugan Production plugged and abandoned the Poles Paradise 90S from **11/04/2025 to 11/05/2025** per the following procedure:

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 10 psi, BH 0 psi.
- Pull and LD production tubing.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 10 psi.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 940'.
- RIH & set  $5\frac{1}{2}$ " cement retainer to 938' (3' above perforations. BLM/NMOCD agreed to continue on). Fruitland perforations @ 941'-1084'.
- Load and circulate hole clean with 28 bbls of water.
- Attempt to pressure test casing to 600 psi, test failed. Had injection rate of 0.4 bpm at 465 psi.
- Run CBL from 930' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Check pressures: Tubing 0 psi, Casing 0 Psi, BH 0 psi.
- Casing taking fluid. RIH and set 5½" cement retainer at 891'. Fruitland perforations @ 941'-1084'.
- Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface: Sting in the cement retainer. Establish injection rate: 1.0 bbl/min at 50 psi. Swap to cement. Squeeze 20 sks, 23 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer till the top perforation at 941'. Displaced with 3.4 bbls of water. Sting out. Spot inside 5½" casing above cement retainer @ 891' w/122 sks (140.3 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland, surface casing & surface (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. WOC 4 hrs. RU welder. Cut wellhead off. Plug I, Inside 5½" casing, cement retainer at 891', 142 sks, 163.3 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface, 0'-941'.
- Fill celllar and install dry hole marker with 22 sks, 25.3 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Gerrick Lee with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- Well P&A'd on 11/05/2025.

#### **Completed P & A Wellbore Schematic**

Poles Paradise # 90S 30-045-32450 Basin Fruitland Coal 2075' FNL & 1235' FWL E-09-T30N-R14W San Juan County, NM



**8-5/8" 24#, J-55 casing @ 131': Hole size - 12 ¼"**Cemented with 85 sks, Class B cement, 100 Cu.ft. Circ 3 bbls cement

**5** ½" **15.5**#, **J-55** casing @ **1242**'. **Hole size: 7**" Cement w/ 75 sks Lodense and 50 sks Class B cement. 213 Cu.ft Circ 6 bbls cement

Plug I, Inside 5½" casing, cement retainer at 891', 142 sks, 163.3 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface, 0'-941'.

Set 5  $\frac{1}{2}$ " CR @ 891'. Squeeze 20 sks, 23 Cu.ft cement to cover the Pictured cliffs top until top perf at 941' below the retainer.

Fruitland Coal Perforated @ 941' - 1084'

PBTD @ 1205', TD 1250'

**Poles Paradise # 90S** 

30-045-32450 Basin Fruitland Coal 2075' FNL & 1235' FWL E-09-T30N-R14W San Juan County, NM

## Formation Tops (Referenced for the P & A)

- · Kirtland Surface
- Surface Casing 131'
- Fruitland 602'
- Perforations 941'-1084'
- Pictured Cliffs 1086'

## Tyra Feil

From: Alex Robles <arobles@aztecwell.com>
Sent: Tuesday, November 4, 2025 5:11 PM

To: Aliph Reena; VIRGIL; KENNETH; Garcia, John, EMNRD; Durham, John, EMNRD; Smith, Clarence, EMNRD;

Vermersch, Thomas, EMNRD; Diede, Loren, EMNRD; glee@blm.gov

Cc: Tyra Feil; Indalecio Roldan; Omar Ramirez; Brian McCann

Subject:DUGAN POLES PARADISE #90S CBLAttachments:DUGAN POLES PARADISE #90S CBL.pdf

Alex Prieto
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410


Cell: 505-419-9882 Office: 505-334-6191 Arobles@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.







Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 532806

#### **CONDITIONS**

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	532806
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	12/9/2025