

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 5380
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-50100	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 333604	⁸ Property Name SHANGHAI ROOSTER 15 3 FED	⁹ Well Number 126H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	15	25S	29E		329	South	2230	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	3	25S	29E		229	North	2018	East	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373073	XTO Permian Midstream	O/W
320009	Enlink	G

IV. Well Completion Data

²¹ Spud Date 04/01/2023	²² Ready Date 6/04/2024	²³ 25,565 MBTD 10263 TVD	²⁴ 25548 MBTD 10263 TVD	²⁵ Perforations 10,335 TO 25,454	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25	9.625 J55 40#	893	440 Class C		
8.75	7.625 HCL80 29.7#	9,428	1,185 Class H		
6.75	5 P110 18#	25,500	1,285 35/65 Poz		
	2.875 L80 6.5#	9,674			

V. Well Test Data

³¹ Date New Oil 6/5/2024	³² Gas Delivery Date 6/22/2024	³³ Test Date 6/22/2024	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 633	³⁶ Csg. Pressure 632
³⁷ Choke Size	³⁸ Oil 2,443	³⁹ Water 5,912	⁴⁰ Gas 6,069		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Amanda Thames*

OIL CONSERVATION DIVISION

Approved by:

Printed name:

Amanda Thames

Title:

Title:

Regulatory Analyst

Approval Date:

E-mail Address:

amanda.thames@exxonmobil.com

Date:

7/1/2024

Phone:

432.221.7340

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 334-6170
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-50100		² Pool Code 98220		³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	
⁴ Property Code 333604		⁵ Property Name SHANGHAI ROOSTER 15-3 FED			⁶ Well Number 126H
⁷ OGRID No. 005380		⁸ Operator Name XTO ENERGY, INC			⁹ Elevation 3,076'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	15	25 S	29 E		329	SOUTH	2,229	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	3	25 S	29 E		229	NORTH	2,018	EAST	EDDY

¹² Dedicated Acres 1,919.20	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Amanda Thames 7/1/2024

Signature Date

Amanda Thames

Printed Name

amanda.thames@exxonmobil.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

4-24-2024

Date of Survey

LM 2018020658

Signature and Seal of Professional Surveyor:

I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Tim C. Pappas 24 APRIL 2024

TIM C. PAPPAS
REGISTERED PROFESSIONAL LAND SURVEYOR
STATE OF NEW MEXICO NO. 21209

TIM C. PAPPAS 21209
Certificate Number

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Core Services

Well Construction Measurements

United States Land
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)



May 16, 2023

XTO Energy Incorporated
22777 Springwoods Village Parkway
Spring, TX 77389

Re: CLIENT: XTO Energy Incorporated
WELL: Shanghai Rooster 15-3 Fed 126H
FIELD: Purple Sage; Wolfcamp

RIG: H&P 508
COUNTY: Eddy
API NO: 30-015-50100
JOB NO: O.1035952.80

15 25S 29E Eddy NM
N 32.123539 W -103.970450

Enclosed, please find the original copy of the survey performed on the referenced well by Well Construction Measurements, a division of Schlumberger Technology Corporation (P-5 No. 754900).
Other information required by your office is as follows.

<u>Name & Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Idris Olayinka Kazeem	Shanghai Rooster 15-3			
FE	Fed 126H	200.00 Ft	April 1, 2023	XBOLT G2
	Original Hole	25565.00 Ft	May 16, 2023	Third Party Corrected

Core Services

Well Construction Measurements

United States Land
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)



Well Reference:

15 25S 29E Eddy NM
N 32.123539 W -103.970450

I, Idris Olayinka Kazeem certify that; I am employed by Well Construction Measurements, a division of Schlumberger Technology Corporation; that I did on the day(s) of April 01, 2023 through May 16, 2023, conduct or supervise the taking of the XBOLT G2 & Third Party Corrected surveys from a depth of 200.00 feet to a depth of 25565.00 feet referenced to driller's depth; that the data is true, correct, complete and within the limitations of the tool as set forth by Well Construction Measurements, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of XTO Energy Incorporated for the Shanghai Rooster 15-3 Fed 126H Well (Original Hole) API No. 30-015-50100 in New Mexico; and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Well Construction Measurements, a division of Schlumberger Technology Corporation.

By
Idris Olayinka Kazeem
FE

A handwritten signature in black ink, appearing to read 'Idris Kazeem', is written over the printed name and title.

Subscribed and Sworn to before me this _____ day of _____ (month) _____ (yr)

My Commission expires:

Notary Public

(signature)

(County State)



SLB Survey Report

Tuesday, May 16, 2023 1:11 PM Report by DrillOps

General Information			
Client:	XTO Energy Incorporated	Well Name:	Shanghai Rooster 15-3 Fed 126H
Field:	Purple Sage; Wolfcamp		

Job Location & Elevation			
Latitude:	32°7'24.740" N	Longitude:	103°58'13.618" W
Rig Type:	land	Log Measured From:	DrillFloor
Rig Floor above GL:	30.00 ft	Ground Level above MSL:	3076.00 ft
Depth Source:	Driller's Depth		

Tie In Point			
TIP_MD:	0.00 ft	TIP_NORTHING:	0.00 ft
TIP_INCL:	0.00 deg	TIP_EASTING:	0.00 ft
TIP_AZIM:	0.00 deg	TIP_ROAZ:	359.86 deg
TIP_TVD:	0.00 ft	NORTH_REF:	GridNorth

MWD Survey Reference Criteria

Run1			
Geomag Model:	HDGM 2023	Calculation Date:	28-Mar-2023
Location G:	998.45 mgn		
Location B:	47441.00 nT		
Magnetic Dip:	59.71 deg		
Magnetic dec (+E/W-):	6.65 deg		
Grid convergence (+E/W-):	0.19 deg		
GTotal az corr (+E/W-):	6.45 deg		

Run2			
Geomag Model:	HDGM 2023	Calculation Date:	23-Mar-2023
Location G:	998.45 mgn		
Location B:	47441.00 nT		
Magnetic Dip:	59.71 deg		
Magnetic dec (+E/W-):	6.65 deg		
Grid convergence (+E/W-):	0.19 deg		
GTotal az corr (+E/W-):	6.45 deg		

Run3			
Geomag Model:	HDGM 2023	Calculation Date:	25-Mar-2023
Location G:	998.45 mgn		
Location B:	47441.00 nT		
Magnetic Dip:	59.71 deg		
Magnetic dec (+E/W-):	6.65 deg		
Grid convergence (+E/W-):	0.19 deg		
GTotal az corr (+E/W-):	6.45 deg		

Run4			
Geomag Model:	HDGM 2023	Calculation Date:	25-Mar-2023
Location G:	998.45 mgn		
Location B:	47441.00 nT		
Magnetic Dip:	59.71 deg		
Magnetic dec (+E/W-):	6.65 deg		
Grid convergence (+E/W-):	0.19 deg		
GTotal az corr (+E/W-):	6.45 deg		

Run5			
Geomag Model:	HDGM 2023	Calculation Date:	24-Mar-2023
Location G:	998.45 mgn		
Location B:	47441.00 nT		

Magnetic Dip:	59.71 deg		
Magnetic dec (+E/W-):	6.65 deg		
Grid convergence (+E/W-):	0.19 deg		
GTotal az corr (+E/W-):	6.45 deg		

Survey List									
MD	Incl	Azim	TVD	V Sec	N/-S	E/-W	DLS	RE_DISTANCE	JRE_AZIMUTH
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(ft)	(deg)
0	0	0	0	0	0	0	0	0	0
200	0.1	29.77	200	0.15	0.15	0.09	0.05	0.17	29.77
322	0.21	174.15	322	0.02	0.02	0.16	0.24	0.16	82.45
416	0.16	198.91	416	-0.27	-0.27	0.14	0.1	0.31	153.38
605	0.63	144.23	604.99	-1.37	-1.37	0.66	0.29	1.52	154.25
793	0.61	161.45	792.98	-3.16	-3.15	1.58	0.1	3.53	153.37
830	0.63	139.27	829.98	-3.5	-3.49	1.78	0.65	3.92	153.05
957	1.34	330.83	956.97	-2.73	-2.73	1.51	1.54	3.12	151.05
1052	1.22	327.04	1051.95	-0.91	-0.91	0.42	0.15	1	155.34
1148	1.05	226.07	1147.94	-0.66	-0.66	-0.77	1.83	1.02	229.42
1242	1.29	234.86	1241.92	-1.86	-1.87	-2.26	0.32	2.93	230.4
1337	1.14	251.54	1336.9	-2.77	-2.78	-4.03	0.4	4.9	235.37
1432	1.25	102.24	1431.89	-3.29	-3.3	-3.91	2.43	5.12	229.84
1527	3.79	132.14	1526.79	-5.63	-5.63	-0.57	2.92	5.66	185.79
1622	3.46	139.57	1621.6	-9.93	-9.92	3.62	0.6	10.56	159.97
1717	3.29	150.12	1716.44	-14.48	-14.46	6.83	0.68	16	154.71
1812	3.35	139.56	1811.28	-18.96	-18.94	9.99	0.65	21.41	152.19
2003	2.16	138.78	2002.06	-25.93	-25.89	15.98	0.62	30.43	148.31
2098	1.74	148.58	2097	-28.52	-28.47	17.92	0.56	33.64	147.82
2288	1.12	153.38	2286.94	-32.64	-32.59	20.25	0.33	38.37	148.15
2383	2.59	122	2381.89	-34.62	-34.56	22.49	1.83	41.23	146.95
2478	3.79	146.41	2476.75	-38.38	-38.31	26.05	1.88	46.33	145.79
2668	2.95	154.6	2666.42	-48.04	-47.96	31.62	0.51	57.45	146.61
2763	4.14	137.99	2761.24	-52.8	-52.72	34.96	1.64	63.26	146.45
2858	4.45	161.67	2855.98	-58.86	-58.77	38.41	1.88	70.21	146.83
2953	3.71	192.56	2950.75	-65.36	-65.26	38.91	2.41	75.98	149.2
3048	3.6	220.95	3045.56	-70.61	-70.52	36.28	1.89	79.3	152.77
3143	3.37	220.19	3140.39	-74.98	-74.9	32.53	0.25	81.66	156.53
3238	2.99	220.43	3235.24	-78.99	-78.92	29.12	0.4	84.12	159.75
3428	2.81	217.49	3425	-86.45	-86.39	23.07	0.12	89.42	165.05
3523	2.73	211.98	3519.88	-90.21	-90.16	20.45	0.29	92.45	167.22
3618	3.85	200.54	3614.73	-95.11	-95.06	18.14	1.36	96.78	169.2
3712	3.96	200.23	3708.51	-101.1	-101.06	15.91	0.12	102.31	171.06
3807	3.91	185.25	3803.29	-107.4	-107.37	14.48	1.08	108.34	172.32
3902	3.61	178.7	3898.08	-113.62	-113.58	14.25	0.55	114.47	172.85
3997	3.63	160.07	3992.9	-119.44	-119.4	15.34	1.23	120.38	172.68
4092	3.62	157.98	4087.71	-125.05	-125.01	17.49	0.14	126.23	172.04
4187	3.64	158.74	4182.52	-130.65	-130.6	19.71	0.05	132.08	171.42
4282	3.43	159.94	4277.34	-136.13	-136.08	21.78	0.23	137.81	170.91
4377	3.36	156.94	4372.17	-141.37	-141.31	23.84	0.2	143.31	170.42
4472	3.16	154.87	4467.02	-146.3	-146.24	26.04	0.24	148.54	169.9
4567	3.13	153.23	4561.87	-151	-150.93	28.32	0.1	153.56	169.37
4662	3.04	153.87	4656.73	-155.58	-155.5	30.6	0.1	158.49	168.87
4757	3.14	156.88	4751.6	-160.24	-160.16	32.73	0.2	163.47	168.45
4852	3.07	155.33	4846.46	-164.95	-164.86	34.82	0.12	168.5	168.08
4947	2.96	156.92	4941.33	-169.52	-169.43	36.84	0.15	173.39	167.73
5042	3.07	158.97	5036.19	-174.16	-174.06	38.71	0.16	178.32	167.46
5137	3.03	157.67	5131.06	-178.86	-178.76	40.58	0.08	183.31	167.21
5232	2.91	163.76	5225.93	-183.5	-183.4	42.21	0.36	188.19	167.04
5327	2.94	165.34	5320.81	-188.18	-188.07	43.5	0.09	193.04	166.98
5422	2.88	173.51	5415.69	-192.91	-192.8	44.39	0.44	197.84	167.04
5517	2.91	172.28	5510.57	-197.67	-197.56	44.98	0.07	202.61	167.17
5612	2.78	169.78	5605.45	-202.33	-202.22	45.71	0.19	207.32	167.26
5707	2.61	174.24	5700.34	-206.75	-206.64	46.34	0.28	211.77	167.36

5802	2.46	170.89	5795.25	-210.91	-210.8	46.88	0.22	215.95	167.46
5897	1.41	136.02	5890.2	-213.77	-213.65	48.01	1.61	218.98	167.33
5992	1.32	115.8	5985.17	-215.09	-214.97	49.81	0.51	220.67	166.95
6087	1.33	124.11	6080.15	-216.19	-216.07	51.71	0.2	222.17	166.54
6182	0.79	4.57	6175.14	-216.16	-216.03	52.67	1.95	222.36	166.3
6277	0.84	354.95	6270.13	-214.81	-214.69	52.66	0.15	221.05	166.22
6372	0.63	16.37	6365.12	-213.62	-213.49	52.75	0.36	219.91	166.12
6467	0.64	24.58	6460.11	-212.64	-212.51	53.12	0.1	219.05	165.97
6562	0.48	30.79	6555.11	-211.81	-211.68	53.54	0.18	218.35	165.81
6657	0.24	2.11	6650.11	-211.27	-211.14	53.75	0.31	217.88	165.72
6752	0.25	330.97	6745.11	-210.89	-210.76	53.66	0.14	217.49	165.72
6942	0.61	175.97	6935.1	-211.54	-211.41	53.53	0.44	218.08	165.79
7037	0.8	153.97	7030.1	-212.64	-212.51	53.86	0.34	219.23	165.78
7132	0.89	115.44	7125.09	-213.56	-213.42	54.81	0.59	220.35	165.6
7226	1.2	86.77	7219.07	-213.82	-213.68	56.46	0.64	221.01	165.2
7321	0.96	73.11	7314.06	-213.53	-213.39	58.21	0.37	221.19	164.74
7415	0.5	255.81	7408.05	-213.41	-213.26	58.57	1.55	221.16	164.64
7510	0.77	287.41	7503.05	-213.32	-213.18	57.55	0.46	220.81	164.89
7605	0.92	302.79	7598.04	-212.71	-212.57	56.3	0.28	219.9	165.16
7699	0.12	9.29	7692.03	-212.2	-212.07	55.69	0.94	219.25	165.29
7794	0.29	230.09	7787.03	-212.26	-212.12	55.52	0.41	219.27	165.33
7889	1.45	216.96	7882.02	-213.37	-213.24	54.61	1.23	220.12	165.64
7984	1.2	220.35	7976.99	-215.08	-214.95	53.24	0.28	221.45	166.09
8079	1.48	222.06	8071.97	-216.75	-216.62	51.78	0.3	222.73	166.56
8174	1.3	257.78	8166.94	-217.88	-217.76	49.9	0.92	223.41	167.09
8268	1.24	275.19	8260.92	-218.01	-217.9	47.85	0.41	223.09	167.62
8363	1.72	222.32	8355.89	-218.97	-218.86	45.86	1.46	223.61	168.16
8458	2.37	222.56	8450.83	-221.46	-221.36	43.58	0.68	225.61	168.86
8553	2.6	226.95	8545.74	-224.37	-224.28	40.67	0.31	227.93	169.72
8647	1.83	242.1	8639.67	-226.53	-226.43	37.79	1.02	229.57	170.53
8742	2	237.75	8734.62	-228.11	-228.03	35.05	0.24	230.71	171.26
8837	1.27	227.09	8829.58	-229.71	-229.63	32.87	0.83	231.97	171.85
8932	0.69	93.42	8924.57	-230.46	-230.38	32.67	1.91	232.69	171.93
9026	1.26	253.76	9018.56	-230.78	-230.7	32.24	2.05	232.95	172.04
9121	2.4	259.34	9113.51	-231.43	-231.36	29.29	1.21	233.21	172.79
9215	2.6	257.47	9207.43	-232.25	-232.19	25.27	0.23	233.56	173.79
9310	2.13	259.09	9302.34	-233.04	-232.99	21.43	0.5	233.98	174.74
9391	2.14	262.71	9383.29	-233.51	-233.47	18.46	0.17	234.2	175.48
9475	1.88	259.19	9467.24	-233.96	-233.93	15.55	0.34	234.44	176.2
9571	2.07	284	9563.18	-233.83	-233.8	12.32	0.9	234.13	176.98
9620	4.94	10.49	9612.11	-231.54	-231.51	11.84	10.69	231.81	177.07
9667	7.46	34.84	9658.84	-227.05	-227.02	13.96	7.64	227.44	176.48
9763	14.42	11.21	9753.08	-210.2	-210.15	19.85	8.48	211.08	174.6
9859	26.8	1.1	9842.78	-176.7	-176.64	22.6	13.37	178.08	172.71
9955	39.1	7.81	9923.21	-124.86	-124.8	27.15	13.35	127.72	167.73
10051	47.27	17.21	9993.23	-61.05	-60.95	41.73	10.81	73.87	145.6
10147	52.42	19.89	10055.12	8.39	8.55	65.13	5.77	65.69	82.52
10243	58.23	18.14	10109.71	82.95	83.17	90.8	6.23	123.13	47.51
10339	63.38	16	10156.53	162.98	163.26	115.35	5.71	199.9	35.24
10435	72.34	15.03	10192.67	248.52	248.86	139.09	9.38	285.09	29.2
10531	86.5	13.51	10210.26	339.69	340.09	162.26	14.83	376.81	25.51
10627	88.77	6.02	10214.22	434.11	434.55	178.51	8.15	469.78	22.33
10723	87.98	0.8	10216.95	529.85	530.3	184.22	5.5	561.39	19.16
10819	89.12	359.47	10219.38	625.82	626.27	184.44	1.82	652.86	16.41
10915	88.68	2.87	10221.22	721.76	722.22	186.4	3.57	745.88	14.47
11107	89.15	4.24	10224.86	913.32	913.81	198.31	0.75	935.08	12.24
11202	89	2.59	10226.39	1008.12	1008.62	203.96	1.74	1029.04	11.43
11298	89.49	1.52	10227.65	1104.04	1104.55	207.41	1.23	1123.86	10.63
11394	89.58	1.97	10228.43	1199.99	1200.5	210.33	0.48	1218.79	9.94
11490	89.75	1.78	10228.99	1295.92	1296.45	213.47	0.27	1313.91	9.35
11586	89.87	2.72	10229.31	1391.84	1392.37	217.24	0.99	1409.22	8.87
11681	89.57	1.25	10229.78	1486.77	1487.31	220.53	1.58	1503.57	8.43
11777	89.55	1.65	10230.51	1582.73	1583.28	222.96	0.42	1598.9	8.02

11873	89.82	358.25	10231.04	1678.71	1679.26	222.87	3.55	1693.99	7.56
11969	89.63	0.84	10231.5	1774.7	1775.25	222.11	2.71	1789.09	7.13
12065	89.95	358.82	10231.86	1870.7	1871.25	221.83	2.13	1884.35	6.76
12161	90.39	359.57	10231.57	1966.69	1967.24	220.48	0.91	1979.55	6.39
12257	91.12	358.7	10230.31	2062.67	2063.21	219.03	1.18	2074.81	6.06
12352	89.75	0.02	10229.58	2157.66	2158.2	217.97	2	2169.18	5.77
12448	89.79	0.47	10229.97	2253.66	2254.2	218.38	0.47	2264.75	5.53
12544	89.79	359.94	10230.32	2349.66	2350.2	218.72	0.55	2360.35	5.32
12639	89.51	359.99	10230.9	2444.65	2445.2	218.66	0.3	2454.95	5.11
12735	90.63	3.69	10230.78	2540.58	2541.13	221.75	4.03	2550.78	4.99
12831	90.57	0.41	10229.78	2636.49	2637.05	225.18	3.42	2646.64	4.88
12927	89.91	1.16	10229.38	2732.48	2733.04	226.49	1.04	2742.41	4.74
13023	89.73	359.43	10229.68	2828.47	2829.03	226.99	1.81	2838.12	4.59
13119	89.5	359.4	10230.32	2924.46	2925.02	226.01	0.24	2933.74	4.42
13215	89.56	359.61	10231.11	3020.46	3021.02	225.18	0.23	3029.4	4.26
13310	90.2	356.33	10231.31	3115.39	3115.94	221.82	3.52	3123.83	4.07
13406	91.29	357.2	10230.06	3211.24	3211.78	216.4	1.45	3219.06	3.85
13502	90.41	359.56	10228.64	3307.19	3307.72	213.68	2.62	3314.62	3.7
13598	90.38	359.95	10227.98	3403.19	3403.72	213.27	0.41	3410.4	3.59
13694	90.02	0.39	10227.64	3499.19	3499.72	213.56	0.59	3506.23	3.49
13790	89.52	0.16	10228.03	3595.18	3595.72	214.02	0.57	3602.08	3.41
13886	90.18	358.97	10228.28	3691.18	3691.71	213.29	1.42	3697.87	3.31
13982	89.67	357.88	10228.4	3787.15	3787.67	210.65	1.25	3793.53	3.18
14078	87.93	4.38	10230.42	3883.05	3883.58	212.54	7.01	3889.39	3.13
14174	89.62	0.09	10232.47	3978.92	3979.46	216.28	4.8	3985.33	3.11
14270	89.88	0.34	10232.89	4074.91	4075.46	216.64	0.38	4081.21	3.04
14365	91.26	359.6	10231.94	4169.91	4170.45	216.59	1.65	4176.07	2.97
14461	90.18	356.53	10230.74	4265.84	4266.37	213.35	3.39	4271.7	2.86
14557	89.41	358.28	10231.08	4361.75	4362.27	209.01	1.99	4367.27	2.74
14749	90.64	359.34	10231	4553.71	4554.22	205.02	0.85	4558.83	2.58
14845	92.41	358.08	10228.44	4649.65	4650.16	202.86	2.26	4654.58	2.5
14941	89.7	0.92	10226.67	4745.61	4746.12	202.02	4.09	4750.42	2.44
15037	89.42	358.91	10227.41	4841.6	4842.11	201.88	2.11	4846.32	2.39
15133	89.68	0.05	10228.16	4937.6	4938.1	201.01	1.22	4942.19	2.33
15229	89.22	1.72	10229.09	5033.57	5034.08	202.49	1.8	5038.15	2.3
15325	89.95	0.98	10229.78	5129.54	5130.05	204.75	1.08	5134.14	2.29
15517	89.12	0.86	10231.34	5321.5	5322.02	207.84	0.44	5326.08	2.24
15613	89.55	359.53	10232.45	5417.49	5418.01	208.16	1.46	5422.01	2.2
15709	89.32	359.33	10233.4	5513.48	5514	207.21	0.32	5517.89	2.15
15805	88.91	356.52	10234.88	5609.4	5609.92	203.73	2.96	5613.62	2.08
15901	90.81	357	10235.12	5705.26	5705.76	198.31	2.04	5709.2	1.99
15997	91.13	356.32	10233.49	5801.09	5801.58	192.72	0.78	5804.78	1.9
16189	89.8	0.93	10231.93	5992.99	5993.46	188.11	2.5	5996.41	1.8
16381	92.02	357.16	10228.88	6184.9	6185.37	184.91	2.28	6188.13	1.71
16477	92.88	358.16	10224.78	6280.73	6281.2	181	1.37	6283.8	1.65
16570	89.97	358.31	10222.47	6373.66	6374.11	178.13	3.13	6376.6	1.6
16666	89.68	359.93	10222.76	6469.65	6470.1	176.66	1.71	6472.51	1.56
16762	88.71	1.06	10224.11	6565.63	6566.08	177.49	1.55	6568.48	1.55
16857	89.06	3.95	10225.96	6660.5	6660.96	181.64	3.06	6663.44	1.56
16953	89.32	3.83	10227.32	6756.25	6756.73	188.15	0.3	6759.35	1.6
17049	89.6	4.59	10228.22	6851.97	6852.47	195.2	0.84	6855.25	1.63
17145	89.89	3.93	10228.65	6947.69	6948.2	202.33	0.75	6951.15	1.67
17241	91.61	2.83	10227.39	7043.49	7044.02	207.99	2.13	7047.09	1.69
17337	91.43	359.85	10224.84	7139.42	7139.95	210.23	3.11	7143.04	1.69
17433	91.3	359.92	10222.56	7235.39	7235.92	210.04	0.15	7238.97	1.66
17529	90.41	0.36	10221.12	7331.38	7331.91	210.28	1.03	7334.93	1.64
17625	89.95	0.17	10220.82	7427.37	7427.91	210.72	0.52	7430.9	1.62
17817	90.53	0.44	10220.02	7619.36	7619.9	211.74	0.33	7622.84	1.59
17913	88.26	0.02	10221.03	7715.35	7715.89	212.13	2.4	7718.81	1.57
18009	89.72	1.49	10222.72	7811.32	7811.86	213.39	2.16	7814.78	1.56
18105	88.9	0.52	10223.88	7907.29	7907.84	215.08	1.32	7910.76	1.56
18201	89.48	0.4	10225.24	8003.27	8003.83	215.85	0.62	8006.74	1.54
18296	89.1	0.68	10226.41	8098.26	8098.81	216.74	0.5	8101.71	1.53

18392	88.94	0.58	10228.06	8194.24	8194.79	217.8	0.2	8197.69	1.52
18584	88.73	1	10231.96	8386.17	8386.74	220.44	0.24	8389.63	1.51
18680	88.96	0.7	10233.9	8482.14	8482.71	221.87	0.39	8485.61	1.5
18776	89.02	0.9	10235.59	8578.11	8578.68	223.21	0.22	8581.58	1.49
18872	89.19	0.35	10237.09	8674.09	8674.66	224.25	0.6	8677.56	1.48
18968	89.72	359.1	10238	8770.08	8770.66	223.79	1.41	8773.51	1.46
19064	89.45	359.96	10238.7	8866.08	8866.65	223.01	0.94	8869.45	1.44
19255	91.15	358.89	10237.7	9057.06	9057.63	221.09	1.05	9060.32	1.4
19351	90.52	0.13	10236.3	9153.05	9153.61	220.27	1.45	9156.26	1.38
19447	90.04	359.68	10235.83	9249.04	9249.61	220.11	0.69	9252.23	1.36
19543	89.83	359.49	10235.94	9345.04	9345.61	219.41	0.29	9348.18	1.34
19639	89.7	359.54	10236.33	9441.04	9441.6	218.6	0.15	9444.13	1.33
19735	90.12	0.56	10236.48	9537.04	9537.6	218.69	1.15	9540.11	1.31
19831	89.89	359.91	10236.47	9633.03	9633.6	219.08	0.72	9636.09	1.3
19927	89.51	1.15	10236.98	9729.02	9729.59	219.97	1.35	9732.08	1.3
20023	88.92	0.41	10238.29	9825	9825.57	221.27	0.99	9828.06	1.29
20119	89.81	357.95	10239.35	9920.98	9921.55	219.9	2.72	9923.98	1.27
20215	88.72	358.49	10240.59	10016.93	10017.49	216.92	1.27	10019.84	1.24
20311	88.85	359.77	10242.62	10112.9	10113.46	215.46	1.34	10115.75	1.22
20406	88.97	359.82	10244.43	10207.88	10208.44	215.12	0.14	10210.71	1.21
20502	90.23	359.5	10245.1	10303.88	10304.43	214.55	1.35	10306.67	1.19
20598	89.15	359.67	10245.62	10399.87	10400.43	213.86	1.14	10402.63	1.18
20694	89.41	357.58	10246.82	10495.84	10496.39	211.55	2.19	10498.52	1.15
20790	90.13	359.22	10247.21	10591.8	10592.35	208.87	1.87	10594.4	1.13
20886	89.89	358.08	10247.19	10687.78	10688.32	206.61	1.21	10690.31	1.11
20982	91.57	359.09	10245.97	10783.74	10784.28	204.24	2.04	10786.21	1.08
21078	89.83	358.74	10244.8	10879.72	10880.25	202.42	1.85	10882.13	1.07
21174	90.4	359.35	10244.61	10975.71	10976.23	200.82	0.87	10978.07	1.05
21270	89.68	357.26	10244.54	11071.67	11072.18	197.98	2.3	11073.95	1.02
21366	88.47	359.1	10246.09	11167.61	11168.12	194.93	2.29	11169.82	1
21462	88.91	359.23	10248.28	11263.58	11264.08	193.54	0.48	11265.75	0.98
21558	89.2	0.55	10249.87	11359.56	11360.07	193.35	1.41	11361.71	0.98
21654	89.08	359.16	10251.31	11455.55	11456.05	193.11	1.45	11457.68	0.97
21750	89.11	359.18	10252.82	11551.53	11552.03	191.72	0.04	11553.62	0.95
21846	89.95	359.78	10253.61	11647.52	11648.02	190.85	1.08	11649.59	0.94
21942	88.91	359.46	10254.57	11743.51	11744.01	190.21	1.13	11745.56	0.93
22037	89.18	0.83	10256.15	11838.5	11839	190.45	1.47	11840.53	0.92
22133	90.35	2.16	10256.54	11934.45	11934.96	192.96	1.85	11936.52	0.93
22229	90.16	0.65	10256.12	12030.42	12030.93	195.31	1.59	12032.51	0.93
22325	90.72	359.4	10255.38	12126.41	12126.92	195.35	1.43	12128.5	0.92
22421	90.99	0.42	10253.95	12222.4	12222.91	195.2	1.1	12224.47	0.91
22518	90.83	0.86	10252.41	12319.38	12319.89	196.28	0.48	12321.46	0.91
22613	90.13	0.45	10251.61	12414.36	12414.88	197.37	0.85	12416.45	0.91
22709	89.59	0.35	10251.84	12510.36	12510.88	198.04	0.57	12512.45	0.91
22805	91.78	0.01	10250.7	12606.34	12606.87	198.34	2.31	12608.43	0.9
22900	89.6	359.85	10249.55	12701.33	12701.85	198.23	2.3	12703.4	0.89
22996	90.35	0.07	10249.59	12797.33	12797.85	198.16	0.81	12799.39	0.89
23092	90.32	359.57	10249.03	12893.33	12893.85	197.86	0.52	12895.37	0.88
23188	90.09	357.88	10248.69	12989.31	12989.82	195.72	1.78	12991.3	0.86
23284	89.99	359.73	10248.62	13085.29	13085.8	193.72	1.93	13087.23	0.85
23380	89.46	1.03	10249.08	13181.28	13181.79	194.36	1.46	13183.22	0.84
23476	89.12	2.29	10250.27	13277.22	13277.74	197.14	1.36	13279.21	0.85
23572	88.38	359.76	10252.37	13373.17	13373.7	198.85	2.75	13375.17	0.85
23667	90.22	358.63	10253.53	13468.15	13468.67	197.52	2.27	13470.12	0.84
23763	88.92	357.47	10254.25	13564.1	13564.61	194.25	1.81	13566	0.82
23859	90.24	358.5	10254.95	13660.04	13660.55	190.88	1.74	13661.88	0.8
23955	90.37	357.97	10254.44	13756	13756.5	187.92	0.57	13757.78	0.78
24050	89.73	358.47	10254.36	13850.96	13851.45	184.97	0.85	13852.69	0.77
24146	89.37	359.57	10255.11	13946.94	13947.43	183.33	1.21	13948.64	0.75
24242	90.05	359.19	10255.6	14042.94	14043.43	182.29	0.81	14044.61	0.74
24338	89.78	357.85	10255.74	14138.91	14139.39	179.81	1.42	14140.53	0.73
24433	89.46	0.63	10256.37	14233.89	14234.37	178.55	2.95	14235.49	0.72
24529	90.26	0.23	10256.61	14329.89	14330.37	179.27	0.93	14331.49	0.72

24625	90.31	359.67	10256.13	14425.89	14426.37	179.19	0.59	14427.48	0.71
24721	89.52	359.16	10256.27	14521.88	14522.36	178.21	0.98	14523.45	0.7
24817	90.16	1.56	10256.54	14617.87	14618.35	178.81	2.59	14619.44	0.7
24913	89.96	358.97	10256.44	14713.86	14714.34	179.25	2.71	14715.43	0.7
25105	89.26	359.66	10257.74	14905.84	14906.32	176.96	0.51	14907.37	0.68
25264	88.32	359	10261.1	15064.8	15065.27	175.1	0.72	15066.29	0.67
25356	91.11	0.22	10261.56	15156.79	15157.26	174.47	3.31	15158.26	0.66
25529	88.41	359.41	10262.28	15329.77	15330.24	173.91	1.63	15331.22	0.65
25565	88.41	359.41	10263.28	15365.75	15366.22	173.54	0	15367.2	0.65

Well Name: SHANGHAI ROOSTER 15-3 FEDERAL	Well Location: T25S / R29E / SEC 15 / SWSE / 32.123666 / -103.970857	County or Parish/State: EDDY / NM
Well Number: 126H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM14778	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001550100	Operator: XTO ENERGY INCORPORATED	

Subsequent Report

Sundry ID: 2795158

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 06/13/2024

Time Sundry Submitted: 06:33

Date Operation Actually Began: 10/10/2023

Actual Procedure: XTO ENERGY INC. respectfully submits this sundry notice to report the completion operations of the referenced well. KOP @ depth 9,571 ft. PBTD = 25,548 ft. 7/12/23 Run RCB/GR/CCL 7/16/23 Pressure test 5 in csg to 8,381 psi for 30min test good, open sleeve. 10/10/23 Perf and frac 75 stages, 1,804 total shots, from 10,335 to 25,454 using 790,475 bbls of fluid and 37,538,039 lbs Proppant. Tag and drill out plugs. 3/8/24 Run 2-7/8 L80 6.5# tubing set at 9,674 ft.

Well Name: SHAN CHAI ROOSTER 15-3 FEDERAL
Well Location: T25S / R29E / SEC 15 / SWSE / 32.123666 / -103.970857
County or Parish/State: EDDY / NM
Well Number: 126H
Type of Well: CONVENTIONAL GAS WELL
Allottee or Tribe Name:
Lease Number: NMNM14778
Unit or CA Name:
Unit or CA Number:
US Well Number: 3001550100
Operator: XTO ENERGY INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA THAMES

Signed on: JUN 13, 2024 06:33 AM

Name: XTO ENERGY INCORPORATED

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 221-7340

Email address: AMANDA.THAMES@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 06/21/2024

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-015-50100										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name SHANGHAI ROOSTER 15 3 FED				
						6. Well Number: 126H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO ENERGY INC.						9. OGRID 5380				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	15	25S	29E		329	South	2230	East	Eddy
BH:		3	25S	29E	2	229	North	2018	East	Eddy
13. Date Spudded 04/01/2023	14. Date T.D. Reached 05/16/2023		15. Date Rig Released 05/18/2023		16. Date Completed (Ready to Produce) 06/04/2024			17. Elevations (DF and RKB, RT, GR, etc.) 3076' GL		
18. Total Measured Depth of Well 25,565			19. Plug Back Measured Depth 25,548		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10,335 TO 25,454 PURPLE SAGE;WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40.0		893'		12 1/4"		440		
7 5/8"		29.7		9,428'		8 3/4"		1,185		
5"		18.0		25,550'		6 3/4"		1,285		
24. LINER RECORD										25. TUBING RECORD
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2 7/8"	9,674				
26. Perforation record (interval, size, and number) 10,335 TO 25,454 4spf, 1,804 Total Shots 75 stages					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10,335 TO 25,454 790,475 bbl fluid + 37,538,039 lbs Proppant					
28. PRODUCTION										
Date First Production 6/05/24		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 6/22/24	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2,443	Gas - MCF 6,069	Water - Bbl. 5,912	Gas - Oil Ratio 2,484			
Flow Tubing Press. 633	Casing Pressure 632	Calculated 24-Hour Rate	Oil - Bbl. 2,443	Gas - MCF 6,069	Water - Bbl. 5,912	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Amanda Thames			Printed Name Amanda Thames			Title Regulatory Analyst		Date 7/1/2024		
E-mail Address amanda.thames@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 901'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2936'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3122'	T. Morrison	
T. Drinkard	T. Bone Springs 6877'	T. Todilto	
T. Abo	T. Rustler 621'	T. Entrada	
T. Wolfcamp 10093'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....


From	To	Thickness In Feet	Lithology



Schematic - Wellbore - Horizontal

Well Name: Shanghai Rooster 15-3 Fed 126H

API/UWI 3001550100	SAP Cost Center ID 1880851001	Permit Number BLM	State/Province New Mexico	County Eddy			
Surface Location T25S-R29E-S15		Spud Date 4/1/2023 08:15	Original KB Elevation (ft) 3,096.00	Ground Elevation (ft) 3,066.00	KB-Ground Distance (ft) 30.00	Surface Casing Flange Elevatio...	



Note: Directional schematic does not correlate to other tracks.

Well Name: SHANGHAI ROOSTER 15-3 FEDERAL	Well Location: T25S / R29E / SEC 15 / SWSE / 32.123666 / -103.970857	County or Parish/State: EDDY / NM
Well Number: 126H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM14778	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001550100	Well Status: Drilling Well	Operator: XTO ENERGY INCORPORATED

Subsequent Report

Sundry ID: 2732836

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/25/2023

Time Sundry Submitted: 10:14

Date Operation Actually Began: 05/18/2023

Actual Procedure: 5/8/23 Tested BOP: Annular- 250 low/ 3500 high. Mud lines- 250 low/ 5K high. Floor valves, blind rams, pipe rams, and choke- 250/ 10K. All tests held for 10 min. Good. Test 7.625 csg to 1500 psi for 30 mins. (Good Test) 5/8/23 Drill 6.75 inch hole, TD at 25,565 ft. on 5/16/23 5/16/23 Run 5.5 inch, 23#, P-110RY casing to 25,427 ft. 5 inch, 18#, P-110 casing to 25,550 ft 5/18/23 Cement casing with 1,285 sx class 35/65 poz tail Cement. Bumped plug. Estimated Top of depth = 0 ft. TVD= 10,263 ft Rig Release = 5/18/23 (Total 1,285 sx cmt)

Well Name: SHANGHAI ROOSTER 15-3 FEDERAL
Well Location: T25S / R29E / SEC 15 / SWSE / 32.123666 / -103.970857
County or Parish/State: EDDY / NM
Well Number: 126H
Type of Well: CONVENTIONAL GAS WELL
Allottee or Tribe Name:
Lease Number: NMNM14778
Unit or CA Name:
Unit or CA Number:
US Well Number: 3001550100
Well Status: Drilling Well
Operator: XTO ENERGY INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA THAMES

Signed on: MAY 25, 2023 10:14 AM

Name: XTO ENERGY INCORPORATED

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 221-7340

Email address: AMANDA.THAMES@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 06/02/2023

Signature: Jonathon Shepard

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 359827

ACKNOWLEDGMENTS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 359827
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 359827

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 359827
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	12/11/2025