

Submit 1 Copy To Appropriate District
 Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources
 OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised July 18, 2013

WELL API NO. 30-005-64348
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Hellcat
8. Well Number 3H
9. OGRID Number 328666
10. Pool name or Wildcat Twin Lake; San Andres (Assoc)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3932 Gr

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Tamaroa Operating, LLC	
3. Address of Operator PO Box 866937, Plano, Tx 75086 6937	
4. Well Location Unit Letter <u>G</u> : 2540 feet from the <u>N</u> line and 2240 feet from the <u>E</u> line Section 25 Township 08S Range 28E NMPM Chaves County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3932 Gr	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL
 DOWNHOLE COMMINGLE
 CLOSED-LOOP SYSTEM
 OTHER:

SUBSEQUENT REPORT OF:

REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Tamaroa Operating, LLC plugged this well as shown on the attached report and Well Bore Diagrams. Also attached are pictures of the casing cut off and dry hole marker. Tamaroa will remediate the location to NMOCD standards and submit a final C-103 in the near future.

Spud Date: 1/6/2020

Rig Release Date: 12/17/21

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Consultant DATE 10/4/24

Type or print name _Phelps White_____ E-mail address: pwiv@zianet.com_____ PHONE: _575 626 7660_____
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any):



PLUGGING REPORT


Well Name **Hellcat 3H**
API # 30-005-64348
Location T8S, R28E, Sec 25: 2540' FNL & 2240' FEL

Day

- 1 9/30/24 MI Flying A plugging equipment. The motor on the pumping unit has been removed so a crane will be required to lower the pumping unit head for rig up.
- 2 10/1/24 MIRU Box Crane and PU pulling unit weights to lower head. Continue moving in and rigging up plugging equipment. RU pulling unit and POH laying down 78 3/4" rods.
- 3 10/2/24 NU BOP. POH w/ tubing. MIRU wireline. RIH and set CIBP @ 2278'. RIH w/ tubing. Circulate hole with 10# plugging mud. Test casing 500 psi for 30 minutes OK. POH w/ tubing. RU wireline and run CBL log. Found TOC @ 68'. RD Loggers. RIH w/ tubing to 2278' and pump 75 sx class C. POH and SDFN
- 4 10/3/24 RIH and tag plug @ 1418'. Pull up LD tubing to 890'. Pump 65 sx cement and ran out of cement. POH and wait on more cement. WOC 6 hrs and tag cement @ 341'. Pump 34 sx class Cement to fill 5 1/2' casing to surface.
- 5 10/4/24 RD pulling unit and move off of hole. Dig out cellar and cut off casings. Top off all casings w/ 3 sx class C cement. Weld on 13 5/8" plate and install dry hole marker.



PLUGGED WELL BORE DIAGRAM



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 520074

CONDITIONS

Operator: Tamaroa Operating, LLC PO Box 866937 Plano, TX 750866937	OGRID: 328666
	Action Number: 520074
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	12/16/2025
gcordero	Submit C-103Q within one year of plugging.	12/16/2025