

Well Name: PURE GOLD B	Well Location: T23S / R31E / SEC 20 / SWNE / 32.2917669 / -103.796844	County or Parish/State: EDDY / NM
Well Number: 7	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM38463	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001535295	Operator: OXY USA INCORPORATED	

Subsequent Report

Sundry ID: 2880900

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/30/2025

Date Operation Actually Began: 09/19/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:39

Actual Procedure: OXY USA Inc. has completed plug and abandonment operations for the subject well. Please find attached details of the procedure performed and the final wellbore diagram. Cut and cap date: 10/7/2025.

SR Attachments

Actual Procedure

PURE_GOLD_B_FEDERAL_007_PA_SR_BLMSubmitted10.30.2025_20251030123827.pdf

Form 3160-5
(October 2024)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

SUBMIT IN TRIPPLICATE - Other instructions on page 2			5. Lease Serial No.
1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other			6. If Indian, Allottee or Tribe Name
2. Name of Operator			7. If Unit of CA/Agreement, Name and/or No.
3a. Address		3b. Phone No. (include area code)	8. Well Name and No.
4. Location of Well (Footage, Sec., T.R.M., or Survey Description)			9. API Well No.
			10. Field and Pool or Exploratory Area
			11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title	
Signature	Date	

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWNE / 1980 FNL / 1720 FEL / TWSP: 23S / RANGE: 31E / SECTION: 20 / LAT: 32.2917669 / LONG: -103.796844 (TVD: 0 feet, MD: 0 feet)

BHL: SWNE / 1980 FNL / 1720 FEL / TWSP: 23S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Sean Lehle

Final P&A Wellbore

3/28/2025

PURE GOLD B FEDERAL 007


30-015-35295-0000

Eddy

String 1 - 650 SX
 OD 13.375 in, H-40 48# ST&C
 TD 816 ft
 TOC 0 ft, CIRC 280 SX

String 2 - 1300 SX
 OD 8.625 in, J-55 32# ST&C
 TD 3975 ft
 TOC 0 ft, CIRC

String 3 - 1460 SX
 OD 5.5 in, J-55 17# LT&C
 TD 8094 ft
 TOC 3700 ft, CBL ran 5/10/07
 PBTD 8010 ft



PERFORATED AT 510'. NO INJECTION RATE
 SPOTTED 60 SX FROM 552' TO SURFACE

SPOTTED 225 SX FROM 2869' TO 590'
 TAGGED AT 552'

SPOTTED 220 SX FROM 5066' TO 2836'
 TAGGED AT 2869'

CIBP AT 6211'. LEAK TESTED 500 PSI
 SPOTTED 35 SX 6211' TO 5856'
 TAGGED AT 5908'

SPOTTED 25 SX FROM 8005' TO 7779'
 TAGGED 7645'

PURE GOLD B FEDERAL 007**API #: 30-015-35295****P&A - FINAL JOB SUMMARY**

Notified BLM, Miru pu and cmt equip, Pooh and layed down BHA.

Rih w 2-7/8" tbg, Picked up 2-7/8" tbg, Tagged TD @8005', Circulated well w 180 bbls of 10# brine water, EOT @8005', Mixed and pumped 25 sxs class h cmt (15.6# 1.18 yield) and displaced w 45 bbls of bw, TOC @7779', Pooh w 50 2-7/8" tbg to derrick, Layed down 7 2-7/8" tbg, Rih w/ 46 2-7/8" tbg, Tagged TOC @7645', (Good tag)

Rih w 5-1/2" CIBP, 4'x2-7/8" perf sub, and 193 2-7/8" tbg, Set 5-1/2" CIBP @6211', Circulated well w 150 bbls of 10# gelled plug mud, Pressure tested csg to 800 psi and held for 30 min

Rigged up RTX wireline, Rih and ran CBL from 6211' to surface, Pooh and rdwl, Sent results to BLM, (Approved to spot cmt to 600', Perf @510' and pump surface plug)

EOT @6211', Mixed and pumped 35 sxs class c cmt (14.8# 1.32 yield) and displaced w/ 34 bbls of gelled bw, TOC @5856', Pooh w 50 2-7/8" tbg, Layed down 11 2-7/8" tbg, WOC, Rih w 50 2-7/8" tbg, Tagged TOC @5908', (good tag)

EOT @5066', Mixed and pumped 220 sxs class c cmt (14.# 1.32 yield) and displaced w 16 bbls of gelled bw, TOC @2836', Pooh w/ 50 2-7/8" tbg, Layed down 68 2-7/8" tbg, WOC, Rih w 51 2-7/8" tbg, Tagged TOC @2869', (Roberta Thompson w/ BLM on location to witness tag)

EOT @2869', Mixed and pumped 225 sxs class c cmt (14.8# 1.32 yield) and displaced w 3.5 bbls of gelled bw, TOC @590', Pooh w 18 2-7/8" tbg to derrick, Layed down 71 2-7/8" tbg, WOC, Rih w/ 4'x2-7/8" perf sub, and 17 2-7/8" tbg, Tagged TOC @552', (Good tag)

Rigged up Key Wireline, Rih and perforated 5-1/2" csg @510', Pooh and rdwl, Tried to establish injection rate or circulation but pressured up to 600 psi, Surged and pressured up several times and pressured up to 1000 psi and held for 30 min, (Notified BLM and approved to drop to 552' and spot 55 sxs class c cmt to surface), Rih w 4'x2-7/8" perf sub and 17 2-7/8" tbg, EOT @552', Mixed and pumped 60 sxs class c cmt from 552' to surface, All casings full of cement, Pooh laying down 17 2-7/8" tbg, Rigged down workfloor, Nippled down bop, Filled all casings w cement, Nu capflange, Rigged down pulling unit and cement equipment.

Cut and cap date: 10/7/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 523644

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 523644
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/17/2025