

Well Name: KINBETO RG FEDERAL	Well Location: T23N / R10W / SEC 8 / NWNE / 36.24571 / -107.91618	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13956	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452508700S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2874431

Type of Submission: Subsequent Report

Date Sundry Submitted: 09/19/2025

Date Operation Actually Began: 08/05/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 08:17

Actual Procedure: Dugan Production P&A'd the well on 08/05/2025 - 08/13/2025 per the attached procedure.

SR Attachments

Actual Procedure

[Kinbeto_RG_Federal_1_BLM_apvd_plug_changes_20250919073944.pdf](#)

[Kinbeto_RG_Federal_1_SR_PA_formation_tops_20250919073728.pdf](#)

[Kinbeto_RG_Federal_1_SR_PA_completed_wellbore_schematic_20250919073722.pdf](#)

[Kinbeto_RG_Federal_1_SR_PA_work_completed_20250919073714.pdf](#)

Well Name: KINBETO RG FEDERAL

Well Location: T23N / R10W / SEC 8 /
NWNE / 36.24571 / -107.91618County or Parish/State: SAN
JUAN / NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM13956

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452508700S1

Operator: DUGAN PRODUCTION
CORPORATION**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: SEP 19, 2025 08:16 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 09/19/2025

Signature: Kenneth Rennick

Dugan Production P&A'd the well on **08/05/2025 - 08/13/2025** per the following procedure:

- MI & RU Aztec Rig 481 and cement equipment. Spot & RU.
- Check pressures: Tubing 0 psi, Casing 5 psi, BH 0 psi.
- Pull and LD all rods & production tubing.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU 2-3/8", 4.7#, J-55 tubing for workstring. Run 5½" string mill to 4200'.
- RIH & set 5½" cement retainer at 4182'. Gallup perforations @ 4232'-4273'.
- Load and circulate hole w/160 bbls water.
- **Attempt to pressure test casing to 600 psi. Casing won't test.**
- Run CBL from 4182' to surface. Sent copy of CBL & revised procedure to BLM & NMOCD. Copy of communications attached.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- **Plug I, Gallup:** Sting in the cement retainer. Attempt to establish rate below the cement retainer. Cannot get a rate. Locked up at 1200 psi. Sting out. Spot Plug I inside 4½" casing from 4182' on top of the CR w/26 sks (29.9 cu ft) Class G cement to cover the Gallup perforations & Gallup top. Displaced w/15.3 bbls. WOC overnight. Tagged TOC at 3966'. Good tag. **Plug I, Inside 5½" casing, cement retainer at 4182, 26 sks, 29.9 cu ft, Gallup perforations-Gallup top, 3966'-4182'.**
- **Plug II, Mancos-DV tool:** Spot Plug II inside 5½" casing from 3754' w/67 sks (77.05 cu ft) Class G cement to cover the Mancos top & DV tool. Displaced w/12.3 bbls water. WOC 4 hrs. Tagged TOC at 3185'. Good tag. **Plug II, Inside 5½" casing, 67 sks, 77.05 cu ft, Mancos-DV tool, 3185'-3754'.**
- **Plug III, Mesaverde-DV tool:** Spot Plug III inside 5½" casing from 2030' w/60 sks (69 cu ft) Class G cement to cover the Mesaverde top & DV tool. Displaced w/5.9 bbls water. WOC overnight. Tagged TOC at 1536'. Good tag. **Plug III, Inside 5½" casing, 60 sks, 69 cu ft, Mesaverde-DV tool, 1536'-2030'.**
- **Plug IV, Lower Chacra-Upper Chacra:** Spot Plug IV inside 5½" casing from 1536' w/60 sks, 69 cu ft Class G cement to cover the Lower Chacra & Upper Chacra tops. Displaced w/3.9 bbls water. WOC 4 hrs. Tagged TOC at 1010'. Good tag. **Plug IV, Inside 5½" casing, 60 sks, 69 cu ft, Upper Chacra-Lower Chacra, 1010'-1536'.**
- **Plug V, Pictured Cliffs-Fruitland:** Spot Plug V inside 5½" casing from 938' w/66 sks, 75.9 cu ft Class G cement to cover the Pictured Cliffs & Fruitland tops. Displaced w/1.5 bbl water. WOC overnight. Tagged TOC at 409. Good tag. **Plug V, Inside 5½" casing, 66 sks, 75.9 cu ft, Pictured Cliffs – Fruitland, 409'-938'.**
- **Plug VI:** Spot Plug VI inside 5½" casing from 353' to surface w/47 sks (54.05 cu ft) Class G cement to cover the Kirtland-Ojo Alamo tops, and surface casing shoe to surface. WOC 4 hrs. RU welder and cut wellhead off. TOC at 0' inside annulus and 0' inside casing. Good tag. **Plug VI, Inside 5½" casing, 47 sks, 54.05 cu ft, Kirtland-Ojo Alamo-Surface Casing-Surface, 0'-353'.**
- Fill up cellar & install dry hole marker w/ 18 sks, 20.7 cu ft Class G neat cement.
- Clean location. RD Aztec well services Rig 481.
- Clay Yazzie w/BLM witnessed job.
- **Well P&A'd 08/13/2025.**

Completed P & A Wellbore Schematic

Kinbeto RG Federal#1


30-045-25087

Bisti S/ Und. Gallup(O)

980' FNL & 1850' FEL

B-S8-T23N-R10W

San Juan County, NM



8 5/8" 24# casing @ 222'. Hole 12 1/4"
 Cemented with 200 sks Class B w/ 3% CaCl 1/4# floccel/sk. Circ 9
 bbs

**Plug VI, Inside 5 1/2" casing, 47 sks, 54.05 Cu.ft, Kirtland-Ojo
 Alamo-Surface Casing-Surface, 0'-353'**

**Plug V, Inside 5 1/2" casing, 66 sks, 75.9 Cu.ft, Pictured Cliffs –
 Fruitland, 409'-938'**

**Plug IV, Inside 5 1/2" casing, 60 sks, 69 Cu.ft, Upper Chacra-
 Lower Chacra, 1010'-1536'**

**Plug III, Inside 5 1/2" casing, 60 sks, 69 Cu.ft, Mesaverde-DV
 tool, 1536'-2030'**

DV Tools @ 3792' & 1955'

5 1/2 14# set @ 5520', Hole size 7 7/8,

Cemented in 3 stages as follows: 1st stage: 400 sks 50-50 Poz, 2% gel. 2nd stage: 400 sks 50-50 Poz. Tailed in w/ 60 sacks Class "B" Neat, Annulus standing full of water at surface so pumped in 50 sks Class "B" Neat. (910 sks total)

**Plug II, Inside 5 1/2" casing, 67 sks, 77.05 Cu.ft, Mancos-DV tool,
 3185'-3754'**

**Plug I, Inside 5 1/2" casing, Cement retainer at 4182, 26 sks, 29.9
 Cu.ft, Gallup perforations-Gallup top, 3966'-4182'**

5 1/2" 14# casing @ 5520'. Hole size 7 7/8 "

Dakota PBTD'ed as part of original completion.

**Squeezed 50 sks Class B cement below CR set at
 5022'. 5 sks cement on top. PBTD at 4979**

Dakota Perfs: 5180'-5373'

Dakota Top: 5180'

Graneros Top: 5157'

Kinbeto RG Federal#1
30-045-25087
Bisti S/ Und. Gallup(O)
980' FNL & 1850' FEL
B-S8-T23N-R10W
San Juan County, NM

Elevation ASL : 6492' GL

Formation Tops (Referenced for P & A)

- Ojo Alamo – Surface
- Surface Casing – 222'
- Kirtland – 298'
- Fruitland – 518'
- Pictured Cliffs – 808'(BLM)/838'(OCD)
- Lewis – 918'
- Upper Chacra – 1170'
- Lower Chacra – 1565'
- DV tool – 1955'
- Mesaverde – 1980'(BLM)/1688'(OCD)
- Mancos – 3335'(BLM)/3391'(OCD)
- DV tool – 3698'
- Gallup – 4140'
- Gallup Perfs – 4232'-4273'

Tyra Feil

From: Kade, Matthew H <mkade@blm.gov>
Sent: Monday, August 11, 2025 12:05 PM
To: Aliph Reena; Brian McCann
Cc: Alex Robles; Lucero, Virgil S; Tyra Feil; Rennick, Kenneth G; Dean Mestas; Loren.Diede@emnrd.nm.gov; JohnA.Garcia@emnrd.nm.gov; Yazzie, Clayton T
Subject: Re: [EXTERNAL] Re: CBL Kinbeto RG Fed #1

The BLM approves of the proposed changes to procedure.

Thanks,
Matthew Kade
Petroleum Engineer | Bureau of Land Management
Farmington Field Office | 6251 College Blvd., Suite A / Farmington, NM 87402
Office: 505-564-7736



From: Aliph Reena <Aliph.Reena@duganproduction.com>
Sent: Monday, August 11, 2025 11:02 AM
To: Brian McCann <bmccann@aztecwell.com>
Cc: Alex Robles <arobles@aztecwell.com>; Lucero, Virgil S <vlucero@blm.gov>; Tyra Feil <Tyra.Feil@duganproduction.com>; Kade, Matthew H <mkade@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Dean Mestas <dmestas@aztecwell.com>; Loren.Diede@emnrd.nm.gov <Loren.Diede@emnrd.nm.gov>; JohnA.Garcia@emnrd.nm.gov <JohnA.Garcia@emnrd.nm.gov>; Yazzie, Clayton T <cyazzie@blm.gov>
Subject: [EXTERNAL] Re: CBL Kinbeto RG Fed #1

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

RE: Revised proposal post CBL

Dugan Production Corp.
Kinbeto RG Federal # 1
API: 30-045-25087

From the CBL, the TOC appear to be at around 90' from the surface. We request all plugs to be inside plugs to surface. No changes requested. The annulus will be filled with 1" poly.

If other changes need to be made to the procedure, please let us know and we will proceed accordingly.

Regards,
Aliph Reena
5050-360-9192

 **Aliph Reena**
Engineering Supervisor
Dugan Production Corp

 [O: 505-326-4548](tel:505-326-4548) | [D: 505-360-9192](tel:505-360-9192)
 aliph.reena@duganproduction.com  DuganProduction.com
 709 E Murray Drive, Farmington, NM
Mailing: PO Box 420 | Farmington, NM 87499-0420

From: Brian McCann <bmccann@aztecwell.com>
Sent: Friday, August 8, 2025 12:11 PM
To: Aliph Reena <Aliph.Reena@duganproduction.com>
Cc: Alex Robles <arobles@aztecwell.com>; Lucero, Virgil S <vlucero@blm.gov>; Tyra Feil <Tyra.Feil@duganproduction.com>; Kade, Matthew H <mkade@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Dean Mestas <dmestas@aztecwell.com>; Loren.Diede@emnrd.nm.gov <Loren.Diede@emnrd.nm.gov>; JohnA.Garcia@emnrd.nm.gov <JohnA.Garcia@emnrd.nm.gov>; cyazzie@blm.gov <cyazzie@blm.gov>
Subject: CBL Kinbeto RG Fed #1

CBL for the Kinbeto RG Federal #1 is attached.

CAUTION: This email originated from outside your organization. Exercise caution.

CAUTION: This email originated from outside your organization. Exercise caution.













Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 534488

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 534488
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	12/17/2025