

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 14 / SESW / 32.8282178 / -104.0476257	County or Parish/State: EDDY / NM
Well Number: 61	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731A	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001524768	Operator: SPUR ENERGY PARTNERS LLC	

Subsequent Report

Sundry ID: 2871197

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/03/2025 Time Sundry Submitted: 08:39

Date Operation Actually Began: 07/16/2025

Actual Procedure: Please find post job report, as-plugged wellbore diagram and photograph of dryhole marker attached for your review.

SR Attachments

Actual Procedure

Dodd_Fed_Unit_61_Submitted_SR_Packet_20250903083926.pdf

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 14 / SESW / 32.8282178 / -104.0476257	County or Parish/State: EDDY / NM
Well Number: 61	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731A	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001524768	Operator: SPUR ENERGY PARTNERS LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN	Signed on: SEP 03, 2025 08:39 AM
Name: SPUR ENERGY PARTNERS LLC	
Title: Regulatory Director	
Street Address: 9655 KATY FREEWAY SUITE 500	
City: HOUSTON	State: TX
Phone: (281) 642-5503	
Email address: SCHAPMAN@SPURENERGY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: JAMOS@BLM.GOV
Disposition: Accepted	Disposition Date: 09/22/2025
Signature: James A Amos	

Form 3160-5
(October 2024)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

3a. Address

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

9. API Well No.

10. Field and Pool or Exploratory Area

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SESW / 330 FSL / 1980 FWL / TWSP: 17S / RANGE: 29E / SECTION: 14 / LAT: 32.8282178 / LONG: -104.0476257 (TVD: 0 feet, MD: 0 feet)

BHL: SESW / 330 FSL / 1980 FWL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

Dodd 61 Daily P&A Ops Summary

Begin	End	Summary
7/16/25	7/16/25	AOL JSA SE topic trapped pressure, MI check well pressure, 0# tubing, 0# casing, RU well service unit, TOO H W rods, ND WH, NU BOP, TOO H with 2-7/8" production tubing, prep for WL in the morning, secure well, SDFN, travel
7/17/25	7/17/25	AOL JSA HSE topic lighting, RU WL, RIH GRJB, RIH CIBP set @ 2377', load well pressure test casing, good test, RIH log well from tag to surface, TIH with 2-7/8" tubing, RU pump to tubing, break circulation, circulate well with MLF, possible hole opened at 100' after circulation, secure well, SDFN, travel
7/18/25	7/18/25	AOL JSA HSE topic hand placement, break circulation out of casing, annuli isn't doing anything, M&P plug 1 1.32 yield 14.8# Class C cement, TOO H, LD 15 SB 5, WOC, TIH tag plug 1 @ 1750', MUH to plug 2, M&P plug 2 1.32 yield 14.8#, TOO H, LD 12 SB 5, WOC, ON isolate hole in casing at 500'+/-, secure well, SDFN, travel
7/21/25	7/21/25	AOL JSA HSE pinch points, TIH tag plug @502', M&P 15 sxs class C cement 1.32 yield 14.8#, WOC, TIH tag at 430', try to load well still didn't hold fluid, TIH with packer, isolate hole between 430'-423', pressure test casing above packer to 500#, good test, wait on approval, secure well, SDFN, travel
7/22/25	7/22/25	AOL JSA HSE, approved to pump 10 sxs Class C cement displace to 370', M&P plug 10 sxs class C cement from 430' to 370', squeeze into hole in casing, WOC, TIH tag plug at 375', perf at 375', break circulation out of annulus, M&P 122 sxs class C cement circulate to surface, ND BOP, top off cement, fell a little will top off in the am, secure well, SDFN, travel
8/2/25	8/2/25	Notified BLM/NMOCD and installed dry hole marker

API #	30-015-24768	POST P&A DODD FEDERAL UNIT 61	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	14-17S-29E
Field	GRAYBURG JACKSON; SR-Q-G-SA		Footage	330 FSL, 1980 FWL
Spud Date	3/7/1984		Survey	32.8282585,-104.0475998

Formation (MD)	
TOP OF SALT	353
BASE OF SALT	794
YATES	976
QUEEN	1,861
GRAYBURG	2,164
SAN ANDRES	2,544
GLORIETA	-
YESO	-

RKB	
GL	3,605'
Hole Size	12 1/4"
TOC	SURF
Method	CIRC 45 SX
Csg Depth	339'
Size	8 5/8"
Weight	24#
Grade	
Connections	
Cement	250 SX


Perfed @ 375'
TOC @ 450' per Temp Survey

Hole Size	7 7/8"
TOC	450'
Method	DID NOT CIRC

Csg Depth	3,466'
Size	5 1/2"
Weight	15.5#
Grade	
Connections	
Cement	2000 SX

Last Update	8/8/2025
By	BLJ

PBTD	3,453
TD MD	3,467
TD TVD	3,467



TOP OF SALT @ 353'
Plug #3: P&S 122 sx class C cmt from 375' - Surface'

Spot 10 sx class C cmt from 430' - 375'

Spot 15 sx class C cmt from 502' - 430'

BASE OF SALT @ 794'
Plug #2: Spot 52 sx class C cmt from 1,026' - 502'

TOP OF YATES @ 976'

TOP OF QUEEN @ 1861'

TOP OF GRAYBURG @ 2164'

Spot 62 sxs class c cmt from 2377' - 1,750'
Plug #1: CIBP @ 2,377'

1/2007: PERFS @ 2,427' - 2,674'
TOP OF SAN ANDRES @ 2544'

3/21/1984: PERFS @ 2,762' - 3,329'

TOP OF GLORIETA @ 0'
TOP OF YESO @ 0'

Dodd Federal Unit 61



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 526180

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 526180
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/18/2025