

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-104 Revised July 9, 2024 Submit Electronically Via OCD Permitting
---	--	---

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: Tap Rock Operating, LLC	OGRID: 372043
Property Name and Well Number: High Life Fed Com 204H	Property Code: 335064
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-54529
Pool Name: Purple Sage; Wolfcamp (Gas)	Pool Code: 98220

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	11	25-S	25-E	-	1591' FSL	170' FWL	32.1414659	-104.3746198	EDDY

Section 3 – Completion Information

Producing Method	Ready Date	Perforations MD	Perforations TVD
Flowing	4/5/2025	8,205' - 23,378'	8,080' - 8,580'

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW): 458036	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 426025	Unit: ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 426028	Compulsory Pooling: ☒ Yes ☐ No, Order No. R-23396
Intermediate 2 Casing Action ID: N/A	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 428153	Surface Commingling: ☐ Yes ☒ No, Order No.
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID: N/A	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Bill Ramsey	
Title Sr. Environmental and Regulatory Specialist	Date 10/23/2025

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal
			☐ Amended Report
		☒ As Drilled	

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-54529	Pool Code 98220	Pool Name Purple Sage; Wolfcamp (Gas)
Property Code 335064	Property Name HIGH LIFE FED COM	Well Number 204H
OGRID No. 372043	Operator Name TAP ROCK OPERATING, LLC.	Ground Level Elevation 3490'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL or lot no. L	Section 11	Township 25-S	Range 25-E	Lot Idn -	Feet from the N/S 1591' S	Feet from the E/W 170' W	Latitude N 32.1414659	Longitude W 104.3746198	County EDDY
--------------------	---------------	------------------	---------------	--------------	------------------------------	-----------------------------	--------------------------	----------------------------	----------------

Bottom Hole Location

UL or lot no. P	Section 7	Township 25-S	Range 26-E	Lot Idn -	Feet from the N/S 1015' S	Feet from the E/W 256' E	Latitude N 32.1401338	Longitude W 104.3245549	County EDDY
--------------------	--------------	------------------	---------------	--------------	------------------------------	-----------------------------	--------------------------	----------------------------	----------------

Dedicated Acres 1919.96	Infill or Defining Well Infill	Defining Well API 30-015-54531	Overlapping Spacing Unit (Y/N) N	Consolidated Code C
Order Numbers			Well Setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL or lot no. -	Section -	Township -	Range -	Lot Idn -	Feet from the N/S --	Feet from the E/W --	Latitude -	Longitude -	County -
--------------------	--------------	---------------	------------	--------------	-------------------------	-------------------------	---------------	----------------	-------------

First Take Point (FTP)

UL or lot no. M	Section 11	Township 25-S	Range 25-E	Lot Idn -	Feet from the N/S 1031' S	Feet from the E/W 330' W	Latitude N 32.1399272	Longitude W 104.3740844	County EDDY
--------------------	---------------	------------------	---------------	--------------	------------------------------	-----------------------------	--------------------------	----------------------------	----------------

Last Take Point (LTP)

UL or lot no. P	Section 7	Township 25-S	Range 26-E	Lot Idn -	Feet from the N/S 1011' S	Feet from the E/W 330' E	Latitude N 32.1401218	Longitude W 104.3247940	County EDDY
--------------------	--------------	------------------	---------------	--------------	------------------------------	-----------------------------	--------------------------	----------------------------	----------------

Unitized Area or Area of Uniform Interest	Spacing Unity Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation -
---	--	-----------------------------

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief; and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received The consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

William Ramsey

5/2/2025

Signature

Date

Bill Ramsey


Print Name

bramsey@taprk.com

E-mail Address

SURVEYORS CERTIFICATION

I hereby certify that the well location shown on this plat was ~~Derived~~ from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.



4/30/2025 12:15:00 PM

Signature and Seal of Professional Surveyor

Date

Certificate Number

Date of Survey


11/18/2024

HIGH LIFE FED COM 204H



Released to Imaging: 12/18/2025 8:42:20 AM

SECTION 11, TOWNSHIP 25-S, RANGE 25-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



SURFACE LOCATION (SHL)

NEW MEXICO EAST
NAD 1983
X=528559 Y=415203
LAT.: N 32.1414659
LONG.: W 104.3746198
1591' FSL 170' FWL

FIRST TAKE POINT (FTP)

NEW MEXICO EAST
NAD 1983
X=528724 Y=414644
LAT.: N 32.1399272
LONG.: W 104.3740844
1031' FSL 330' FWL
MD=8139' TVD=8011'

BLM PERF. POINT (BPP1)

NEW MEXICO EAST
NAD 1983
X=531051 Y=414609
LAT.: N 32.1398352
LONG.: W 104.3665665
1000' FSL 2656' FEL
MD=10505' TVD=8226'

BLM PERF. POINT (BPP2)

NEW MEXICO EAST
NAD 1983
X=535036 Y=414638
LAT.: N 32.1399179
LONG.: W 104.3536934
1013' FSL 1328' FWL
MD=14492' TVD=8336'

BLM PERF. POINT (BPP3)

NEW MEXICO EAST
NAD 1983
X=537693 Y=414663
LAT.: N 32.1399860
LONG.: W 104.3451077
1002' FSL 1329' FEL
MD=17152' TVD=8415'

BLM PERF. POINT (BPP4)

NEW MEXICO EAST
NAD 1983
X=539022 Y=414681
LAT.: N 32.1400367
LONG.: W 104.3408132
1003' FSL 0' FEL
MD=18482' TVD=8444'


LAST TAKE POINT (LTP)

NEW MEXICO EAST
NAD 1983
X=543981 Y=414712
LAT.: N 32.1401218
LONG.: W 104.3247940
1011' FSL 330' FEL
MD=23445' TVD=8580'


BOTTOM HOLE LOCATION (BHL)

NEW MEXICO EAST
NAD 1983
X=544055 Y=414716
LAT.: N 32.1401338
LONG.: W 104.3245549
1015' FSL 256' FEL
MD=23521' TVD=8577'

LEASE NAME & WELL NO.: HIGH LIFE FED COM 204H
SECTION 11 TWP 25-S RGE 25-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 3490'
DESCRIPTION 1591' FSL & 170' FWL



481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



4/30/2025 12:15:02 PM

Ramon A. Dominguez , P.S. No. 24508

HIGH LIFE FED COM 204H AS-DRILLED	REVISION:	
DATE:	04/23/25	
FILE:	AD_HIGH_LIFE_FED_COM_204H	
DRAWN BY:	AMD	
SHEET :	3 OF 3	

- NOTES:
1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



3335 Pollok Drive
Conroe, Texas 77303
936.442.2500 (office)
www.msdir.com

MS Directional LLC Survey Data Certification

MS Directional LLC Job Number: MSMO-129502
Survey Type: MWD
Operating Company: Tap Rock Operating
Well Name and Number: High Life Fed Com 204H
Drainhole Number: Original Wellbore
Location: Eddy, New Mexico
API Number: 30-015-54529
Tie In Depth: 0.00
Surveyed Depths: 223.00' - 23451.00'
Projected TD Survey: 23521.00'
Dates Performed: 01/16/2025 - 01/31/2025

To the best of my knowledge, I certify the following:

1. The data is true, correct and complete and within the limitations of the tool set forth by MS Directional LLC or if applicable, contain corrected surveys by a third party named Superior QC LLC;
2. I am authorized and qualified to make this report; and
3. I have reviewed this report and find it conforms to the principles and procedures as set forth by MS Directional LLC

MWD Surveyor Name: Mark Gibson

MWD Operations Manager: Charles Davis

Signature: 

Date: 02/10/2025

Email: charles.davis@msdir.com



**Tap Rock Operating
Eddy County, New Mexico (NAD 83)
30-015-54529
High Life Fed Com 204H
Wellbore 1**

**MS MWD + FDIR
Certified Survey Report
10 February 2025**

Certified Survey Report



Field	Eddy County, New Mexico (NAD 83) - Tap Rock Operating		
CRS	US-SPC83 / New Mexico Eastern Zone	North Reference	GRID
Apply Scale Factor	NO	Scale Factor	1.000
System Datum	Mean Sea Level	Depth Datum->MSL	3516.00Usft

Well	High Life Fed Com 204H		
Local North	-1861.217Usft	Local East	544.705Usft
Map Northing	415203.333UsFt	Map Easting	528558.815UsFt
Latitude	32° 8' 29.277" N	Longitude	104° 22' 28.632" W
Depth Datum / Rig	Well-H&P 466 / H&P 466	Datum Elevation	3516.00Usft
GL Elevation	3490.00Usft	Grid Convergence	-0.022

Wellbore	High Life Fed Com 204H - Wellbore 1		
Magnetic Model	User defined	Date	25/12/2024
Total Field (nT)	47162.30	Dip Angle (deg)	59.603
Declination	6.812		
VS Origin	Well	VS Azimuth	89.67
VS Origin NS	0.00Usft	VS Origin EW	0.00Usft

Survey Program	High Life Fed Com 204H - Wellbore 1		
Depth From Usft	Depth To Usft	Survey	Survey Tool
0.00	23521.00	MS MWD + FDIR	MWD+IFR1+SAG+FDIR

MD	INC	AZI	TVD	NS	EW	VS	DLS	BR	TR
Usft	deg	deg	Usft	Usft	Usft	Usft	deg/100Usft	deg/100Usft	deg/100Usft
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
223.00	2.67	112.35	222.92	-1.98	4.80	4.79	1.20	1.20	0.00
318.00	3.42	111.63	317.78	-3.86	9.49	9.46	0.79	0.79	-0.76
358.00	3.67	109.78	357.71	-4.73	11.80	11.77	0.69	0.63	-4.63
509.00	4.32	132.86	508.35	-10.24	20.52	20.46	1.14	0.43	15.28
604.00	5.41	170.50	603.03	-17.09	23.88	23.78	3.47	1.15	39.62
699.00	5.75	190.16	697.59	-26.19	23.78	23.63	2.03	0.36	20.69
794.00	4.67	226.15	792.22	-33.56	20.15	19.96	3.55	-1.14	37.88
889.00	4.57	225.87	886.91	-38.87	14.64	14.42	0.11	-0.11	-0.29
984.00	4.32	213.53	981.63	-44.49	9.95	9.69	1.04	-0.26	-12.99
1079.00	4.29	203.21	1076.36	-50.74	6.57	6.28	0.81	-0.03	-10.86
1174.00	3.99	203.05	1171.11	-57.05	3.88	3.55	0.32	-0.32	-0.17
1270.00	3.55	199.19	1266.90	-62.93	1.59	1.23	0.53	-0.46	-4.02
1365.00	4.47	207.25	1361.67	-69.00	-1.07	-1.46	1.13	0.97	8.48
1460.00	5.28	211.08	1456.33	-76.03	-5.02	-5.46	0.92	0.85	4.03
1578.00	5.04	211.48	1573.85	-85.10	-10.53	-11.02	0.21	-0.20	0.34
1673.00	4.80	210.45	1668.50	-92.09	-14.72	-15.25	0.27	-0.25	-1.08
1769.00	4.83	208.83	1764.16	-99.09	-18.71	-19.28	0.15	0.03	-1.69
1865.00	4.54	208.25	1859.84	-105.98	-22.45	-23.06	0.31	-0.30	-0.60
1960.00	4.31	206.55	1954.56	-112.48	-25.83	-26.48	0.28	-0.24	-1.79
2056.00	4.05	208.44	2050.30	-118.69	-29.06	-29.74	0.31	-0.27	1.97
2152.00	3.74	208.18	2146.08	-124.43	-32.15	-32.86	0.32	-0.32	-0.27
2248.00	3.53	204.46	2241.89	-129.88	-34.85	-35.60	0.33	-0.22	-3.88
2344.00	3.39	204.13	2337.71	-135.16	-37.23	-38.01	0.15	-0.15	-0.34
2440.00	3.31	198.78	2433.55	-140.38	-39.29	-40.10	0.34	-0.08	-5.57
2535.00	4.75	181.71	2528.31	-146.91	-40.29	-41.13	1.96	1.52	-17.97
2630.00	4.91	181.56	2622.98	-154.90	-40.52	-41.41	0.17	0.17	-0.16
2725.00	4.09	181.30	2717.68	-162.35	-40.70	-41.64	0.86	-0.86	-0.27
2820.00	3.81	178.98	2812.46	-168.89	-40.72	-41.70	0.34	-0.29	-2.44
2916.00	3.47	176.59	2908.26	-174.98	-40.49	-41.50	0.39	-0.35	-2.49
3011.00	3.41	181.11	3003.09	-180.68	-40.38	-41.42	0.29	-0.06	4.76
3107.00	3.32	179.13	3098.93	-186.31	-40.39	-41.46	0.15	-0.09	-2.06
3202.00	4.79	188.34	3193.69	-192.99	-40.92	-42.04	1.69	1.55	9.69
3298.00	4.43	188.70	3289.38	-200.62	-42.07	-43.22	0.38	-0.38	0.38
3394.00	4.27	187.69	3385.10	-207.83	-43.11	-44.30	0.18	-0.17	-1.05
3489.00	5.24	184.50	3479.77	-215.66	-43.92	-45.16	1.06	1.02	-3.36
3585.00	4.99	180.28	3575.39	-224.20	-44.28	-45.57	0.47	-0.26	-4.40
3680.00	4.78	179.13	3670.04	-232.29	-44.24	-45.58	0.24	-0.22	-1.21
3776.00	6.46	183.72	3765.58	-241.68	-44.53	-45.93	1.81	1.75	4.78
3871.00	6.22	180.82	3860.00	-252.16	-44.95	-46.41	0.42	-0.25	-3.05
3967.00	5.28	179.36	3955.51	-261.78	-44.98	-46.49	0.99	-0.98	-1.52
4062.00	5.10	177.64	4050.12	-270.36	-44.76	-46.31	0.25	-0.19	-1.81
4158.00	5.96	190.29	4145.68	-279.53	-45.47	-47.08	1.55	0.90	13.18
4254.00	5.72	189.13	4241.18	-289.16	-47.12	-48.79	0.28	-0.25	-1.21
4349.00	5.32	188.75	4335.74	-298.19	-48.54	-50.26	0.42	-0.42	-0.40
4445.00	4.68	188.28	4431.38	-306.46	-49.78	-51.55	0.67	-0.67	-0.49

Certified Survey Report



MD	INC	AZI	TVD	NS	EW	VS	DLS	BR	TR
Usft	deg	deg	Usft	Usft	Usft	Usft	deg/100Usft	deg/100Usft	deg/100Usft
4540.00	4.57	188.69	4526.07	-314.04	-50.91	-52.72	0.12	-0.12	0.43
4636.00	5.55	198.31	4621.69	-322.23	-52.95	-54.80	1.35	1.02	10.02
4731.00	5.45	199.14	4716.26	-330.85	-55.87	-57.78	0.13	-0.11	0.87
4827.00	5.02	195.83	4811.86	-339.20	-58.51	-60.46	0.55	-0.45	-3.45
4922.00	4.39	194.78	4906.53	-346.71	-60.57	-62.57	0.67	-0.66	-1.11
5018.00	4.37	196.34	5002.25	-353.77	-62.54	-64.58	0.13	-0.02	1.63
5114.00	4.13	206.32	5097.99	-360.38	-65.10	-67.18	0.81	-0.25	10.40
5209.00	3.38	198.81	5192.79	-366.10	-67.52	-69.63	0.94	-0.79	-7.91
5305.00	5.15	182.34	5288.52	-373.08	-68.61	-70.76	2.22	1.84	-17.16
5400.00	4.36	173.56	5383.19	-380.93	-68.38	-70.57	1.13	-0.83	-9.24
5496.00	5.01	183.75	5478.88	-388.74	-68.24	-70.48	1.10	0.68	10.61
5591.00	3.58	186.39	5573.61	-395.83	-68.85	-71.12	1.52	-1.51	2.78
5687.00	4.74	192.54	5669.35	-402.68	-70.04	-72.36	1.29	1.21	6.41
5782.00	2.56	188.56	5764.15	-408.61	-71.21	-73.56	2.31	-2.29	-4.19
5878.00	3.66	206.58	5860.01	-413.47	-72.90	-75.28	1.52	1.15	18.77
5973.00	5.07	205.45	5954.74	-419.97	-76.06	-78.48	1.49	1.48	-1.19
6069.00	4.15	204.28	6050.42	-426.97	-79.31	-81.77	0.96	-0.96	-1.22
6164.00	5.42	200.06	6145.09	-434.32	-82.26	-84.76	1.39	1.34	-4.44
6260.00	4.38	197.25	6240.74	-442.08	-84.91	-87.45	1.11	-1.08	-2.93
6355.00	6.20	196.59	6335.33	-450.46	-87.45	-90.04	1.92	1.92	-0.69
6451.00	5.19	194.64	6430.86	-459.63	-90.02	-92.67	1.07	-1.05	-2.03
6546.00	3.99	199.17	6525.55	-466.91	-92.19	-94.88	1.32	-1.26	4.77
6642.00	5.10	194.97	6621.25	-474.19	-94.39	-97.12	1.21	1.16	-4.38
6737.00	3.64	190.74	6715.97	-481.23	-96.05	-98.82	1.57	-1.54	-4.45
6833.00	5.11	189.98	6811.69	-488.43	-97.36	-100.17	1.53	1.53	-0.79
6928.00	2.16	194.38	6906.48	-494.34	-98.53	-101.38	3.12	-3.11	4.63
7024.00	3.05	189.63	7002.38	-498.61	-99.41	-102.28	0.95	0.93	-4.95
7120.00	4.27	204.76	7098.19	-504.37	-101.33	-104.24	1.61	1.27	15.76
7215.00	1.84	225.59	7193.05	-508.65	-103.91	-106.83	2.77	-2.56	21.93
7311.00	3.30	227.76	7288.95	-511.59	-107.05	-110.00	1.52	1.52	2.26
7406.00	2.16	240.77	7383.84	-514.30	-110.64	-113.60	1.36	-1.20	13.69
7502.00	0.34	96.47	7479.82	-515.21	-111.94	-114.90	2.55	-1.90	-150.31
7582.00	1.25	80.08	7559.81	-515.09	-110.84	-113.80	1.16	1.14	-20.49
7600.00	1.08	71.95	7577.81	-515.00	-110.48	-113.45	1.32	-0.94	-45.17
7695.00	13.25	72.38	7671.89	-511.42	-99.22	-102.16	12.81	12.81	0.45
7790.00	25.51	87.71	7761.39	-507.30	-68.26	-71.18	13.87	12.91	16.17
7886.00	39.38	102.21	7842.33	-512.96	-17.52	-20.47	16.47	14.45	15.07
7981.00	46.80	107.00	7911.67	-529.48	45.15	42.10	8.53	7.81	5.04
8077.00	52.81	104.00	7973.61	-548.98	115.79	112.63	6.70	6.26	-3.13
8172.00	56.61	99.00	8028.51	-564.36	191.74	188.49	5.87	4.00	-5.26
8268.00	58.39	95.94	8080.09	-574.86	272.00	268.69	3.27	1.85	-3.19
8363.00	69.69	87.77	8121.67	-577.32	357.14	353.81	14.17	11.89	-8.60
8459.00	79.80	84.23	8146.90	-570.80	449.40	446.10	11.11	10.53	-3.69
8495.00	84.11	87.29	8151.94	-568.17	484.93	481.65	14.63	11.97	8.50
8591.00	90.81	93.20	8156.20	-568.60	580.74	577.45	9.30	6.98	6.16
8687.00	89.21	93.48	8156.18	-574.19	676.57	673.25	1.69	-1.67	0.29
8782.00	87.66	93.96	8158.77	-580.35	771.33	767.98	1.71	-1.63	0.51
8878.00	89.05	93.99	8161.53	-587.00	867.06	863.67	1.45	1.45	0.03
8973.00	87.55	93.66	8164.35	-593.34	961.80	958.37	1.62	-1.58	-0.35
9069.00	86.00	93.95	8169.75	-599.70	1057.44	1053.97	1.64	-1.61	0.30
9164.00	86.50	94.15	8175.96	-606.39	1152.00	1148.49	0.57	0.53	0.21
9260.00	87.10	94.06	8181.32	-613.25	1247.60	1244.05	0.63	0.63	-0.09
9355.00	85.75	91.55	8187.25	-617.89	1342.29	1338.71	3.00	-1.42	-2.64
9451.00	86.60	91.22	8193.65	-620.21	1438.05	1434.45	0.95	0.89	-0.34
9547.00	87.50	91.14	8198.59	-622.18	1533.90	1530.29	0.94	0.94	-0.08
9642.00	88.85	91.75	8201.62	-624.58	1628.82	1625.20	1.56	1.42	0.64
9738.00	87.70	88.85	8204.51	-625.08	1724.76	1721.14	3.25	-1.20	-3.02
9833.00	87.60	88.33	8208.40	-622.74	1819.66	1816.04	0.56	-0.11	-0.55
9929.00	88.25	88.64	8211.88	-620.21	1915.56	1911.95	0.75	0.68	0.32
10024.00	88.50	88.14	8214.57	-617.54	2010.48	2006.89	0.59	0.26	-0.53
10120.00	88.20	86.95	8217.34	-613.43	2106.35	2102.78	1.28	-0.31	-1.24
10216.00	88.50	86.71	8220.10	-608.12	2202.17	2198.63	0.40	0.31	-0.25
10311.00	88.70	85.93	8222.42	-602.03	2296.94	2293.44	0.85	0.21	-0.82
10406.00	88.90	88.13	8224.41	-597.11	2391.79	2388.31	2.32	0.21	2.32
10502.00	89.35	88.42	8225.88	-594.22	2487.73	2484.27	0.56	0.47	0.30
10598.00	90.15	88.52	8226.30	-591.65	2583.70	2580.24	0.84	0.83	0.10
10693.00	90.90	88.32	8225.43	-589.04	2678.65	2675.22	0.82	0.79	-0.21
10789.00	89.65	89.41	8224.96	-587.13	2774.63	2771.20	1.73	-1.30	1.14
10884.00	89.45	89.02	8225.71	-585.83	2869.62	2866.20	0.46	-0.21	-0.41
10979.00	90.05	88.81	8226.12	-584.03	2964.60	2961.19	0.67	0.63	-0.22
11075.00	88.10	88.90	8227.67	-582.12	3060.56	3057.16	2.03	-2.03	0.09
11170.00	89.25	88.70	8229.87	-580.13	3155.52	3152.12	1.23	1.21	-0.21
11266.00	88.40	89.63	8231.84	-578.73	3251.48	3248.10	1.31	-0.89	0.97
11362.00	89.45	89.63	8233.64	-578.11	3347.46	3344.08	1.09	1.09	0.00
11457.00	87.05	90.01	8236.54	-577.81	3442.41	3439.03	2.56	-2.53	0.40
11553.00	86.60	89.81	8241.86	-577.66	3538.26	3534.88	0.51	-0.47	-0.21
11648.00	88.05	90.33	8246.29	-577.78	3633.16	3629.77	1.62	1.53	0.55
11743.00	89.60	90.90	8248.24	-578.79	3728.13	3724.73	1.74	1.63	0.60

MD	INC	AZI	TVD	NS	EW	VS	DLS	BR	TR
Usft	deg	deg	Usft	Usft	Usft	Usft	deg/100Usft	deg/100Usft	deg/100Usft
11839.00	88.80	90.70	8249.58	-580.13	3824.11	3820.70	0.86	-0.83	-0.21
11934.00	87.70	91.02	8252.48	-581.56	3919.05	3915.64	1.21	-1.16	0.34
12030.00	88.50	90.80	8255.66	-583.08	4014.99	4011.56	0.86	0.83	-0.23
12125.00	87.25	90.91	8259.19	-584.50	4109.91	4106.47	1.32	-1.32	0.12
12221.00	87.75	90.72	8263.37	-585.86	4205.81	4202.36	0.56	0.52	-0.20
12316.00	89.01	91.30	8266.06	-587.54	4300.75	4297.30	1.46	1.33	0.61
12412.00	87.96	90.71	8268.60	-589.22	4396.70	4393.24	1.25	-1.09	-0.61
12507.00	86.06	89.72	8273.55	-589.58	4491.57	4488.10	2.25	-2.00	-1.04
12603.00	86.81	89.51	8279.52	-588.93	4587.38	4583.91	0.81	0.78	-0.22
12698.00	87.46	89.08	8284.27	-587.77	4682.25	4678.79	0.82	0.68	-0.45
12793.00	88.20	89.03	8287.87	-586.20	4777.17	4773.71	0.78	0.78	-0.05
12889.00	89.01	88.79	8290.21	-584.38	4873.12	4869.68	0.88	0.84	-0.25
12985.00	89.81	88.55	8291.19	-582.15	4969.09	4965.66	0.87	0.83	-0.25
13080.00	88.05	88.71	8292.97	-579.88	5064.04	5060.62	1.86	-1.85	0.17
13175.00	89.06	89.42	8295.36	-578.33	5159.00	5155.58	1.30	1.06	0.75
13271.00	86.81	89.74	8298.82	-577.62	5254.93	5251.51	2.37	-2.34	0.33
13366.00	87.00	89.92	8303.95	-577.34	5349.79	5346.38	0.28	0.20	0.19
13462.00	87.86	89.90	8308.26	-577.19	5445.69	5442.28	0.90	0.90	-0.02
13557.00	88.61	89.81	8311.18	-576.95	5540.65	5537.23	0.80	0.79	-0.09
13652.00	88.90	89.62	8313.25	-576.48	5635.62	5632.21	0.36	0.31	-0.20
13748.00	89.45	89.63	8314.63	-575.85	5731.61	5728.20	0.57	0.57	0.01
13843.00	90.50	89.63	8314.67	-575.24	5826.61	5823.20	1.11	1.11	0.00
13939.00	89.06	89.41	8315.04	-574.43	5922.60	5919.19	1.52	-1.50	-0.23
14034.00	86.46	88.70	8318.75	-572.87	6017.51	6014.11	2.84	-2.74	-0.75
14130.00	86.21	88.71	8324.89	-570.70	6113.28	6109.90	0.26	-0.26	0.01
14225.00	87.01	88.66	8330.51	-568.53	6208.09	6204.72	0.84	0.84	-0.05
14321.00	88.76	89.02	8334.05	-566.58	6304.00	6300.64	1.86	1.82	0.38
14416.00	90.15	89.51	8334.95	-565.37	6398.99	6395.63	1.55	1.46	0.52
14512.00	88.76	89.97	8335.87	-564.93	6494.98	6491.62	1.53	-1.45	0.48
14607.00	91.16	91.04	8335.93	-565.77	6589.97	6586.60	2.77	2.53	1.13
14703.00	89.96	90.11	8334.99	-566.73	6685.96	6682.58	1.58	-1.25	-0.97
14798.00	88.01	88.85	8336.68	-565.87	6780.93	6777.56	2.44	-2.05	-1.33
14894.00	85.56	88.65	8342.06	-563.78	6876.75	6873.39	2.56	-2.55	-0.21
14989.00	86.26	88.75	8348.84	-561.63	6971.48	6968.13	0.74	0.74	0.11
15085.00	87.61	88.74	8353.97	-559.53	7067.32	7063.98	1.41	1.41	-0.01
15181.00	85.76	88.04	8359.52	-556.84	7163.12	7159.79	2.06	-1.93	-0.73
15276.00	85.76	87.79	8366.54	-553.39	7257.79	7254.49	0.26	0.00	-0.26
15371.00	86.61	87.73	8372.86	-549.69	7352.51	7349.22	0.90	0.89	-0.06
15467.00	87.21	87.50	8378.04	-545.70	7448.29	7445.02	0.67	0.63	-0.24
15562.00	89.06	88.41	8381.13	-542.31	7543.17	7539.92	2.17	1.95	0.96
15658.00	89.81	88.25	8382.08	-539.51	7639.13	7635.89	0.80	0.78	-0.17
15753.00	91.11	88.48	8381.31	-536.80	7734.08	7730.86	1.39	1.37	0.24
15849.00	88.91	88.21	8381.30	-534.03	7830.04	7826.83	2.31	-2.29	-0.28
15944.00	89.96	88.07	8382.23	-530.95	7924.98	7921.79	1.12	1.11	-0.15
16040.00	89.11	89.13	8383.01	-528.60	8020.95	8017.77	1.42	-0.89	1.10
16136.00	89.95	89.32	8383.80	-527.30	8116.93	8113.76	0.90	0.88	0.20
16232.00	88.80	89.81	8384.85	-526.57	8212.92	8209.75	1.30	-1.20	0.51
16327.00	87.45	90.17	8387.96	-526.56	8307.87	8304.70	1.47	-1.42	0.38
16423.00	86.45	90.45	8393.06	-527.07	8403.73	8400.56	1.08	-1.04	0.29
16518.00	86.66	90.44	8398.77	-527.81	8498.56	8495.37	0.22	0.22	-0.01
16614.00	87.30	90.55	8403.83	-528.64	8594.42	8591.23	0.68	0.67	0.11
16710.00	90.20	91.84	8405.92	-530.64	8690.36	8687.16	3.31	3.02	1.34
16805.00	88.75	91.44	8406.80	-533.36	8785.32	8782.10	1.58	-1.53	-0.42
16900.00	87.65	91.05	8409.78	-535.42	8880.25	8877.01	1.23	-1.16	-0.41
16996.00	88.31	91.14	8413.16	-537.26	8976.17	8972.92	0.69	0.69	0.09
17091.00	89.80	91.42	8414.73	-539.38	9071.13	9067.87	1.60	1.57	0.29
17187.00	89.15	90.82	8415.61	-541.25	9167.11	9163.84	0.92	-0.68	-0.63
17282.00	88.10	89.12	8417.89	-541.21	9262.07	9258.80	2.10	-1.11	-1.79
17378.00	88.80	88.62	8420.49	-539.31	9358.02	9354.76	0.90	0.73	-0.52
17473.00	90.00	88.63	8421.48	-537.03	9452.98	9449.73	1.26	1.26	0.01
17569.00	88.10	89.05	8423.07	-535.09	9548.95	9545.71	2.03	-1.98	0.44
17664.00	88.80	89.24	8425.64	-533.67	9643.90	9640.67	0.76	0.74	0.20
17759.00	89.30	89.47	8427.22	-532.60	9738.88	9735.65	0.58	0.53	0.24
17855.00	87.15	89.04	8430.19	-531.36	9834.82	9831.60	2.28	-2.24	-0.45
17950.00	87.80	88.91	8434.38	-529.66	9929.71	9926.50	0.70	0.68	-0.14
18046.00	89.25	88.86	8436.85	-527.79	10025.66	10022.45	1.51	1.51	-0.05
18141.00	89.90	88.32	8437.55	-525.45	10120.63	10117.43	0.89	0.68	-0.57
18237.00	88.30	89.43	8439.06	-523.57	10216.59	10213.41	2.03	-1.67	1.16
18332.00	89.40	90.17	8440.97	-523.24	10311.57	10308.39	1.40	1.16	0.78
18428.00	88.85	89.66	8442.43	-523.10	10407.56	10404.37	0.78	-0.57	-0.53
18523.00	87.45	88.71	8445.50	-521.74	10502.50	10499.32	1.78	-1.47	-1.00
18618.00	88.30	88.57	8449.02	-519.49	10597.40	10594.24	0.91	0.89	-0.15
18713.00	88.30	90.11	8451.84	-518.40	10692.35	10689.19	1.62	0.00	1.62
18809.00	86.70	90.12	8456.03	-518.59	10788.26	10785.09	1.67	-1.67	0.01
18905.00	86.65	89.82	8461.60	-518.54	10884.10	10880.93	0.32	-0.05	-0.31
19000.00	87.46	89.23	8466.48	-517.75	10978.97	10975.80	1.05	0.85	-0.62
19096.00	88.66	89.05	8469.73	-516.31	11074.90	11071.74	1.26	1.25	-0.19

MD Usft	INC deg	AZI deg	TVD Usft	NS Usft	EW Usft	VS Usft	DLS deg/100Usft	BR deg/100Usft	TR deg/100Usft
19191.00	86.26	89.66	8473.94	-515.24	11169.79	11166.64	2.61	-2.53	0.64
19287.00	86.91	89.58	8479.65	-514.61	11265.62	11262.47	0.68	0.68	-0.08
19382.00	88.60	90.25	8483.38	-514.47	11360.54	11357.39	1.91	1.78	0.71
19478.00	89.70	90.20	8494.80	-514.85	11456.53	11453.37	1.15	1.15	-0.05
19573.00	88.36	90.25	8486.41	-515.22	11551.51	11548.35	1.41	-1.41	0.05
19669.00	88.95	90.50	8488.66	-515.85	11647.48	11644.32	0.67	0.61	0.26
19764.00	87.40	90.98	8491.69	-517.07	11742.42	11739.25	1.71	-1.63	0.51
19860.00	88.80	91.39	8494.87	-519.06	11838.35	11835.16	1.52	1.46	0.43
19955.00	90.35	91.35	8495.57	-521.33	11933.32	11930.12	1.63	1.63	-0.04
20050.00	89.00	90.45	8496.11	-522.82	12028.30	12025.09	1.71	-1.42	-0.95
20146.00	86.71	90.24	8499.71	-523.40	12124.22	12121.01	2.40	-2.39	-0.22
20241.00	88.10	89.74	8504.01	-523.38	12219.12	12215.91	1.55	1.46	-0.53
20337.00	89.60	89.36	8505.93	-522.63	12315.10	12311.88	1.61	1.56	-0.40
20432.00	88.35	88.90	8507.63	-521.19	12410.07	12406.86	1.40	-1.32	-0.48
20528.00	86.60	88.59	8511.86	-519.09	12505.95	12502.75	1.85	-1.82	-0.32
20623.00	87.81	88.34	8516.49	-516.54	12600.80	12597.62	1.30	1.27	-0.26
20719.00	88.85	88.07	8519.29	-513.54	12696.71	12693.54	1.12	1.08	-0.28
20814.00	90.20	87.24	8520.08	-509.65	12791.63	12788.48	1.67	1.42	-0.87
20911.00	88.41	88.09	8521.26	-505.70	12888.53	12885.41	2.04	-1.85	0.88
21006.00	88.16	87.92	8524.10	-502.39	12983.43	12980.33	0.32	-0.26	-0.18
21102.00	88.21	89.39	8527.14	-500.14	13079.36	13076.26	1.53	0.05	1.53
21197.00	86.61	91.19	8531.43	-500.62	13174.25	13171.15	2.53	-1.68	1.89
21293.00	87.16	91.22	8536.65	-502.64	13270.09	13266.97	0.57	0.57	0.03
21389.00	88.06	91.11	8540.65	-504.59	13365.98	13362.86	0.94	0.94	-0.11
21484.00	89.11	91.12	8543.00	-506.43	13460.94	13457.80	1.11	1.11	0.01
21580.00	87.51	91.81	8545.83	-508.89	13556.86	13553.70	1.81	-1.67	0.72
21674.00	87.96	92.30	8549.55	-512.26	13650.72	13647.55	0.71	0.48	0.52
21770.00	89.61	92.95	8551.58	-516.65	13746.60	13743.39	1.85	1.72	0.68
21865.00	88.31	92.06	8553.31	-520.80	13841.49	13838.26	1.66	-1.37	-0.94
21960.00	88.81	92.96	8555.69	-524.96	13936.37	13933.11	1.08	0.53	0.95
22056.00	88.16	90.98	8558.23	-528.26	14032.27	14029.00	2.17	-0.68	-2.06
22151.00	87.41	90.16	8561.90	-529.21	14127.19	14123.91	1.17	-0.79	-0.86
22247.00	88.06	89.86	8565.70	-529.22	14223.12	14219.83	0.75	0.68	-0.31
22342.00	88.51	89.47	8568.54	-528.67	14318.07	14314.79	0.63	0.47	-0.41
22438.00	88.86	88.97	8570.74	-527.36	14414.04	14410.76	0.64	0.36	-0.52
22534.00	90.71	89.80	8571.10	-526.33	14510.03	14506.76	2.11	1.93	0.86
22629.00	88.76	88.88	8571.54	-525.24	14605.01	14601.75	2.27	-2.05	-0.97
22725.00	88.81	87.98	8573.58	-522.61	14700.96	14697.70	0.94	0.05	-0.94
22820.00	89.41	87.07	8575.05	-518.50	14795.85	14792.62	1.15	0.63	-0.96
22915.00	87.26	87.18	8577.81	-513.74	14890.69	14887.48	2.27	-2.26	0.12
23010.00	86.66	88.11	8582.85	-509.84	14985.47	14982.29	1.16	-0.63	0.98
23106.00	89.11	88.18	8586.40	-506.74	15081.35	15078.18	2.55	2.55	0.07
23202.00	90.56	87.81	8586.67	-503.38	15177.29	15174.14	1.56	1.51	-0.39
23297.00	91.21	87.21	8585.20	-499.25	15272.19	15269.06	0.93	0.68	-0.63
23393.00	92.01	86.93	8582.51	-494.35	15368.02	15364.92	0.88	0.83	-0.29
23451.00	92.61	86.60	8580.17	-491.08	15425.88	15422.80	1.18	1.03	-0.57
23521.00	92.61	86.60	8576.98	-486.93	15495.69	15492.63	0.00	0.00	0.00 PTB

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: Tap Rock Operating, LLC	OGRID: 372043
Property Name and Well Number: High Life Federal Com #204H	Property Code: 335064
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-015-54529
Pool Name: Purple Sage; Wolfcamp (Gas)	Pool Code: 98220

Section 2 – Well Location

	Ul or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	L	11	25-S	25-E	-	1591’	FSL	170’	FWL	EDDY
BHL	P	7	25-S	26-E	-	1015’	FSL	256’	FEL	EDDY

Section 3 – Completion Information

Date T.D. Reached 1/30/2025	Total Measured Depth of Well 23,521’	Acid Volume (bbls)	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 2/1/2025	Plug-Back Measured Depth 23,452’	Completion Fluid Used (bbls) 830,772 bbls Slickwater	Were Logs Ran (Y/N) Yes
Completion Date 2/24/2025 – 3/14/2025	Perforations (MD and TVD) 8,205’ – 23,378’	Completion Proppant Used (lbs) 38,059,834 lbs of 40/140 mesh sand	List Type of Logs Ran if applicable: Mud Log

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 426025	UIC Permit/Order (UIC wells only) ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 426028	NOI Recomplete Action ID (if applicable): N/A
Intermediate 2 Casing Action ID: N/A	NOI Plugback Action ID (if applicable): N/A
Production Casing Action ID: 428153	Cement Squeeze Action ID (if applicable): N/A
Tubing Action ID: 479538	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID:	Casing was installed prior to Action ID system (Y/N):

Section 5 – Test Data

Date First Production 4/27/2025	Production Method Flows from well	Well Status Flowing	Gas – Oil Ratio 2798
Date of Test 5/11/2025	Choke Size 64/64	Flowing Tubing Pressure 0	Casing Pressure 910
24 hr Oil (bbls) 920	24 hr Gas (MCF) 2575	24 hr Water (bbls) 7883	Oil Gravity – API 47
Disposition of Gas: Captured			

Section 6 – Pits

☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial:
LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name: Bill Ramsey	
Title: Sr. Environmental and Regulatory Specialist	Date: 7/8/2025

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy	26'	26'		T. San Jose			
T. Salt	418'	418'		T. Nacimiento			
B. Salt	1221'	1220'		T. Ojo Alamo			
T. Yates				T. Kirtland			
T. 7 Rivers				T. Fruitland			
T. Queen				T. Pictured Cliffs			
T. Grayburg				T. Lewis Shale			
T. San Andres				T. Chacra			
T. Glorieta				T. Cliff House			
T. Yeso				T. Menefee			
T. Paddock				T. Point Lookout			
T. Blinebry				T. Mancos			
T.Tubb				T. Gallup			
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp				T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T.Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime	1453'	1450'					
T. Bell Canyon	1501'	1497'					
T. Cherry Canyon	2420'	2415'					
T. Brushy Canyon	3309'	3305'					
T. Bone Springs	5040'	5024'					
T. 1st BS Sand	5889'	5871'					
T. 2nd BS Sand	6470'	6450'					
T. 3rd BS Sand	7713'	7689'					
T. Wolfcamp	8195'	8051'					



Schematic - Current

Well Name: HIGH LIFE FEDERAL COM #204H


API/UWI 30-015-54529	Surface Legal Location T25S R25E SEC 11	Field Name	License #	State/Province New Mexico	Well Configuration Type
Original KB Elevation (ft)	KB-Tubing Head Distance (ft)	Spud Date 1/18/2025 05:30	Rig Release Date	PBTD (All) (ftKB)	Total Depth All (TVD) (ftKB) Original Hole - 8,577.0

Most Recent Job

Job Category Production	Primary Job Type Flowback	Secondary Job Type Flowback/Production Test	Start Date 4/27/2025	End Date
----------------------------	------------------------------	--	-------------------------	----------

TD: 23,521.0

Original Hole, 5/14/2025 1:49:47 PM



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 519270

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 1700 Lincoln St Denver, CO 80203	OGRID: 372043
	Action Number: 519270
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 519270

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 1700 Lincoln St Denver, CO 80203	OGRID: 372043
	Action Number: 519270
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	12/18/2025