

Well Name: CUTIE PATUTIE	Well Location: T30N / R14W / SEC 9 / NWSE / 36.825849 / -108.311165	County or Parish/State: SAN JUAN / NM
Well Number: 90S	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM113433	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453349400C1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2886093

Type of Submission: Subsequent Report

Date Sundry Submitted: 12/09/2025

Date Operation Actually Began: 11/07/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 01:59

Actual Procedure: Dugan Production plugged and abandoned the well from 11/07/2025 - 11/10/2025 per the attached procedure.

SR Attachments

Actual Procedure

[Cutie_Patutie_90S_gps_marker_photos_20251209135806.pdf](#)

[Cutie_Patutie_90S_BLM_apvd_plug_changes_20251209135748.pdf](#)

[Cutie_Patutie_90S_SR_PA_formation_tops_20251209135634.pdf](#)

[Cutie_Patutie_90S_SR_PA_completed_wellbore_schematic_20251209135629.pdf](#)

[Cutie_Patutie_90S_SR_PA_completed_work_20251209135621.pdf](#)

Well Name: CUTIE PATUTIE

Well Location: T30N / R14W / SEC 9 / NWSE / 36.825849 / -108.311165

County or Parish/State: SAN JUAN / NM

Well Number: 90S

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM113433

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453349400C1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 09, 2025 01:56 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/10/2025


Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Cutie Patutie 90s from **11/07/2025 to 11/10/2025** per the following procedure:

- MI & RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 22 psi, BH 0 psi.
- Pull and LD rods and production tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1065'.
- RIH & set 5½" cement retainer to 1016'. Fruitland Coal-Fruitland Sands PC perforations @ 1066'-1210'.
- Load and circulate hole clean with 22 bbls of water.
- **Pressure test casing to 650 psi for 30 minutes. Good test.**
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Run CBL from 1016' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface:** Sting in the cement retainer. Establish injection rate: 2.5 bbls/min at 200 psi. Squeeze 23 sks, 26.45 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer till the top perforation at 1066'. Displaced with 3.9 bbls of water. Sting out. Spot inside 5½" casing above cement retainer @ 1016' to surface w/130 sks (149.5 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland, surface casing & surface (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). No displacement. WOC 4 hrs. RU welder. Cut wellhead off. Tagged TOC at 0' inside and 30' annulus. Good tag. **Plug I, Inside 5½" casing, cement retainer at 1016', 150 sks, 172.5 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface, 0'-1066'.**
- Fill cellar and install dry hole marker with 31 sks, 35.65 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Gerrick Lee with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'ed on 11/10/2025.**

Completed P & A Wellbore Schematic

Cutie Patutie # 90S
30-045-33494
Basin Fruitland Coal
1650' FSL & 1650' FEL
J-09-T30N-R14W
San Juan County, NM



8-5/8" 24#, J-55 casing @ 130': Hole size - 12 1/4"
Cemented with 95 sks, Class B cement. Circ 4 bbls cement

5 1/2" 15.5#, J-55 casing @ 1400'. Hole size: 7"
Cement w/ 135 sks Type 5 cement. Circ 5 bbls cement

Set 5 1/2" CR @ 1016'. Squeeze 23 sks, 26.45 Cu.ft cement to cover the Pictured cliffs top below the retainer.

Plug I, Inside 5 1/2" casing, Cement Retainer at 1016', 130 sks-149.5 Cu.ft, Total 150 sks – 172.5 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface, 0'-1066'

Fruitland Coal / Fruitland Sands PC
Perforated @ 1066' – 1210'

PBTD @ 1359', TD 1410'

Cutie Patutie # 90S
30-045-33494
Basin Fruitland Coal
1650' FSL & 1650' FEL
J-09-T30N-R14W
San Juan County, NM

Formation Tops (Referenced for the P &A)

- Kirtland - Surface
- Surface Casing - 130'
- Fruitland - 956'
- Perforations - 1066'-1210'
- Pictured Cliffs - 1206'

Tyra Feil

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Monday, November 10, 2025 9:29 AM
To: Omar Ramirez; Diede, Loren, EMNRD; Vermersch, Thomas, EMNRD; Durham, John, EMNRD; Smith, Clarence, EMNRD; Aliph Reena; Lucero, Virgil S; Lee, Garrick L
Cc: Tyra Feil; Indalecio Roldan; Alex Robles
Subject: Re: [EXTERNAL] Dugan - Cutie Patutie #90S CBL

The BLM finds the proposal appropriate.

Kenny Rennick

Get [Outlook for iOS](#)

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Monday, November 10, 2025 9:26:02 AM
To: Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Vermersch, Thomas, EMNRD <thomas.vermersch@emnrd.nm.gov>; Durham, John, EMNRD <john.durham@emnrd.nm.gov>; Smith, Clarence, EMNRD <clarence.smith@emnrd.nm.gov>; Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Lucero, Virgil S <vlucero@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lee, Garrick L <glee@blm.gov>
Cc: Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>; Indalecio Roldan <indalecio.roldan@duganproduction.com>; Alex Robles <arobles@aztecwell.com>
Subject: [EXTERNAL] Dugan - Cutie Patutie #90S CBL

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Revised proposal post CBL
Dugan Production Corp.
Cutie Patutie #90S
API: 30-045-33494

Please see CBL attached

It appears from looking at the CBL TOC is at around 35'... We request to follow original procedure and fill up with 1" poly line after cutoff.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell: 505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.





Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 534963

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 534963
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	12/18/2025