

Submit 1 Copy To Appropriate District

Office

District I – (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II – (575) 748-1283

811 S. First St., Artesia, NM 88210

District III – (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV – (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico  
Energy, Minerals and Natural ResourcesForm C-103  
Revised July 18, 2013OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

30-045-32416

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil &amp; Gas Lease No.

STATE E-3150-11

7. Lease Name or Unit Agreement Name

EPNG COM C

8. Well Number 100T

9. OGRID Number

372171

10. Pool name or Wildcat

Basin Fruitland Coal

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Hilcorp Energy Company

3. Address of Operator

382 Road 3100, Aztec, NM 87410

4. Well Location

Unit Letter D: 660 feet from the North line and 660 feet from the West lineSection 16 Township 032N Range 010W NMPM County SAN JUAN

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

6744' GL

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐ RECOMPLETE

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: ROD PUMP INSTALL ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Hilcorp Energy Company completed a rig operation to convert the well from jet pump to rod pumping equipment. Please see attached summary and wellbore diagram.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Cherylene Weston TITLE Operations/Regulatory Tech-Sr. DATE 12/22/2025Type or print name Cherylene Weston E-mail address: cweston@hilcorp.com PHONE: 713-289-2615**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):



## Well Operations Summary L48

Well Name: EPNG COM C #100T

API: 3004532416

Field: San Juan Area 01

State: NEW MEXICO

Permit to Drill (PTD) #:

Sundry #:

Rig/Service: #103

## Jobs

Actual Start Date: 10/26/2025

End Date: 10/28/2025

Report Number  
1Report Start Date  
10/26/2025Report End Date  
10/26/2025

## Operation

MOVED WSU AND EQUIPMENT, SPOT IN EQUIPMENT.

RU WSU.  
CSG 5 PSI.  
TBG 0 PSI.  
BDT 1 MIN.

ND WH, REMOVED 1 1/4" SLIPS AND SPOOL, NU BOP AND FT, RU RIG FLOOR, CHANGE OUT TOOLS FOR 1 1/4" TBG.

LD 1 1/4" TBG= 1JT, 2' SUB, 107 JTS, JET PUMP NOZZLE.

CHANGE OUT TOOLS FOR 2 7/8" TBG, PULLED TBG HANGER OUT, TBG WAS IN FILL, PULLED TO 30K TO GET IT FREE (ABOUT 10K OVER STRING), LD 57 JTS OF 2 7/8 EUE.

SISW, SDFN.

DROVE BACK HOME.

Report Number  
2Report Start Date  
10/27/2025Report End Date  
10/27/2025

## Operation

TRAVEL TIME TO LOCATION.

PJSM, START AND WARM UP EQUIPMENT.  
SICP 20 PSI.  
SITP 20 PSI.  
BH 0 PSI.  
BDT 1 MIN.

CONTINUE LD 27/8" TBG, 35 JTS EUE, XO, 16 JTS UFJ, JET PUMP AND SAND SCREEN.

SWAP TBG TRAILER, CHANGE OUT TOOLS FOR 2 7/8" TBG. MU 4 1/2" JUNK MILL, PU 2 3/8" J-55 WB, TAG FIIL@3530' W/112 JTS.

KI AIR UNIT AND MIST, STABLISH GOOD CIRCULATION IN 80 MIN, C/O FILL TO PBTD @3576', RETURNS SHOW COAL FINES AND BIG CHUNKS OF COAL, CIRCULATE WELL CLEAN, KO AIR UNIT.

LD 1 JT, TOH W/7 STS TO 3100' (98 JTS LEFT IN THE HOLE).

SISW, SDFN.

DROVE BACK HOME.

Report Number  
3Report Start Date  
10/28/2025Report End Date  
10/28/2025

## Operation

CREW TRAVELED TO LOCATION

HELD PRE JOB SAFETY MEETING. CHK PSI BD SITP: 0 PSI SICP: 50 PSI SIBHP: 0 PSI BDW 5 MIN

ESTABLISH CIRCULATION W/ AIR MIST. UNLOAD WELL. CO TO PBTD. MAKE SURE RETURNS ARE CLEAN. BLEED OFF AIR. LD TO LANDING DEPTH.

TOH AND LD CO ASSEMBLY. PU NEW 20' PRICE TYPE MUD ANCHOR. TIH W/ PROD TBG.

LAND TUBING AS FOLLOWS.

TUBING HANGER

111 - 2-3/8" J-55 WHITE BAND TUBING (3501.18')

1 - SEAT NIPPLE (1.78" ID)

1 - 2-7/8" OPEN ENDED MUD ANCHOR W/ 3/8" WEEP HOLE (20')

PBTD: 3575'

EOT: 3535.28'

SEAT NIPPLE TOP: 3514.18'

KB: 12'

R/D FLOOR. NIPPLE DOWN BOP. NIPPLE UP WELLHEAD. PLUMB SURFACE EQUIPMENT. X/O TO ROD HANDLING TOOLS.

P/U PUMP 1- 2" X 1 1/4" X 12' X 12' RHAC-Z HVR PUMP (HIL #1260)., BUCKET TEST PUMP. TIH W/ RODS. SPACE OUT RODS. SEAT PUMP. LOAD TUBING. PRESSURE TEST TO 500 PSI GOOD. BLEED OFF PRESSURE TO 250 PSI. LONG STROKE PUMP BACK UP TO 500 PSI. GOOD. OPERATOR ON LOCATION. CLAMP OFF RODS.

RIG DOWN RIG AND EQUIPMENT. PREP FOR RIG MOVE. RIG RELEASED TO THE CARTER UTE #104 ON 10/28/2025. JOB COMPLETE. FINAL REPORT. CREW TRAVELED HOME.




## Current Schematic - Version 3

Well Name: EPNG COM C #100T

API / UWI 3004532416	Surface Legal Location 016-032N-010W-D	Field Name San Juan Area 01	Route 0105	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,745.00	Original KB/RT Elevation (ft) 6,757.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
<b>Tubing Strings</b>					
Run Date 10/28/2025 10:00	Set Depth (ftKB) 3,535.28	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00	Weight/Length (lb/ft) 4.70	Original Spud Date 12/10/2004 03:45

## Original Hole, EPNG COM C #100T [Vertical]



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 536637

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 536637
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	12/29/2025