

Well Name: COWSAROUND COM 27	Well Location: T26N / R12W / SEC 27 / SWNE / 36.46147 / -108.09551	County or Parish/State: SAN JUAN / NM
Well Number: 7	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM26354	Unit or CA Name: COWSAROUND 27	Unit or CA Number: NMNM91280
US Well Number: 300452794900S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2889032

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 01/02/2026	Time Sundry Submitted: 01:01
Date Operation Actually Began: 12/08/2025	

Actual Procedure: Dugan Production plugged and abandoned the well from 12/08/2025 - 12/10/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Cowsaround\_Com\_27\_7\_below\_grade\_marker\_gps\_photos\_20260102125908.pdf
- Cowsaround\_Com\_27\_7\_BLM\_OCD\_apvd\_plug\_changes\_20260102125841.pdf
- Cowsaround\_Com\_27\_7\_SR\_PA\_formation\_tops\_20260102125820.pdf
- Cowsaround\_Com\_27\_7\_SR\_PA\_completed\_wellbore\_schematic\_20260102125814.pdf
- Cowsaround\_Com\_27\_7\_SR\_PA\_completed\_work\_20260102125808.pdf

Well Name: COWSAROUND COM 27

Well Location: T26N / R12W / SEC 27 / SWNE / 36.46147 / -108.09551

County or Parish/State: SAN JUAN / NM

Well Number: 7

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM26354

Unit or CA Name: COWSAROUND 27

Unit or CA Number: NMNM91280

US Well Number: 300452794900S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JAN 02, 2026 01:01 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 01/12/2026

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Cowsaround Com 27 #7 from **12-08-2025 to 12-10-2025** per the following procedure:

- MI & RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD production rods and tubing.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 966'.
- RIH and set 4½" cement retainer at 935'. **Fruitland Coal perforations are 972'-1168'.**
- Load and circulate hole clean with 20 bbls of water.
- **Pressure test casing to 650 psi for 30 minutes. Good test.**
- Run CBL from 935' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Fruitland-Kirtland-Ojo Alamo-Surface-Casing-Surface:** Sting in the cement retainer. Squeeze 20 sks, 23 cu ft Class G neat cement to cover the Fruitland top below the retainer until the top perforation at 972'. Sting out. Spot inside 4½" casing above cement retainer @ 935' to surface w/84 sks (96.6 cu ft) Class G neat cement to cover the Fruitland, Kirtland, Ojo Alamo tops, and surface casing shoe & surface casing, No displacement. WOC overnight. MI welder, cut wellhead off. Tagged TOC at 1' inside, 17' annulus. **Plug I, Inside 4½" casing, cement retainer at 935', 104 sks, 119.6 cu ft, Fruitland-Kirtland-Ojo Alamo-Casing-Surface, 0'-972'.**
- Fill cellar and install dry hole marker (below grade plate) with 4 sks, 4.6 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Ashley Schneider with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 12/10/2025.**

**Completed P & A Wellbore Schematic**

**Cowsaround Com # 7**


30-045-27949

Basin Fruitland Coal

1770' FNL & 1810' FEL

G-27-T26N-R12W

San Juan County, NM



**7" 23#, N-80, LT&C casing @ 130': Hole size - 8-3/4"**

Cemented with w/60 sks, 71 cu ft, Class "B" cement w/2% CaCl.  
And 1/4#/sk flocele. Circ 3 bbls cement

**Set 4 1/2" CR @ 935'. Squeeze 20 sks, 23 Cu.ft cement to  
cover the Fruitland top below the retainer.**

**Plug I, Inside 4 1/2" casing, cement retainer at 935', 104  
sks, 119.6 cu ft, Fruitland-Kirtland-Ojo Alamo-Casing-  
Surface, 0'-972'.**

**4 1/2" 9.5#, LS, ST&C casing @ 1312'. Hole size: 6-1/4"**

Cement w/ 109 sks, 286 cu ft, 65/35 poz w/ 12% gel and  
1/4#/sk flocele. 40 sk, 47 cu ft, Class B and 1/4#/sk flocele. Circ  
15 bbls cement

Fruitland Coal Perforated @ 972' - 1168'

PBTD @ 1225', TD 1315'

**Cowsaround Com # 7**

30-045-27949

Basin Fruitland Coal

1770' FNL & 1810' FEL

G-27-T26N-R12W

San Juan County, NM

**Formation Tops (Operator Submitted)**

- Surface Casing – 120'
- Ojo Alamo – 110'
- Kirtland – 240'
- Fruitland – 889'
- Perforations – @ 972' – 1168'
- Fruitland Coal – 972'

## Tyra Feil

---

**From:** Omar Ramirez <oramirez@aztecwell.com>  
**Sent:** Tuesday, December 9, 2025 12:52 PM  
**To:** anschneider@blm.gov; Aliph Reena; Andrew Fordyce; Clarence Smith; Garcia, John, EMNRD; john durham; krennick@blm.gov; Loren Diede; Thomas Vermersch; vlucero@blm.gov  
**Cc:** Alex Robles; Indalecio Roldan; Tyra Feil  
**Subject:** CBL and Revised proposal - Dugan Production - Cowsaround Com 27 #7  
**Attachments:** dugan\_cowsaround\_com\_27\_7\_cbl.pdf; Cowsaround Com 27 #7 BLM-OCD apvd NOI P&A.pdf

**Dugan Production Corp.**  
**Cowsaround Com 27 #7**  
**API #30-045-27949**

Based on the CBL, the TOC appears to be at 30'.

- We request to follow original procedure & Top-off w/1" poly line after Cut-off

Omar Ramirez  
Rig Manager – San Juan Basin  
Aztec Well Servicing Co.  
P.O. Box 100  
Aztec, New Mexico 87410  
Cell: 505-486-1828  
505-402-6753  
Office: 505-334-6191  
[Oramirez@aztecwell.com](mailto:Oramirez@aztecwell.com)



CAUTION: This email originated from outside your organization. Exercise caution.













Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 542170

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 542170
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/13/2026