

Well Name: GOODMAN	Well Location: T22N / R8W / SEC 23 / NWSW / 36.12285 / -107.65727	County or Parish/State: SAN JUAN / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM90471	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452919100S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2889048

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/02/2026 Time Sundry Submitted: 03:14

Date Operation Actually Began: 12/16/2025

Actual Procedure: Dugan Production plugged & abandoned the well from 12/16/2025 - 12/18/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Goodman_2_BLM_OCD_plug_comms_20260102151325.pdf
- Goodman_2_gps_marker_photos_20260102151157.pdf
- Goodman_2_SR_PA_formation_tops_20260102151111.pdf
- Goodman_2_SR_PA_completed_wellbore_schematic_20260102151100.pdf
- Goodman_2_SR_PA_completed_work_20260102151054.pdf

Well Number: 2

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM90471

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452919100S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JAN 02, 2026 03:13 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 01/12/2026


Signature: Kenneth Rennick

Dugan Production plugged and abandoned the **Goodman #2** from **12-16-2025 to 12-18-2025** per the following procedure:

- MI&RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 100 psi, Casing 160 psi, BH 0 psi.
- Pull and LD production tubing.
- PU & tally 1¼" work string. Run 2-7/8" string mill to scrape casing to 1095'.
- Check pressures: tbg 0 psi, csg 0 psi, BH 0 psi.
- RIH and wireline set 2-7/8" cement retainer at 1080'. **Chacra perforations are 1108'-1220'.**
- Sting in retainer, squeeze 20 sks, 23 cu ft Class G cement below the retainer at 1081' to cover the Pictured Cliffs top until top perforation at 1108'. Displaced w/2 bbls of water. Sting out. TOH.
- RU WL. RIH and set 2-7/8" CIBP at 1050'.
- Run CBL from 1050' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Chacra-Pictured Cliffs-Fruitland- Kirtland:** Spot Plug I inside 2-7/8" casing above CIBP @ 1050' w/27 sks (31.05 cu ft) Class G cement w/ 2% CaCl to cover the Chacra-Pictured Cliffs, Fruitland- Kirtland. Displaced with 0.2 bbls of water. WOC 4 hrs. Tagged TOC at 150'. Good tag. **Plug I, Inside 2-7/8" casing, cement retainer at 1080', CIBP at 1050', 47 sks, 54.05 cu ft, Chacra-Pictured Cliffs-Fruitland-Kirtland, 150' – 1108'.**
- **Plug II, Ojo Alamo-surface casing-surface:** MI WL. RIH and shoot squeeze holes at 130'. Establish good circulation to surface through BH to pit. Swap to cement. RIH with tubing open ended to 150' Spot Plug II inside/outside 2-7/8" casing from 150' to surface w/36 sks (41.4 cu ft) Class G neat cement to cover the Ojo Alamo top, surface casing shoe & surface casing. No displacement. WOC overnight. MI&RU welder, cut wellhead off. Tagged TOC at 0' inside, 0' annulus. **Plug II, inside/outside 2-7/8" casing, perforations at 130, EOT at 150', 36 sks, 41.4 cu ft, Ojo Alamo-surface casing shoe to surface, 0' – 150'.**
- Fill cellar and install dry hole marker with 18 sks, 20.7 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Jimmy Dobson with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 12/18/2025.**

Completed P & A Wellbore Schematic

Goodman #2
30-045-29191
Rusty Chacra
1850' FSL & 810' FWL
L-S23-T22N-R08W
San Juan County, NM



7" 26#, K-55 casing @ 128': Hole size - 9-1/8"

Cemented with 60 sks, Class B neat cement (77 cu ft total slurry)
Circ 5 bbls cement

Plug II, Inside/outside 2-7/8" casing, Perforations at 130, EOT at 150', 36 sks, 41.4 cu ft, Ojo Alamo-Surface Casing shoe to Surface, 0' - 150'.

Set 2-7/8" CIBC @ 1080'. Squeeze 20 sks, 23 Cu.ft cement to cover the Pictured cliffs top below the retainer.

Set 2-7/8" CIBP @ 1050'

Plug I, Inside 2-7/8" casing, cement retainer at 1080', CIBP at 1050', 47 sks, 54.05 cu ft, Chacra-Pictured Cliffs-Fruitland-Kirtland, 150' - 1108'.

2 7/8" 6.5# OD EUE casing @ 1340'. Hole size: 6"

Cement w/ 50 sks Lodense w/1/4# celloflake/sx. Tail with 130 sks neat w/1/4# celloflake/sx. (255 cu ft total slurry) Circ 2 bbls cement to surface.

Chacra Perforated @ 1108' - 1220'

PBTD @ 1298', TD 1340'

Goodman #2
30-045-29191
Rusty Chacra
1850' FSL & 810' FWL
L-S23-T22N-R08W
San Juan County, NM

Formation Tops (Referenced for the P &A)

- Surface Casing - 128'
- Ojo Alamo - 120'
- Kirtland - 165'
- Fruitland - 555'
- Pictured Cliffs - 725'
- Lewis - 905'
- Chacra - 1098'
- Perforations - 1108'-1220'

Tyra Feil

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Wednesday, December 17, 2025 2:41 PM
To: Indalecio Roldan; Brian McCann
Cc: Aliph Reena; Tyra Feil; Alex Robles; Kenneth G Rennick; Virgil S Lucero; Darin L Halliburton; Garcia, John, EMNRD; Jimmie P Dobson
Subject: Re: [EXTERNAL] Re: Goodman 2 CBL

NMOCD agrees with that approach.

Loren

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Indalecio Roldan <Indalecio.Roldan@duganproduction.com>
Sent: Wednesday, December 17, 2025 1:56 PM
To: Brian McCann <bmccann@aztecwell.com>
Cc: Aliph Reena <Aliph.Reena@duganproduction.com>; Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Kenneth G Rennick <krennick@blm.gov>; Virgil S Lucero <vlucero@blm.gov>; Darin L Halliburton <dhallibu@blm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Jimmie P Dobson <jdobson@blm.gov>
Subject: [EXTERNAL] Re: Goodman 2 CBL

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hey Brian!

After looking at the CBL, let's perforate at 130' and try to break circulation to surface if we can't then will perforate at 120' but let's try it at 130' first

Have a Blessed Day!

On Dec 17, 2025, at 11:18 AM, Brian McCann <bmccann@aztecwell.com> wrote:

CBL for Goodman #2 is attached.

CAUTION: This email originated from outside your organization. Exercise caution.


<dugan_goodman_2_cbl.pdf>

CAUTION: This email originated from outside your organization. Exercise caution.









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 542141

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 542141
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/13/2026