

Well Name: SIXTEEN G`S	Well Location: T24N / R9W / SEC 7 / SWNE / 36.331979 / -107.829228	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM25433	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452970900S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2889028

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 01/02/2026	Time Sundry Submitted: 12:40
Date Operation Actually Began: 12/04/2025	

Actual Procedure: Dugan Production plugged and abandoned the well from 12/04/2025 - 12/08/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Sixteen_Gs_90_gps_marker_photos_20260102123912.pdf
- Sixteen_Gs_90_BLM_OCD_plug_change_comms_20260102123731.pdf
- Sixteen_Gs_90_SR_PA_formation_tops_20260102122908.pdf
- Sixteen_Gs_90_SR_PA_completed_wellbore_schematic_20260102122903.pdf
- Sixteen_Gs_90_SR_PA_completed_work_20260102122856.pdf

Well Number: 90

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM25433

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452970900S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JAN 02, 2026 12:39 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTONState: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: FarmingtonState: NMZip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 01/12/2026


Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Sixteen G's 90 from **12-04-2025 to 12-08-2025** per the following procedure:

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD production rods and tubing.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1706'.
- RIH and set 4½" cement retainer at 1665'. **Fruitland Coal perforations are 1705'-1715'.**
- Load and circulate hole clean with 30 bbls of water.
- Attempt to pressure test casing to 650 psi, test failed, had a leak of 50 psi/min.
- Run CBL from 1665' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo:** Sting in the cement retainer. Squeeze 20 sks, 23 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer. Sting out. Spot inside 4½" casing above cement retainer at 1665' w/76 sks (87.4 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo tops. Displace with 2.6 bbls of water. WOC overnight. Tagged TOC at 810'. Good tag. **Plug I, Inside 4½" casing, cement retainer at 1665', 96 sks, 110.4 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 810'-1705'.**
- **Plug II, Surface:** Spot inside 4½" casing from 187' w/25 sks (28.75 cu ft) Class G neat cement to cover the surface casing shoe & surface casing. No displacement. WOC 4 hrs. MI welder, cut wellhead off. Tagged TOC at 1' inside, 41' annulus. **Plug II, Inside 4½" casing, 25 sks, 28.75 cu ft, Surface Casing-Surface, 0'-187'.**
- Fill cellar and install dry hole marker with 42 sks, 48.3 cu. ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Joe Maestas with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 12/08/2025.**

Completed P & A Wellbore Schematic

Sixteen G's # 90
30-045-29709
Basin Fruitland Coal
1400' FNL & 2300' FEL
G-S07-T24N-R09W
San Juan County, NM



7" 26#, K-55 casing @ 125': Hole size - 9-7/8"

Cemented with w/51.3 sks Class "B" cement w/3% CaCl₂. Circ 4 bbls cement

Plug II, Inside 4½" casing, 25 sks, 28.75 cu ft, Surface Casing-Surface, 0'-187'.

Set 4 ½" CR @ 1665'. Squeeze 20 sks, 23 Cu.ft cement to cover the Pictured cliffs top below the retainer.

Plug I, Inside 4½" casing, cement retainer at 1665', 96 sks, 110.4 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 810'-1705'.

4 ½" 10.5#, J-55 casing @ 1849'. Hole size: 6-1/4"

Cement w/ 212.1 sks Lodense w/1/4#/sx celloflake + 72.1 sks Class "B" w/1/4# celloflake cement. Circ 8 bbls cement

Fruitland Coal Perforated @ 1705' – 1715' w/4 spf

PBTD @ 1789', TD 1850'

Sixteen G's # 90
30-045-29709
Basin Fruitland Coal
1400' FNL & 2300' FEL
G-S07-T24N-R09W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- Surface Casing - 125'
- Ojo Alamo - 886'
- Kirtland - 990'
- Fruitland - 1368'
- Perforations - 1705'-1715'
- Pictured Cliffs - 1720'

Tyra Feil

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Friday, December 5, 2025 2:57 PM
To: Omar Ramirez; Lee, Garrick L; Aliph Reena; Andrew Fordyce; Clarence Smith; Garcia, John, EMNRD; john durham; Loren Diede; Thomas Vermersch; Lucero, Virgil S
Cc: Alex Robles; Indalecio Roldan; Tyra Feil
Subject: Re: [EXTERNAL] CBL and Revised proposal - Dugan Production - Sixteen G's #90

The BLM finds the procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Friday, December 5, 2025 2:34 PM
To: Lee, Garrick L <glee@blm.gov>; Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Andrew Fordyce <andrew.fordyce@emnrd.nm.gov>; Clarence Smith <clarence.smith@emnrd.nm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; john durham <john.durham@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Loren Diede <loren.diede@emnrd.nm.gov>; Thomas Vermersch <thomas.vermersch@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>
Cc: Alex Robles <arobles@aztecwell.com>; MILO <indalecio.rolan@duganproduction.com>; Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>
Subject: [EXTERNAL] CBL and Revised proposal - Dugan Production - Sixteen G's #90

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Dugan Production Corp.
Sixteen G'S #90
API #30-045-29709

Based on the CBL, the TOC appears to be at 62'.

- We request to follow original procedure & Top-off w/1" poly line after Cut-off

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell: 505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.





Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 542184

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 542184
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/13/2026