

Well Name: MARTINEZ BEGAY COM	Well Location: T24N / R10W / SEC 34 / SESW / 36.2654033 / -107.887423	County or Parish/State: SAN JUAN / NM
Well Number: 2	Type of Well: OTHER	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: N0G09021754	Unit or CA Name: 2 MARTINEZ BEGAY COM-S/2	Unit or CA Number: NMNM112624
US Well Number: 300453492300S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2889024

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/02/2026

Date Operation Actually Began: 12/01/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:10

Actual Procedure: Dugan Production plugged and abandoned the well from 12/01/2025 - 12/03/2025 per the attached procedure.

SR Attachments

Actual Procedure

[Martinez_Begay_Com_2_OCD_CBL_submission_confirmation_20260102120842.pdf](#)

[Martinez_Begay_Com_2_gps_marker_photos_20260102115502.pdf](#)

[Martinez_Begay_Com_2_SR_PA_formation_tops_20260102115338.pdf](#)

[Martinez_Begay_Com_2_SR_PA_completed_wellbore_schematic_20260102115333.pdf](#)

[Martinez_Begay_Com_2_SR_PA_completed_work_20260102115325.pdf](#)

Well Name: MARTINEZ BEGAY COM

Well Location: T24N / R10W / SEC 34 /
SESW / 36.2654033 / -107.887423County or Parish/State: SAN
JUAN / NM

Well Number: 2

Type of Well: OTHER

Allottee or Tribe Name:
EASTERN NAVAJO

Lease Number: N0G09021754

Unit or CA Name: 2 MARTINEZ BEGAY
COM-S/2Unit or CA Number:
NMNM112624

US Well Number: 300453492300S1

Operator: DUGAN PRODUCTION
CORPORATION**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JAN 02, 2026 12:07 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 01/12/2026

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Martinez Begay Com #2 from **12-01-2025 to 12-03-2025** per the following procedure:

- MI&RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 5 psi, BH 0 psi.
- Pull and LD production rods and tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1050'.
- RIH & set 5½" cement retainer at 1010'. Fruitland perforations @ 1060' – 1080'.
- Load and circulate hole clean with 30 bbls of water.
- **Pressure test casing to 700 psi for 30 minutes. Good test.**
- Run CBL from 1010' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Attempt to establish injection rate below CICR, pressured up to 1200 psi. No injection rate.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface:** Spot Plug I inside 5½" casing above cement retainer at 1010' to 150' w/100 sks (115 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo tops. Displace w/.5 bbls of water. **Plug I, Inside 5½" casing, cement retainer at 1010', 100 sks, 115 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 150'-1010'.**
- **Plug II, Surface Casing Shoe-Surface:** RU Wireline. RIH and shoot squeeze holes at 100'; established good circulation to surface through BH to pit. RIH w/tubing open ended to 157'. Swap to cement. Spot Plug II inside/outside 5½" casing from 157' to surface w/48 sks (55.2 cu ft) Class G neat cement to cover the surface casing shoe-surface. No displacement. WOC overnight. MI&RU welder, cut wellhead off. Tagged TOC at 0' inside, 0' annulus. **Plug II, Inside 5½" casing, perforations at 100', EOT at 157', 48 sks, 55.2 cu ft, surface casing shoe-surface, 0'-157'.**
- Fill cellar and install dry hole marker with 18 sks, 20.7 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Clay Yazzie with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 12/03/2025.**

Completed P & A Wellbore Schematic

Martinez Begay Com #2


30-045-34923

Basin Fruitland Coal

895' FSL & 1330' FWL

N-34-T24N-R10W

San Juan County, NM



8-5/8" 24#, J-55 casing @ 136': Hole size -12 1/4"

Cemented with 90 sks, Type III cement, 125 Cu.ft. Circ 6 bbls cement

Plug II, Inside 5 1/2" casing, Perforations at 100', EOT at 157',

48 sks, 55.2 Cu. ft, Surface casing shoe-Surface, 0'-157'.

Set 5 1/2" CR @ 1010'.

Plug I, Inside 5 1/2" casing, Cement Retainer at 1010', 100 sks, 115 Cu. ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 150'-1010'.

5 1/2" 15.5# J-55 casing @ 1268'. Hole size: 7"

Cement w/ 70 sks premium lite and 50 sks Type III cement. 218 Cu.ft. Circ 4 bbls cement

Fruitland Coal Perforated @ 1060' - 1080' w/4 spf

PBTD @ 1064', TD 1280'

Martinez Begay Com #2
30-045-34923
Basin Fruitland Coal
895' FSL & 1330' FWL
N-34-T24N-R10W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- **Surface Casing - 136'**
- **Ojo Alamo - 250'**
- **Kirtland - 340'**
- **Fruitland - 706'**
- **Perforations - 1060'-1080'**
- **Pictured Cliffs - 1082'**

Tyra Feil

From: OCDOnline@emnrd.nm.gov
Sent: Friday, January 2, 2026 12:07 PM
To: Tyra Feil; Tyra Feil
Subject: The Oil Conservation Division (OCD) has received a well log for MARTINEZ BEGAY COM #002.

To whom it may concern,

The Oil Conservation Division (OCD) has received a well log for 30-045-34923 MARTINEZ BEGAY COM #002.

Please contact us if you have any questions.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

CAUTION: This email originated from outside your organization. Exercise caution.









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 542195

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 542195
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/13/2026