

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

State of New Mexico  
Energy, Minerals and Natural Resources

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<p align="center"><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		WELL API NO. <b>30-025-20899</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Burgundy Oil and Gas of New Mexico Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 505 N. Big Spring St., Suite 603 Midland, TX 79701		7. Lease Name or Unit Agreement Name Eunice Monument Unit
4. Well Location Unit Letter <u>C</u> : <u>330</u> feet from the <u>N</u> line and <u>1980</u> feet from the <u>W</u> line Section <u>29</u> Township <u>20S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number # <u>39</u>
		9. OGRID Number 003044
		10. Pool name or Wildcat Eunice Monument
		11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3325' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached

Spud Date:

Rig Release Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Plugging Superintendent DATE 12/29/2025

Type or print name Raymundo Utajara E-mail address: ray@mcvayservices.com PHONE: 505-258-2111  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_

Burgundy Oil & Gas of NM, Inc  
**Eunice Monument Unit #39**  
30-025-20899



12/29/2025  
Wellbore Diagram by WellboreBuilder.com

Burgundy Oil and Gas of NM Inc.  
Eunice Monument #39  
API: 30-025-20899

**Eunice Monument #39 Subsequent Report**

07/28/2025

RU well service unit ND WH. NU BOP, RU WL RIH with GR/JB tag at 1,450' RD WL. Secure well SDFN.

7/29/2025

Check WH pressure open well to pit. 0 psi on casing, TIH with drill bit try to clean the well. Tag @ 1,450' TOOH order power swivel and reverse unit. SDFN.

7/30/2025

RU power swivel TIH with drill bit tag @1,450'. Drill until it goes through tag 1,560' drill and go through TIH to 3,670'. LD power swivel, TOOH remove drill bit TIH to 1,740'. SDFN.

7/31/2025

Check WH pressure open well to pit. 0 psi on tubing and 0 psi on casing, TIH pump first plug from 3,260'-3,383' 25 sxs 0f class C cement, TOOH WOC. TIH tag at 3,260'. Move up hole 2,900' RU WL perf at 2,900', TIH to 2,950'. RU pump plug 2 from 2,950', 37 sxs TOOH WOC ON. SDFN.

8/1/2025

Check WH pressure open well to pit. 0 psi on tubing 0 psi on casing. TIH tag plug 2 at 2,430'. Move up to 1,600' to 1,350'. TOOH RU wireline run in hole with CBL, RD wireline. Secure well, SDFN.

8/4/2025

TIH tag plug 3 @ 1,370', TOOH RU WL perf at 1,306' RD WL. TIH with 4.5 packer try to get injection and pressure up and hold pressure for 30 minutes. TOOH spoke with Robert Trujillo, approved to do balance plug from 1,356' to 920'. TIH open ending tubing to 1,356' and spot 31 sxs from 1,356' to 920'. TOOH WOC, TIH tag plug 4 at 910' move up to 415' spot 40 sxs to surface. RD unit, secure well SDFN.

8/8/2025

Cut off well, install dry hole marker.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 549701

**CONDITIONS**

Operator: BURGUNDY OIL & GAS OF N M INC 505 N. Big Spring St. Midland, TX 79701	OGRID: 3044
	Action Number: 549701
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	2/4/2026
gcordero	Submit C-103Q within one year of plugging.	2/4/2026