

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-045-28333
5. Indicate Type of Lease
STATE [X] FEE []
6. State Oil & Gas Lease No.
LG-9090
7. Lease Name or Unit Agreement Name
Little b
8. Well Number
2
9. OGRID Number
006515
10. Pool name or Wildcat
Rusty Chacra (84360)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)
1. Type of Well: Oil Well [] Gas Well [X] Other
2. Name of Operator
Dugan Production Corp.
3. Address of Operator
PO Box 420, Farmington, NM 87499-0420
4. Well Location
Unit Letter G : 1850 feet from the North line and 1850 feet from the East line
Section 36 Township 25N Range 10W NMPM San Juan County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)
6910' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [X]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Dugan Production plugged and abandoned the well from 01/13/2026 - 01/15/2026 per the attached procedure.

Spud Date: [] Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Aliph Reena TITLE Engineering Supervisor DATE February 11, 2026

Type or print name Aliph Reena E-mail address: Aliph.Reena@duganproduction.com PHONE: 505-360-9192

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

Dugan Production plugged and abandoned the **Little b 2 from 1/13/2026 to 1/15/2026** per the following procedure:

- MI & RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 15 psi, BH 15 psi.
- Pull and LD production tubing.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1749'.
- Check pressures: Tubing 0 psi, Casing 15 psi, BH 10 psi.
- RIH & set 4½" cement retainer to 1720'. **Chacra perforations @ 1761'-1860'.**
- Load and circulate hole with 30 bbls of water.
- Run CBL from 1720' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Pressure test casing to 600 psi for 30 mins. Test failed.
- Attempt to get injection rate below retainer, locked up at 1000 psi, no injection rate.
- **Plug I, Chacra-Pictured Cliffs tops:** Spot Plug I inside 4½" casing above CICR @ 1720' w/41 sks (47.15 cu ft) Class G cement w/2% CaCl to cover the Chacra-Pictured Cliffs tops. Displaced with 4.6 bbls of water. WOC 4 hrs. Tagged TOC at 1210'. Good tag. **Plug I, Spot Inside 4½" casing, cement retainer at 1720', 41 sks, 47.15 cu ft, Chacra-Pictured Cliffs, 1210'-1720'.**
- **Plug II, Fruitland-Kirtland-Ojo Alamo:** Spot Plug II inside 4½" casing from 1066' w/40 sks (46 cu ft) Class G neat cement to cover the Fruitland- Kirtland-Ojo Alamo tops. Displaced with 2.1 bbls of water. WOC overnight. Tagged TOC at 603'. Good tag. **Plug II, Spot Inside 4½" casing, 40 sks, 46 cu ft, Fruitland- Kirtland-Ojo Alamo 603'-1066'.**
- **Plug III, Surface Casing Shoe-Surface:** MI WL. Shoot squeeze holes at 105'. Established good circulation to surface through bradenhead to pit. Squeeze Plug III inside/outside 4½" casing from 155' w/26 sks (29.9 cu ft) Class G neat cement to cover the Surface Casing Shoe-Surface. No displacement. WOC 4 hrs. MI&RU welder, cut wellhead off. Tagged TOC at 0' inside, 0' annulus. **Plug III, Spot Inside 4½" casing, perforations at 105', EOT at 155', 26 sks, 29.9 cu ft, Surface Casing Shoe-Surface. 0'-155'.**
- Fill cellar and install dry hole marker with 18 sks, 20.7 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Rooster Foster with NMOCD witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 1/15/2026.**

Little b # 2
30-045-28333
Rusty Chacra
1850' FNL & 1850' FEL
G-S36-T23N-R08W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- **Surface Casing - 90'**
- **Ojo Alamo - 755'**
- **Kirtland - 790'**
- **Fruitland - 1015'**
- **Pictured Cliffs - 1367'**
- **Lewis - 1433'**
- **Chacra - 1751'**
- **Perforations - 1761'-1860'**

Tyra Feil

From: Brian McCann <bmccann@aztecwell.com>
Sent: Wednesday, January 14, 2026 11:28 AM
To: Aliph Reena
Cc: Tyra Feil; Alex Robles; Indalecio Roldan; Diede, Loren, EMNRD; Rennick, Kenneth G; Lucero, Virgil S; Garcia, John, EMNRD; Rooster.Foster@emnrd.nm.gov
Subject: RE: Little b #2 CBL

Based on CBL TOC is 110'. Will perforate surface plug at 105'

From: Brian McCann
Sent: Wednesday, January 14, 2026 10:22 AM
To: Aliph Reena <aliph.reena@duganproduction.com>
Cc: 'Tyra Feil' <tyra.feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; 'Indalecio Roldan' <indalecio.roldan@duganproduction.com>; 'Diede, Loren, EMNRD' <loren.diede@emnrd.nm.gov>; 'Rennick, Kenneth G' <krennick@blm.gov>; 'Lucero, Virgil S' <vlucero@blm.gov>; 'Garcia, John, EMNRD' <johna.garcia@emnrd.nm.gov>; Rooster.Foster@emnrd.nm.gov
Subject: Little b #2 CBL

Dugan Little b #2 Cbl Attached.

CAUTION: This email originated from outside your organization. Exercise caution.









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 553023

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 553023
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/12/2026