

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-31699
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name VACUUM GLORIETA WEST UNIT
8. Well Number 038
9. OGRID Number 330132
10. Pool name or Wildcat VACUUM; GLORIETA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4005' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [] Gas Well [] Other INJECTION
2. Name of Operator MORNINGSTAR OPERATING LLC
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102
4. Well Location Unit Letter M : 1217 feet from the S line and 24 feet from the W line
Section 25 Township 17S Range 34E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [X] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A []
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

In response to Violations cBZL2536359609 and cBZL2536359610, MorningStar Operating requests approval for the following procedure:

- MIRU.
Pull tubing and packer. Inspect tubing and replace any bad tubing joints. Inspect packer and redress or replace packer as necessary.
Rerun injection packer and tubing. Set packer around previous depth of 5783'.
Notify NMOCD to schedule MIT and chart.

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE Regulatory Analyst DATE 2/4/2026

Type or print name Connie Blaylock E-mail address: cblaylock@txoenergy.com PHONE: 817-334-7882
For State Use Only

APPROVED BY: TITLE DATE
Conditions of Approval (if any):

VGWU WI-38
API No. 30-025-31699
Active Injection Well

Well Location
1217' FSL & 24' FWL
Unit Letter M
Section 25
Township 17-S
Range 34-E
Lea County, New Mexico

11" Hole
8-5/8" 24# WC50 Csg @ 1550'
Cmt w/ 600 sx, circulated

7-7/8" Hole
5-1/2" 17# & 15.5# WC50 @ 6270'
DV tool @ 5024'
Stage 1: 375 sx to DV, (Circ)
Stage 2: 1000 sx
Temp svy TOC @ 1000'

Tubing (4/4/2006):
182 jts 2-3/8" J55 duoline tbg
On/off tool w/ 1.50" profile
5-1/2" AS1X NP 10K pkr
Packer @ 5783.5'


Packer @ 5783'

Perfs:
5820'-96', 5910'-15', 5926'-36'
Cone from bit (2000)
TOC @ 5950'

Sqz'd perfs:
5958'-70', 5978'-6004'

Sqz'd perfs 6096'-6127'

TD: 6270'



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 550150

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 550150
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
pgoetze	Operator shall use the same diameter tubing currently in the well (2 3/8-inch tubing). Operator shall notify the OCD 24 hours prior to conducting the MIT for returning the well to service.	2/26/2026