

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Name: PHOEBE COM

Well Location: T24N / R10W / SEC 22 /
NENE / 36.303075 / -107.877412

County or Parish/State: SAN
JUAN / NM

Well Number: 90S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM15654

Unit or CA Name: FRCL PHOEBE

Unit or CA Number:
NMNM119013

US Well Number: 300453402300S1

Operator: DUGAN PRODUCTION
CORPORATION

Subsequent Report

Sundry ID: 2902563

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 03/25/2026

Time Sundry Submitted: 01:06

Date Operation Actually Began: 03/09/2026

Actual Procedure: Dugan Production plugged and abandoned the Phoebe Com #90S from 03/09/2026 - 03/10/2026 per the attached procedure.

SR Attachments

Actual Procedure

Phoebe_Com_90S_marker_gps_20260325130456.pdf

Phoebe_Com_90S_BLM_OCD_plug_comms_20260325130443.pdf

Phoebe_Com_90S_SR_PA_formation_tops_20260325130422.pdf

Phoebe_Com_90S_SR_PA_completed_wellbore_schematic_20260325130415.pdf

Phoebe_Com_90S_SR_PA_completed_work_20260325130410.pdf

Well Name: PHOEBE COM

Well Location: T24N / R10W / SEC 22 / NENE / 36.303075 / -107.877412

County or Parish/State: SAN JUAN / NM

Well Number: 90S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM15654

Unit or CA Name: FRCL PHOEBE

Unit or CA Number: NMNM119013

US Well Number: 300453402300S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: MAR 25, 2026 01:06 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 03/25/2026

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the **Phoebe Com 90S from 3/09/26 to 3/10/26** per the following procedure:


- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- LD down production rods and tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1308'.
- RIH with 5½" cement retainer, set at 1265'. **Fruitland perforations from 1310'-1328'**.
- Load and circulate hole clean with 35 bbls of water.
- Pressure test casing to 650 psi for 30 minutes. Good test.
- Establish injection rate: 1 bbl/min @ 100 psi.
- Run CBL from 1265' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Fruitland Perfs-Pictured Cliffs-Fruitland- Kirtland-Ojo Alamo tops-surface csg shoe -surface:** Sting in the cement retainer at 1265'. Squeeze 21 sks, 24.15 cu ft Class G cement to cover the Fruitland perforations below the retainer till top perforation at 1310'. Sting out. Spot Plug I inside 5½" casing above cement retainer @ 1265' with 160 sks (184 cu ft) Class G neat cement to cover the Fruitland perfs. Pictured Cliffs-Fruitland tops-Kirtland- Ojo Alamo- surface casing shoe-surface. Total 181 sks, 208.15 cu ft. No displacement. WOC 4 hrs. MI welder, cut wellhead off. Tagged TOC at 0' inside, 39' annulus. **Plug I, Inside 5½" casing, cement retainer at 1265', 181 sks, 208.15 cu ft, Fruitland perforations-Pictured Cliffs-Fruitland- Kirtland-Ojo Alamo tops-surface csg shoe-surface, 0'-1310'.**
- Fill cellar and install dry hole marker with 42 sks, 48.3 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Monty Gomez with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 3/10/2026.**

Completed P&A Wellbore Schematic

Phoebe Com 90S

30-045-34023

Basin Fruitland Coal
1300' FNL & 800' FEL
A-S22-T24N-R10W
San Juan County, NM



8-5/8" 24#, J-55 casing @ 125': Hole size - 12-1/4"
Cemented w/ 90 sks, type 5 cement w/2% CaCl₂ w/ ¼# celloflake/sx.
(106 cu ft total) Circ 3 bbls cement

Set 5 ½" CR @ 1268'. Squeeze 21 sks, 24.15 Cu. ft cement to cover the Fruitland Perforations below the retainer.

Plug I, Inside 5 ½" casing, Cement Retainer at 1265', 181 sks, 208.15 Cu ft, Fruitland Perforations-Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops-Surface csg shoe -Surface, 0'-1310'.

5 ½" 15.5# J-55 casing @ 1505'. Hole size: 7"
Cement w/ 85 sx type 5 with 2% lodense, 2# phenoseal & ¼# celloflake/sx.
Tail w/50 sx, type 5 cement w/2# Phenoseal and w/ ¼# celloflake/sx. 241 Cu ft. total slurry. Circulate 6 bbl cement

Fruitland Coal Perforated @ 1310' - 1328' w/ 4 spf

PBTD @ 1466', TD 1515'

Phoebe Com 90S
30-045-34023
Basin Fruitland Coal
1300' FNL & 800' FEL
A-S22-T24N-R10W
San Juan County, NM

Formation Tops (Referenced for the P &A)

- **Surface Casing - 125'**
- **Ojo Alamo - 558'**
- **Kirtland - 652'**
- **Fruitland - 1017'**
- **Perforations - 1310'- 1328'**
- **Pictured Cliffs - 1332'**

Tyra Feil

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Tuesday, March 10, 2026 7:27 AM
To: Gomez, Monty J; Omar Ramirez; Aliph Reena; Fordyce, Andrew, EMNRD; Smith, Clarence, EMNRD; Halliburton, Darin L; Garcia, John, EMNRD; Durham, John, EMNRD; Rennick, Kenneth G; Vermersch, Thomas, EMNRD; Lucero, Virgil S
Cc: Alex Robles; Indalecio Roldan; Tyra Feil
Subject: RE: [EXTERNAL] CBL and Revised proposal - Dugan Production - Phoebe #90S

NMOCD approves also.

Loren

From: Gomez, Monty J <mgomez@blm.gov>
Sent: Tuesday, March 10, 2026 6:51 AM
To: Omar Ramirez <oramirez@aztecwell.com>; Aliph.Reena@duganproduction.com; Fordyce, Andrew, EMNRD <Andrew.Fordyce@emnrd.nm.gov>; Smith, Clarence, EMNRD <Clarence.Smith@emnrd.nm.gov>; Halliburton, Darin L <dhallibu@blm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; Durham, John, EMNRD <john.durham@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Vermersch, Thomas, EMNRD <Thomas.Vermersch@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>
Cc: Alex Robles <arobles@aztecwell.com>; MILO <indalecio.rolدان@duganproduction.com>; Tyra.Feil@duganproduction.com
Subject: Re: [EXTERNAL] CBL and Revised proposal - Dugan Production - Phoebe #90S

BLM approves

Get [Outlook for iOS](#)

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Tuesday, March 10, 2026 6:06:22 AM
To: Gomez, Monty J <mgomez@blm.gov>; Aliph.Reena@duganproduction.com <Aliph.Reena@duganproduction.com>; Andrew Fordyce <andrew.fordyce@emnrd.nm.gov>; Clarence Smith <clarence.smith@emnrd.nm.gov>; Halliburton, Darin L <dhallibu@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; john durham <john.durham@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Loren Diede <loren.diede@emnrd.nm.gov>; Thomas Vermersch <thomas.vermersch@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>
Cc: Alex Robles <arobles@aztecwell.com>; MILO <indalecio.rolدان@duganproduction.com>; Tyra.Feil@duganproduction.com <Tyra.Feil@duganproduction.com>
Subject: [EXTERNAL] CBL and Revised proposal - Dugan Production - Phoebe #90S

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Dugan Production Corp.

Phoebe #90S

API #30-045-34023

After reviewing the CBL, TOC appears to be at @26'.

- ? We request to combine Plug #1 & #2, and fill up wellbore from top of CICR to Surface.
- ? We request to fill up backside w/1" poly line after cut-off.

Please let us know if the changes are acceptable to NMOCD & BLM, and we will proceed accordingly.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell:505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 566776

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 566776
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	3/26/2026