

Well Name: SND 14 23 FED COM	Well Location: T24S / R31E / SEC 23 / SWSW / 32.197443 / -103.755631	County or Parish/State: EDDY / NM
Well Number: 621H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM57274	Unit or CA Name:	Unit or CA Number:
US Well Number: 300155504600X1	Operator: CHEVRON USA INCORPORATED	

Subsequent Report

Sundry ID: 2852793

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/14/2025

Time Sundry Submitted: 09:37

Date Operation Actually Began: 03/26/2025

Actual Procedure: INTERMEDIATE I – 03/26/2025 DRILLED 12 ¼” HOLE TO 4611’. NOTIFIED BLM OF RUNNING CASING AND CEMENT. RIH WITH 9 5/8” 40 # L-80 IC, BTC CASING TO 4582’. FC@ 4488’, CS@ 4582’. CEMENT WITH LEAD 571 SX CLASS CEMBOOST C 3.08 YLD FROM 0’-4082’; TAIL 238 SX CLASS C 1.33 YLD FROM 4082’ – 4582’. CIRCULATE 100 BBLs TO SURFACE. TOC @ 0’. PRESSURE TESTED CASING TO 3800 PSI FOR 30 MINUTES. GOOD TEST. INTERMEDIATE II – 03/27/2025 DRILLED 8 ¾” HOLE TO 11361’. NOTIFIED BLM OF RUNNING CASING AND CEMENT. RIH WITH 7” 29# P-110 W463 CASING TO 11341’. FC@ 11254’ CS@ 11341’. CEMENT WITH LEAD 682 SX CLASS CEM BOOST 3.78 YLD CEMENT FROM 0’-10741’; TAIL 109 SX CLASS C 1.40 YLD FROM 10741’-11341’. CIRCULATED 170 BBLs TO SURFACE. PRESSURE TESTED CASING TO 5000 PSI FOR 30 MINUTES. GOOD TEST. KOP @ 11501’ MD. PRODUCTION – 04/24/2025 DRILLED 6 1/8” HOLE TO 22343’. NOTIFIED BLM OF RUNNING CASING AND CEMENT. RIH WITH 5” 18# P-110 IC W513 CASING FROM 11095’-11975’ AND 4.5” 11.6# P110 W521 CASING FROM 11975’-22323’. FC@ 22316’ CS@22323’. CEMENT WITH TAIL 710 SX CLASS POZ H 1.83 YLD FROM 11095’-22323’. CIRCULATED 30 BBLs RETURNS TO TOP OF CASING. TOC @ 11095’. CASING WILL BE PRESSURE TESTED BEFORE COMPLETION. RELEASE RIG 05/05/2025.

Well Name: SND 14 23 FED COM

Well Location: T24S / R31E / SEC 23 / SWSW / 32.197443 / -103.755631

County or Parish/State: EDDY / NM

Well Number: 621H

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMNM57274

Unit or CA Name:

Unit or CA Number:

US Well Number: 300155504600X1

Operator: CHEVRON USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER SMITH

Signed on: MAY 14, 2025 09:36 AM

Name: CHEVRON USA INCORPORATED

Title: Sr. Permitting Coordinator

Street Address: 1400 SMITH ST

City: HOUSTON State: TX

Phone: (713) 372-7541

Email address: JHIO@CHEVRON.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 05/20/2025

Signature: Jonathon Shepard

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No. **NMNM57274**

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **CHEVRON USA INCORPORATED**

3a. Address **PO BOX 1392, BAKERSFIELD, CA 93302** 3b. Phone No. (include area code) **(661) 633-4000**

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)
SEC 23/T24S/R31E/NMP

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
SND 14 23 FED COM/621H

9. API Well No. **3001555046**

10. Field and Pool or Exploratory Area
PURPLE SAGE/(WOLFCAMP) GAS

11. Country or Parish, State
EDDY/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

INTERMEDIATE I 03/26/2025 DRILLED 12 HOLE TO 4611. NOTIFIED BLM OF RUNNING CASING AND CEMENT. RIH WITH 9 5/8 40 # L-80 IC, BTC CASING TO 4582. FC@ 4488, CS@ 4582. CEMENT WITH LEAD 571 SX CLASS CEMBOOST C 3.08 YLD FROM 0-4082; TAIL 238 SX CLASS C 1.33 YLD FROM 4082 4582. CIRCULATE 100 BBLS TO SURFACE. TOC @ 0. PRESSURE TESTED CASING TO 3800 PSI FOR 30 MINUTES. GOOD TEST.

INTERMEDIATE II 03/27/2025 DRILLED 8 HOLE TO 11361. NOTIFIED BLM OF RUNNING CASING AND CEMENT. RIH WITH 7 29# P-110 W463 CASING TO 11341. FC@ 11254 CS@ 11341. CEMENT WITH LEAD 682 SX CLASS CEM BOOST 3.78 YLD CEMENT FROM 0-10741; TAIL 109 SX CLASS C 1.40 YLD FROM 10741-11341. CIRCULATED 170 BBLS TO SURFACE. PRESSURE TESTED CASING TO 5000 PSI FOR 30 MINUTES. GOOD TEST. KOP @ 11501 MD.

PRODUCTION 04/24/2025 DRILLED 6 1/8 HOLE TO 22343. NOTIFIED BLM OF RUNNING CASING AND CEMENT. RIH WITH 5 18# P-110 IC W513CASING FROM 11095-11975 AND 4.5 11.6# P110 W521 CASING FROM 11975-22323. FC@ 22316 CS@22323. CEMENT WITH TAIL 710 SX CLASS POZ H 1.83 YLD FROM 11095-22323. CIRCULATED 30 BBLS RETURNS TO TOP OF CASING. TOC @ 11095. CASING WILL BE PRESSURE TESTED BEFORE COMPLETION. RELEASE RIG 05/05/2025.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
JENNIFER SMITH / Ph: (713) 372-7541

Signature (Electronic Submission)

Title **Sr. Permitting Coordinator**

Date **05/14/2025**

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by
JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title **Petroleum Engineer**

Office **CARLSBAD**

Date **05/20/2025**

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSW / 671 FSL / 464 FWL / TWSP: 24S / RANGE: 31E / SECTION: 23 / LAT: 32.197443 / LONG: -103.755631 (TVD: 0 feet, MD: 0 feet)
PPP: NENW / 1320 FNL / 2188 FWL / TWSP: 24S / RANGE: 31E / SECTION: 23 / LAT: 32.206486 / LONG: -103.750067 (TVD: 11492 feet, MD: 11705 feet)
PPP: SESW / 0 FNL / 2188 FWL / TWSP: 24S / RANGE: 31E / SECTION: 14 / LAT: 32.210116 / LONG: -103.75007 (TVD: 11492 feet, MD: 11705 feet)
PPP: SESW / 100 FSL / 2188 FWL / TWSP: 24S / RANGE: 31E / SECTION: 23 / LAT: 32.195873 / LONG: -103.750057 (TVD: 11492 feet, MD: 11705 feet)
PPP: SENW / 2641 FNL / 2188 FWL / TWSP: 24S / RANGE: 31E / SECTION: 23 / LAT: 32.202857 / LONG: -103.750064 (TVD: 11492 feet, MD: 11705 feet)
PPP: SWNW / 2641 FNL / 2188 FWL / TWSP: 24S / RANGE: 31E / SECTION: 14 / LAT: 32.217376 / LONG: -103.750078 (TVD: 11492 feet, MD: 11705 feet)
BHL: NENW / 25 FNL / 2188 FWL / TWSP: 24S / RANGE: 31E / SECTION: 14 / LAT: 32.224566 / LONG: -103.750086 (TVD: 11829 feet, MD: 22287 feet)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 468651

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 468651
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
susan.wacaster	None	3/31/2026