

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources

Form C-104  
Revised August 1, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

|   |   |  |
|---|---|--|
| <sup>1</sup> Operator name and Address<br>SPUR ENERGY PARTNERS LLC<br>9655 KATY FREEWAY, SUITE 500<br>HOUSTON, TX 77024 |   | <sup>2</sup> OGRID Number<br>328947                                    |
|   |   | <sup>3</sup> Reason for Filing Code/ Effective Date<br>RT / 12/15/2022 |
| <sup>4</sup> API Number<br>30 - 0 25-49803  | <sup>5</sup> Pool Name<br>WC-025 G-03 S173318N; YESO  | <sup>6</sup> Pool Code<br>97727  |
| <sup>7</sup> Property Code<br>332463  | <sup>8</sup> Property Name<br>OAKMONT 11-10 STATE COM | <sup>9</sup> Well Number<br>20H  |

**II. <sup>10</sup> Surface Location**

| Ul or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| B             | 11      | 17S      | 33E   |         | 790           | NORTH            | 1890          | EAST           | LEA    |

**<sup>11</sup> Bottom Hole Location**

FTP: 1295' FNL 2530' FWL LTP: 1282' FNL 134' FWL

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| D             | 10      | 17S      | 33E   |         | 1279          | NORTH            | 64            | WEST           | LEA    |

| <sup>12</sup> Lse Code | <sup>13</sup> Producing Method Code | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |
|------------------------|-------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|-------------------------------------|
| S                      | P                                   |                                   |                                   |                                    |                                     |

**III. Oil and Gas Transporters**

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address  | <sup>20</sup> O/G/W |
|---------------------------------|---|---------------------|
| 221115                          | FRONTIER FIELD SERVICES, LLC<br>4200 EAST SKELLY DRIVE, SUITE 700, TULSA, OK 74135  | G                   |
| 33479                           | HOLLYFRONTIER REFINING & MARKETING<br>2828 N. HARWOOD, SUITE 1300, DALLAS, TX 75201 | O                   |
|                                 |   |                     |
|                                 |   |                     |
|                                 |   |                     |

**IV. Well Completion Data**

| <sup>21</sup> Spud Date | <sup>22</sup> Ready Date           | <sup>23</sup> TD        | <sup>24</sup> PBTD         | <sup>25</sup> Perforations | <sup>26</sup> DHC, MC |
|-------------------------|------------------------------------|-------------------------|----------------------------|----------------------------|-----------------------|
| 08/17/2022              | 12/15/2022                         | 6315'V/14575'M          | 6315'V/14528'M             | 6837'-14505'               |                       |
| <sup>27</sup> Hole Size | <sup>28</sup> Casing & Tubing Size | <sup>29</sup> Depth Set | <sup>30</sup> Sacks Cement |                            |                       |
| 17-1/2"                 | 13-3/8" 54.5# J-55 BTC             | 1533'                   | 1570 SXS (CIRC TO SURFACE) |                            |                       |
| 12-1/4"                 | 9-5/8" 36# J-55 BTC                | 3200'                   | 735 SXS (CIRC TO SURFACE)  |                            |                       |
| 8-3/4"                  | 7" 32# L-80 BK-HT                  | 6629'                   | 2585 SXS (CIRC TO SURFACE) |                            |                       |
| 8-3/4"                  | 5-1/2" 20# L-80 BK-HT              | 14575'                  | 2585 SXS (CIRC TO SURFACE) |                            |                       |

**V. Well Test Data**

| <sup>31</sup> Date New Oil | <sup>32</sup> Gas Delivery Date | <sup>33</sup> Test Date | <sup>34</sup> Test Length | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure |
|----------------------------|---------------------------------|-------------------------|---------------------------|-----------------------------|-----------------------------|
| <sup>37</sup> Choke Size   | <sup>38</sup> Oil               | <sup>39</sup> Water     | <sup>40</sup> Gas         |                             | <sup>41</sup> Test Method   |
|                            |                                 |                         |                           |                             |                             |

|  |                           |
|--|---------------------------|
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature: <i>Sarah Chapman</i><br>Printed name: SARAH CHAPMAN<br>Title: REGULATORY DIRECTOR<br>E-mail Address: SCHAPMAN@SPURENERGY.COM<br>Date: 12/15/2022<br>Phone: 832-930-8613 | OIL CONSERVATION DIVISION |
|  | Approved by:              |
|  | Title:                    |
|  | Approval Date:            |
|  |                           |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

AMENDED REPORT  
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

|   |                      |   |                     |  |                              |                                  |                              |                               |                      |
|---|----------------------|---|---------------------|--|------------------------------|----------------------------------|------------------------------|-------------------------------|----------------------|
| 1 API Number<br><b>30-025-49803</b>               |                      | 2 Pool Code<br><b>97727</b>                         |                     | 3 Pool Name<br><b>WC-025 G-03 S173318N; YESO</b> |                              |                                  |                              |                               |                      |
| 4 Property Code<br><b>332463</b>                  |                      | 5 Property Name<br><b>OAKMONT 11-10 STATE COM</b>   |                     |  |                              | 6 Well Number<br><b>20H</b>      |                              |                               |                      |
| 7 OGRID NO.<br><b>328947</b>                      |                      | 8 Operator Name<br><b>SPUR ENERGY PARTNERS LLC.</b> |                     |  |                              | 9 Elevation<br><b>4161'</b>      |                              |                               |                      |
| 10 Surface Location                               |                      |   |                     |  |                              |                                  |                              |                               |                      |
| UL or lot no.<br><b>B</b>                         | Section<br><b>11</b> | Township<br><b>17S</b>                              | Range<br><b>33E</b> | Lot Idn  | Feet from the<br><b>790</b>  | North/South line<br><b>NORTH</b> | Feet From the<br><b>1890</b> | East/West line<br><b>EAST</b> | County<br><b>LEA</b> |
| 11 Bottom Hole Location If Different From Surface |                      |   |                     |  |                              |                                  |                              |                               |                      |
| UL or lot no.<br><b>D</b>                         | Section<br><b>10</b> | Township<br><b>17S</b>                              | Range<br><b>33E</b> | Lot Idn  | Feet from the<br><b>1279</b> | North/South line<br><b>NORTH</b> | Feet from the<br><b>64</b>   | East/West line<br><b>WEST</b> | County<br><b>LEA</b> |
| 12 Dedicated Acres<br><b>480</b>                  | 13 Joint or Infill   | 14 Consolidation Code                               |                     | 15 Order No.                                     |                              |                                  |                              |                               |                      |

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

16

**GEODETIC DATA**  
NAD 83 GRID - NM EAST

**SURFACE LOCATION (SL)**  
N: 675250.0 - E: 756877.4  
LAT: 32.8543167° N  
LONG: 103.6314378° W

**FIRST TAKE POINT (FTP)**  
1295' FNL & 2530' FWL - SEC 11  
N: 674737.9 - E: 756036.8  
LAT: 32.8529247° N  
LONG: 103.6341862° W  
MD = 6837.0 - TVD = 6323.3

**LAST TAKE POINT (LTP)**  
1282' FNL & 134' FWL - SEC 10  
N: 674683.1 - E: 748372.3  
LAT: 32.8529110° N  
LONG: 103.6591444° W  
MD = 14505.0 - TVD = 6314.8

**BOTTOM HOLE (BH)**  
N: 674684.6 - E: 748302.3  
LAT: 32.8529155° N  
LONG: 103.6593723° W  
MD = 14575.0 - TVD = 6314.8

**CORNER DATA**  
NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1913"  
N: 670684.5 - E: 748266.9

B: FOUND BRASS CAP "1913"  
N: 673324.2 - E: 748248.0

C: FOUND BRASS CAP "1913"  
N: 675963.1 - E: 748229.1

D: FOUND BRASS CAP "1913"  
N: 676012.3 - E: 753497.4

E: FOUND BRASS CAP "1913"  
N: 676055.2 - E: 758760.9

F: FOUND BRASS CAP "1913"  
N: 673415.8 - E: 758781.3

G: FOUND 1/2" REBAR  
N: 670779.6 - E: 758802.1

H: FOUND BRASS CAP "1913"  
N: 670754.1 - E: 756170.4

I: FOUND BRASS CAP "1913"  
N: 670732.3 - E: 753537.8


J: FOUND BRASS CAP "1913"  
N: 670708.7 - E: 750901.5


K: FOUND BRASS CAP "1913"  
N: 673372.7 - E: 753518.2

**17 OPERATOR CERTIFICATION**  
*I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.*

*Sarah Chapman* 12/09/2022  
Signature Date  
**SARAH CHAPMAN**  
Printed Name  
**SCHAPMAN@SPURENERGY.COM**  
E-mail Address

**18 SURVEYOR CERTIFICATION**  
*I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.*

11/18/2022  
Date of Survey  
Signature and Seal of Professional Surveyor  
  
19680  
Certificate Number  
Job No: LS21121256AC



T + 1 713 625-4200  
17015 Aldine Westfield Rd  
Houston, TX 77073, USA



---


Spur Energy Partners  
Oakmont 11-10 State COM No. 20H  
Lea County, NM (NAD 83)  
Lea County, NM  
30025498030000

I, Joshua Johnson, MWD Field Service Engineer, certify that I am employed by Baker Hughes; did conduct or supervise on the day(s) of 09/16/2022 through 10/26/2022 conduct or supervise the taking of a MWD survey from a depth of 1591 feet to a depth of 14517 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Baker Hughes; that I am authorized and qualified to make this report; that this survey was conducted at the request of Spur Energy Partners for the Oakmont 11-10 State COM No. 20H Well, API No. 30025498030000 in Lea County, New Mexico; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Baker Hughes.

---

Joshua Johnson  
Field Service Engineer


SO#: 111504029

Operator  
logo

# Actual Wellpath Report

Oakmont 11-10 State COM No. 20H\_awp

Page 1 of 7



Contractor logo

## REFERENCE WELLPATH IDENTIFICATION

|          |  |          |  |
|----------|--|----------|--|
| Operator | <b>Spur Energy Partners</b>                | Well     | <b>Oakmont 11-10 State COM No. 20H</b> |
| Field    | <b>Lea County, NM (NAD 83)</b>             | API      | <b>30-025-49803</b>                    |
| Facility | <b>Oakmont 11-10 State COM (North Pad)</b> | Wellbore | <b>Oakmont 11-10 State COM No. 20H</b> |
| Slot     | <b>Oakmont 11-10 State COM No. 20H</b>     |          |  |

## REPORT SETUP INFORMATION

|                     |   |                  |                                 |
|---------------------|---|------------------|---------------------------------|
| Projection System   | <b>NAD83 / TM New Mexico SP, Eastern Zone (3001), US feet</b> | Software System  | <b>WellArchitect® 6.0</b>       |
| North Reference     | <b>Grid</b>   | User             | <b>Strobilc</b>                 |
| Scale               | <b>0.999962</b>   | Report Generated | <b>10/26/2022 at 1:00:04 PM</b> |
| Convergence at slot | <b>0.38° East</b>   | Database         | <b>WellArchitectDB</b>          |

## WELLPATH LOCATION

|                       | Local coordinates |          | Grid coordinates |                   | Geographic coordinates |                  |
|-----------------------|-------------------|----------|------------------|-------------------|------------------------|------------------|
|                       | North[ft]         | East[ft] | Easting[US ft]   | Northing[US ft]   | Latitude               | Longitude        |
| Slot Location         | -19.90            | 0.10     | <b>756877.40</b> | <b>675250.00</b>  | 32°51'15.5404"N        | 103°37'53.1760"W |
| Facility Reference Pt |                   |          | <b>756877.30</b> | <b>675269.90</b>  | 32°51'15.7373"N        | 103°37'53.1756"W |
| Field Reference Pt    |                   |          | <b>533303.25</b> | <b>1273342.63</b> | 34°30'0.0000"N         | 104°21'36.0000"W |

## WELLPATH DATUM


|                          |                           |  |                          |
|--------------------------|---------------------------|--|--------------------------|
| Calculation method       | <b>Minimum curvature</b>  | Rig: Akita 57 (KB) to Facility Vertical Datum                                | <b>4181.00ft</b>         |
| Horizontal Reference Pt  | <b>Slot</b>               | Rig: Akita 57 (KB) to Mean Sea Level   | <b>4181.00ft</b>         |
| Vertical Reference Pt    | <b>Rig: Akita 57 (KB)</b> | Rig: Akita 57 (KB) to Ground Level at Slot (Oakmont 11-10 State COM No. 20H) | <b>20.00ft</b>           |
| MD Reference Pt          | <b>Rig: Akita 57 (KB)</b> | Section Origin   | <b>N 0.00, E 0.00 ft</b> |
| Field Vertical Reference | <b>Mean Sea Level</b>     | Section Azimuth  | <b>269.49°</b>           |



# Actual Wellpath Report

Oakmont 11-10 State COM No. 20H\_awp

Page 2 of 7



| REFERENCE WELLPATH IDENTIFICATION |                                     |          |                                 |
|-----------------------------------|-------------------------------------|----------|---------------------------------|
| Operator                          | Spur Energy Partners                | Well     | Oakmont 11-10 State COM No. 20H |
| Field                             | Lea County, NM (NAD 83)             | API      | 30-025-49803                    |
| Facility                          | Oakmont 11-10 State COM (North Pad) | Wellbore | Oakmont 11-10 State COM No. 20H |
| Slot                              | Oakmont 11-10 State COM No. 20H     |          |                                 |


| WELLPATH DATA (220 stations) † = interpolated, ‡ = extrapolated station |                 |             |          |                |            |           |               |
|---|-----------------|-------------|----------|----------------|------------|-----------|---------------|
| MD [ft]   | Inclination [°] | Azimuth [°] | TVD [ft] | Vert Sect [ft] | North [ft] | East [ft] | DLS [°/100ft] |
| 0.00†   | 0.000           | 235.780     | 0.00     | 0.00           | 0.00       | 0.00      | 0.00          |
| 20.00   | 0.000           | 235.780     | 20.00    | 0.00           | 0.00       | 0.00      | 0.00          |
| 147.00  | 0.480           | 235.780     | 147.00   | 0.44           | -0.30      | -0.44     | 0.38          |
| 266.00  | 0.700           | 189.550     | 265.99   | 0.98           | -1.30      | -0.97     | 0.42          |
| 342.00  | 0.880           | 191.040     | 341.99   | 1.18           | -2.33      | -1.16     | 0.24          |
| 432.00  | 2.810           | 156.060     | 431.94   | 0.44           | -5.02      | -0.40     | 2.39          |
| 521.00  | 5.490           | 157.200     | 520.70   | -2.04          | -10.94     | 2.14      | 3.01          |
| 611.00  | 6.420           | 165.820     | 610.21   | -4.86          | -19.79     | 5.04      | 1.43          |
| 701.00  | 6.420           | 167.840     | 699.65   | -7.07          | -29.59     | 7.33      | 0.25          |
| 790.00  | 4.480           | 174.610     | 788.24   | -8.37          | -37.91     | 8.71      | 2.29          |
| 881.00  | 3.910           | 173.110     | 879.00   | -9.01          | -44.53     | 9.41      | 0.64          |
| 970.00  | 3.780           | 170.830     | 967.80   | -9.79          | -50.44     | 10.24     | 0.23          |
| 1059.00   | 3.600           | 176.190     | 1056.61  | -10.39         | -56.12     | 10.90     | 0.44          |
| 1148.00   | 4.310           | 169.600     | 1145.40  | -11.13         | -62.20     | 11.69     | 0.95          |
| 1238.00   | 6.200           | 160.540     | 1235.02  | -13.29         | -70.11     | 13.92     | 2.29          |
| 1327.00   | 6.420           | 158.430     | 1323.48  | -16.64         | -79.27     | 17.35     | 0.36          |
| 1416.00   | 6.420           | 157.030     | 1411.92  | -20.32         | -88.48     | 21.12     | 0.18          |
| 1591.00   | 6.640           | 156.570     | 1585.79  | -28.00         | -106.77    | 28.96     | 0.13          |
| 1654.00   | 5.760           | 157.460     | 1648.42  | -30.61         | -113.03    | 31.62     | 1.41          |
| 1717.00   | 4.720           | 158.610     | 1711.15  | -32.71         | -118.37    | 33.78     | 1.66          |
| 1780.00   | 4.600           | 163.690     | 1773.94  | -34.33         | -123.20    | 35.43     | 0.68          |
| 1843.00   | 5.170           | 168.560     | 1836.72  | -35.55         | -128.41    | 36.70     | 1.12          |
| 1906.00   | 5.420           | 169.550     | 1899.45  | -36.60         | -134.12    | 37.81     | 0.42          |
| 2032.00   | 5.500           | 169.960     | 2024.88  | -38.63         | -145.92    | 39.94     | 0.07          |
| 2095.00   | 5.560           | 167.960     | 2087.58  | -39.74         | -151.87    | 41.10     | 0.32          |
| 2220.00   | 5.720           | 168.530     | 2211.98  | -42.13         | -163.90    | 43.60     | 0.14          |
| 2282.00   | 5.730           | 168.420     | 2273.67  | -43.31         | -169.96    | 44.84     | 0.02          |
| 2406.00   | 5.470           | 169.860     | 2397.08  | -45.49         | -181.84    | 47.12     | 0.24          |
| 2469.00   | 5.310           | 168.270     | 2459.80  | -46.56         | -187.65    | 48.24     | 0.35          |
| 2594.00   | 5.180           | 163.940     | 2584.27  | -49.20         | -198.74    | 50.98     | 0.33          |
| 2657.00   | 5.380           | 165.660     | 2647.01  | -50.67         | -204.33    | 52.50     | 0.40          |
| 2720.00   | 5.550           | 167.730     | 2709.72  | -51.99         | -210.17    | 53.88     | 0.41          |
| 2783.00   | 5.600           | 169.220     | 2772.42  | -53.16         | -216.17    | 55.10     | 0.24          |
| 2846.00   | 5.420           | 168.290     | 2835.13  | -54.29         | -222.10    | 56.28     | 0.32          |
| 2969.00   | 5.410           | 169.150     | 2957.58  | -56.46         | -233.48    | 58.55     | 0.07          |
| 3096.00   | 5.060           | 169.150     | 3084.05  | -58.53         | -244.86    | 60.73     | 0.28          |
| 3141.00   | 5.060           | 168.460     | 3128.88  | -59.27         | -248.76    | 61.50     | 0.14          |
| 3239.00   | 4.080           | 174.560     | 3226.57  | -60.40         | -256.46    | 62.70     | 1.11          |
| 3303.00   | 5.980           | 171.200     | 3290.32  | -61.07         | -262.02    | 63.42     | 3.00          |
| 3364.00   | 5.840           | 163.420     | 3350.99  | -62.39         | -268.14    | 64.79     | 1.33          |
| 3427.00   | 6.110           | 166.200     | 3413.65  | -64.05         | -274.47    | 66.51     | 0.63          |
| 3490.00   | 5.880           | 164.860     | 3476.31  | -65.63         | -280.84    | 68.15     | 0.43          |
| 3553.00   | 5.980           | 165.620     | 3538.97  | -67.23         | -287.13    | 69.81     | 0.20          |
| 3616.00   | 6.000           | 169.910     | 3601.63  | -68.57         | -293.55    | 71.20     | 0.71          |
| 3678.00   | 5.930           | 168.310     | 3663.29  | -69.73         | -299.88    | 72.42     | 0.29          |



# Actual Wellpath Report

## Oakmont 11-10 State COM No. 20H\_awp

Page 3 of 7



| REFERENCE WELLPATH IDENTIFICATION |                                     |          |                                 |
|-----------------------------------|-------------------------------------|----------|---------------------------------|
| Operator                          | Spur Energy Partners                | Well     | Oakmont 11-10 State COM No. 20H |
| Field                             | Lea County, NM (NAD 83)             | API      | 30-025-49803                    |
| Facility                          | Oakmont 11-10 State COM (North Pad) | Wellbore | Oakmont 11-10 State COM No. 20H |
| Slot                              | Oakmont 11-10 State COM No. 20H     |          |                                 |


| WELLPATH DATA (220 stations) |                 |             |          |                |            |           |               |
|------------------------------|-----------------|-------------|----------|----------------|------------|-----------|---------------|
| MD [ft]                      | Inclination [°] | Azimuth [°] | TVD [ft] | Vert Sect [ft] | North [ft] | East [ft] | DLS [°/100ft] |
| 3742.00                      | 6.000           | 168.820     | 3726.94  | -70.99         | -306.40    | 73.73     | 0.14          |
| 3803.00                      | 5.500           | 166.970     | 3787.64  | -72.21         | -312.37    | 75.01     | 0.87          |
| 3866.00                      | 5.330           | 170.150     | 3850.36  | -73.34         | -318.20    | 76.19     | 0.55          |
| 3928.00                      | 5.170           | 167.380     | 3912.10  | -74.39         | -323.76    | 77.30     | 0.48          |
| 4052.00                      | 5.410           | 167.890     | 4035.57  | -76.74         | -334.93    | 79.74     | 0.20          |
| 4115.00                      | 5.370           | 170.190     | 4098.29  | -77.81         | -340.74    | 80.87     | 0.35          |
| 4177.00                      | 5.110           | 168.050     | 4160.03  | -78.83         | -346.30    | 81.93     | 0.52          |
| 4239.00                      | 5.360           | 167.780     | 4221.77  | -79.97         | -351.83    | 83.12     | 0.41          |
| 4302.00                      | 5.140           | 169.500     | 4284.51  | -81.05         | -357.48    | 84.26     | 0.43          |
| 4427.00                      | 0.220           | 313.600     | 4409.34  | -81.85         | -362.82    | 85.10     | 4.26          |
| 4490.00                      | 2.500           | 189.270     | 4472.33  | -81.53         | -364.10    | 84.79     | 4.18          |
| 4553.00                      | 5.350           | 168.840     | 4535.17  | -81.84         | -368.34    | 85.14     | 4.97          |
| 4616.00                      | 6.230           | 167.670     | 4597.85  | -83.08         | -374.56    | 86.44     | 1.41          |
| 4679.00                      | 5.500           | 162.380     | 4660.52  | -84.67         | -380.77    | 88.08     | 1.44          |
| 4742.00                      | 3.520           | 166.110     | 4723.32  | -86.01         | -385.53    | 89.46     | 3.18          |
| 4805.00                      | 2.660           | 170.880     | 4786.23  | -86.67         | -388.85    | 90.16     | 1.42          |
| 4868.00                      | 6.650           | 204.880     | 4849.02  | -85.33         | -393.61    | 88.85     | 7.44          |
| 4931.00                      | 10.040          | 205.940     | 4911.34  | -81.32         | -401.86    | 84.92     | 5.39          |
| 4993.00                      | 10.520          | 195.900     | 4972.35  | -77.31         | -412.16    | 81.00     | 2.99          |
| 5056.00                      | 7.890           | 176.270     | 5034.55  | -75.92         | -422.01    | 79.71     | 6.44          |
| 5119.00                      | 7.520           | 169.940     | 5096.99  | -76.85         | -430.38    | 80.71     | 1.47          |
| 5181.00                      | 5.600           | 165.790     | 5158.58  | -78.24         | -437.31    | 82.16     | 3.19          |
| 5244.00                      | 6.780           | 164.070     | 5221.21  | -79.96         | -443.87    | 83.93     | 1.90          |
| 5307.00                      | 6.930           | 167.950     | 5283.76  | -81.71         | -451.16    | 85.75     | 0.77          |
| 5370.00                      | 7.060           | 198.820     | 5346.31  | -81.18         | -458.54    | 85.29     | 5.90          |
| 5433.00                      | 7.570           | 218.730     | 5408.81  | -77.28         | -465.45    | 81.45     | 4.08          |
| 5496.00                      | 10.120          | 235.620     | 5471.06  | -70.05         | -471.81    | 74.28     | 5.74          |
| 5557.00                      | 13.810          | 243.330     | 5530.73  | -59.06         | -478.11    | 63.35     | 6.58          |
| 5619.00                      | 16.970          | 252.640     | 5590.51  | -43.76         | -484.13    | 48.09     | 6.45          |
| 5682.00                      | 20.450          | 254.080     | 5650.17  | -24.34         | -489.90    | 28.73     | 5.57          |
| 5745.00                      | 24.850          | 259.880     | 5708.31  | -0.66          | -495.24    | 5.10      | 7.82          |
| 5808.00                      | 28.410          | 260.280     | 5764.61  | 27.19          | -500.10    | -22.71    | 5.66          |
| 5869.00                      | 32.270          | 262.970     | 5817.25  | 57.71          | -504.55    | -53.19    | 6.71          |
| 5932.00                      | 34.930          | 267.420     | 5869.73  | 92.45          | -507.42    | -87.91    | 5.75          |
| 5994.00                      | 39.210          | 270.060     | 5919.19  | 129.81         | -508.20    | -125.26   | 7.36          |
| 6056.00                      | 42.810          | 273.580     | 5965.98  | 170.44         | -506.86    | -165.90   | 6.90          |
| 6119.00                      | 46.280          | 269.770     | 6010.88  | 214.57         | -505.62    | -210.06   | 6.95          |
| 6182.00                      | 50.070          | 269.360     | 6052.88  | 261.51         | -505.98    | -256.99   | 6.04          |
| 6245.00                      | 53.630          | 268.910     | 6091.79  | 311.05         | -506.73    | -306.52   | 5.68          |
| 6305.00                      | 57.120          | 269.350     | 6125.88  | 360.41         | -507.47    | -355.88   | 5.85          |
| 6337.00                      | 58.560          | 270.630     | 6142.91  | 387.50         | -507.48    | -382.97   | 5.63          |
| 6368.00                      | 58.700          | 271.930     | 6159.05  | 413.95         | -506.89    | -409.43   | 3.61          |
| 6400.00                      | 59.070          | 270.610     | 6175.59  | 441.33         | -506.28    | -436.82   | 3.72          |
| 6430.00                      | 59.320          | 269.620     | 6190.95  | 467.10         | -506.23    | -462.59   | 2.95          |
| 6461.00                      | 59.500          | 270.280     | 6206.73  | 493.78         | -506.25    | -489.27   | 1.92          |



# Actual Wellpath Report

## Oakmont 11-10 State COM No. 20H\_awp

Page 4 of 7



| REFERENCE WELLPATH IDENTIFICATION |                                     |          |                                 |
|-----------------------------------|-------------------------------------|----------|---------------------------------|
| Operator                          | Spur Energy Partners                | Well     | Oakmont 11-10 State COM No. 20H |
| Field                             | Lea County, NM (NAD 83)             | API      | 30-025-49803                    |
| Facility                          | Oakmont 11-10 State COM (North Pad) | Wellbore | Oakmont 11-10 State COM No. 20H |
| Slot                              | Oakmont 11-10 State COM No. 20H     |          |                                 |


| WELLPATH DATA (220 stations) |                 |             |          |                |            |           |               |
|------------------------------|-----------------|-------------|----------|----------------|------------|-----------|---------------|
| MD [ft]                      | Inclination [°] | Azimuth [°] | TVD [ft] | Vert Sect [ft] | North [ft] | East [ft] | DLS [°/100ft] |
| 6493.00                      | 59.420          | 269.740     | 6222.99  | 521.34         | -506.25    | -516.83   | 1.47          |
| 6524.00                      | 59.750          | 270.910     | 6238.68  | 548.07         | -506.09    | -543.56   | 3.42          |
| 6556.00                      | 61.310          | 271.880     | 6254.42  | 575.92         | -505.41    | -571.41   | 5.54          |
| 6619.00                      | 67.800          | 269.750     | 6281.48  | 632.76         | -504.63    | -628.26   | 10.74         |
| 6682.00                      | 74.250          | 267.160     | 6301.96  | 692.29         | -506.26    | -687.78   | 10.95         |
| 6745.00                      | 80.560          | 266.970     | 6315.69  | 753.68         | -509.41    | -749.15   | 10.02         |
| 6808.00                      | 86.670          | 268.720     | 6322.69  | 816.23         | -511.76    | -811.69   | 10.08         |
| 6871.00                      | 90.710          | 270.020     | 6324.13  | 879.20         | -512.45    | -874.65   | 6.74          |
| 6934.00                      | 89.630          | 268.810     | 6323.94  | 942.20         | -513.09    | -937.64   | 2.57          |
| 6997.00                      | 90.150          | 268.340     | 6324.06  | 1005.19        | -514.66    | -1000.62  | 1.11          |
| 7060.00                      | 90.090          | 267.530     | 6323.93  | 1068.17        | -516.93    | -1063.58  | 1.29          |
| 7123.00                      | 89.600          | 267.840     | 6324.10  | 1131.14        | -519.48    | -1126.53  | 0.92          |
| 7186.00                      | 90.030          | 267.490     | 6324.31  | 1194.10        | -522.04    | -1189.48  | 0.88          |
| 7247.00                      | 89.450          | 268.420     | 6324.58  | 1255.08        | -524.22    | -1250.44  | 1.80          |
| 7310.00                      | 90.060          | 270.150     | 6324.85  | 1318.08        | -525.01    | -1313.43  | 2.91          |
| 7373.00                      | 89.320          | 269.790     | 6325.19  | 1381.07        | -525.04    | -1376.43  | 1.31          |
| 7436.00                      | 90.340          | 269.730     | 6325.38  | 1444.07        | -525.30    | -1439.43  | 1.62          |
| 7553.00                      | 90.220          | 272.150     | 6324.81  | 1561.02        | -523.38    | -1556.40  | 2.07          |
| 7616.00                      | 89.880          | 272.390     | 6324.75  | 1623.95        | -520.89    | -1619.35  | 0.66          |
| 7679.00                      | 90.650          | 273.270     | 6324.46  | 1686.84        | -517.78    | -1682.27  | 1.86          |
| 7741.00                      | 90.490          | 271.740     | 6323.85  | 1748.75        | -515.07    | -1744.21  | 2.48          |
| 7803.00                      | 90.430          | 267.910     | 6323.35  | 1810.74        | -515.26    | -1806.19  | 6.18          |
| 7866.00                      | 90.250          | 265.680     | 6322.97  | 1873.66        | -518.78    | -1869.09  | 3.55          |
| 7928.00                      | 90.280          | 265.740     | 6322.69  | 1935.53        | -523.42    | -1930.92  | 0.11          |
| 7991.00                      | 90.520          | 268.570     | 6322.25  | 1998.47        | -526.54    | -1993.83  | 4.51          |
| 8054.00                      | 90.550          | 268.550     | 6321.66  | 2061.45        | -528.13    | -2056.81  | 0.06          |
| 8118.00                      | 90.000          | 267.140     | 6321.35  | 2125.43        | -530.53    | -2120.76  | 2.36          |
| 8179.00                      | 90.400          | 266.570     | 6321.14  | 2186.36        | -533.88    | -2181.67  | 1.14          |
| 8242.00                      | 90.490          | 266.450     | 6320.65  | 2249.27        | -537.72    | -2244.55  | 0.24          |
| 8305.00                      | 90.590          | 270.210     | 6320.06  | 2312.25        | -539.55    | -2307.51  | 5.97          |
| 8368.00                      | 90.120          | 272.610     | 6319.66  | 2375.21        | -538.00    | -2370.48  | 3.88          |
| 8431.00                      | 90.920          | 270.390     | 6319.09  | 2438.16        | -536.35    | -2433.45  | 3.75          |
| 8494.00                      | 90.490          | 267.990     | 6318.32  | 2501.15        | -537.24    | -2496.44  | 3.87          |
| 8557.00                      | 90.680          | 268.340     | 6317.67  | 2564.13        | -539.26    | -2559.40  | 0.63          |
| 8618.00                      | 90.620          | 269.280     | 6316.98  | 2625.12        | -540.53    | -2620.39  | 1.54          |
| 8679.00                      | 90.550          | 268.250     | 6316.36  | 2686.11        | -541.84    | -2681.37  | 1.69          |
| 8739.00                      | 90.180          | 267.600     | 6315.98  | 2746.09        | -544.01    | -2741.33  | 1.25          |
| 8799.00                      | 90.400          | 268.820     | 6315.67  | 2806.07        | -545.89    | -2801.29  | 2.07          |
| 8858.00                      | 88.580          | 270.220     | 6316.20  | 2865.06        | -546.38    | -2860.29  | 3.89          |
| 8918.00                      | 90.490          | 271.170     | 6316.69  | 2925.05        | -545.65    | -2920.28  | 3.56          |
| 8978.00                      | 90.120          | 269.450     | 6316.37  | 2985.04        | -545.33    | -2980.27  | 2.93          |
| 9039.00                      | 90.120          | 269.100     | 6316.24  | 3046.03        | -546.10    | -3041.27  | 0.57          |
| 9098.00                      | 89.850          | 266.500     | 6316.25  | 3105.00        | -548.37    | -3100.22  | 4.43          |
| 9157.00                      | 90.060          | 267.590     | 6316.30  | 3163.95        | -551.41    | -3159.14  | 1.88          |
| 9216.00                      | 89.510          | 268.930     | 6316.52  | 3222.93        | -553.20    | -3218.11  | 2.46          |



# Actual Wellpath Report


## Oakmont 11-10 State COM No. 20H\_awp

Page 5 of 7



| REFERENCE WELLPATH IDENTIFICATION |                                     |          |                                 |
|-----------------------------------|-------------------------------------|----------|---------------------------------|
| Operator                          | Spur Energy Partners                | Well     | Oakmont 11-10 State COM No. 20H |
| Field                             | Lea County, NM (NAD 83)             | API      | 30-025-49803                    |
| Facility                          | Oakmont 11-10 State COM (North Pad) | Wellbore | Oakmont 11-10 State COM No. 20H |
| Slot                              | Oakmont 11-10 State COM No. 20H     |          |                                 |


| WELLPATH DATA (220 stations) |                 |             |          |                |            |           |               |
|------------------------------|-----------------|-------------|----------|----------------|------------|-----------|---------------|
| MD [ft]                      | Inclination [°] | Azimuth [°] | TVD [ft] | Vert Sect [ft] | North [ft] | East [ft] | DLS [°/100ft] |
| 9276.00                      | 90.090          | 271.090     | 6316.73  | 3282.93        | -553.19    | -3278.11  | 3.73          |
| 9337.00                      | 90.250          | 272.100     | 6316.55  | 3343.89        | -551.49    | -3339.08  | 1.68          |
| 9397.00                      | 89.350          | 270.890     | 6316.76  | 3403.85        | -549.93    | -3399.06  | 2.51          |
| 9457.00                      | 89.320          | 271.820     | 6317.46  | 3463.81        | -548.51    | -3459.04  | 1.55          |
| 9517.00                      | 89.940          | 273.190     | 6317.84  | 3523.72        | -545.88    | -3518.98  | 2.51          |
| 9576.00                      | 89.780          | 274.660     | 6317.99  | 3582.54        | -541.85    | -3577.84  | 2.51          |
| 9637.00                      | 90.220          | 273.610     | 6317.99  | 3643.34        | -537.45    | -3638.68  | 1.87          |
| 9696.00                      | 90.340          | 269.780     | 6317.70  | 3702.29        | -535.70    | -3697.64  | 6.49          |
| 9756.00                      | 90.770          | 268.220     | 6317.12  | 3762.28        | -536.75    | -3757.63  | 2.70          |
| 9817.00                      | 91.140          | 268.600     | 6316.10  | 3823.26        | -538.44    | -3818.59  | 0.87          |
| 9880.00                      | 91.450          | 268.590     | 6314.68  | 3886.24        | -539.99    | -3881.56  | 0.49          |
| 9943.00                      | 89.850          | 267.480     | 6313.96  | 3949.21        | -542.15    | -3944.51  | 3.09          |
| 9999.00                      | 91.690          | 266.930     | 6313.21  | 4005.16        | -544.88    | -4000.44  | 3.43          |
| 10062.00                     | 91.970          | 267.210     | 6311.20  | 4068.07        | -548.10    | -4063.33  | 0.63          |
| 10125.00                     | 90.280          | 267.480     | 6309.96  | 4131.01        | -551.01    | -4126.24  | 2.72          |
| 10188.00                     | 90.800          | 268.770     | 6309.37  | 4193.99        | -553.07    | -4189.21  | 2.21          |
| 10251.00                     | 89.970          | 269.030     | 6308.94  | 4256.98        | -554.28    | -4252.19  | 1.38          |
| 10314.00                     | 89.850          | 269.240     | 6309.04  | 4319.98        | -555.23    | -4315.18  | 0.38          |
| 10377.00                     | 89.690          | 270.230     | 6309.30  | 4382.98        | -555.53    | -4378.18  | 1.59          |
| 10440.00                     | 89.940          | 270.320     | 6309.50  | 4445.97        | -555.22    | -4441.18  | 0.42          |
| 10503.00                     | 89.540          | 270.240     | 6309.79  | 4508.97        | -554.92    | -4504.18  | 0.65          |
| 10565.00                     | 89.750          | 270.340     | 6310.17  | 4570.96        | -554.60    | -4566.18  | 0.38          |
| 10628.00                     | 89.880          | 270.000     | 6310.37  | 4633.96        | -554.41    | -4629.18  | 0.58          |
| 10691.00                     | 88.680          | 269.680     | 6311.17  | 4696.95        | -554.59    | -4692.17  | 1.97          |
| 10752.00                     | 90.340          | 270.690     | 6311.69  | 4757.94        | -554.39    | -4753.16  | 3.19          |
| 10815.00                     | 88.800          | 270.670     | 6312.16  | 4820.92        | -553.65    | -4816.16  | 2.44          |
| 10878.00                     | 88.370          | 270.740     | 6313.72  | 4883.89        | -552.87    | -4879.13  | 0.69          |
| 10941.00                     | 88.150          | 270.640     | 6315.63  | 4946.84        | -552.11    | -4942.10  | 0.38          |
| 11004.00                     | 89.910          | 271.180     | 6316.69  | 5009.81        | -551.11    | -5005.08  | 2.92          |
| 11067.00                     | 92.340          | 271.790     | 6315.46  | 5072.76        | -549.48    | -5068.04  | 3.98          |
| 11131.00                     | 91.080          | 271.160     | 6313.55  | 5136.69        | -547.83    | -5131.99  | 2.20          |
| 11192.00                     | 90.030          | 270.700     | 6312.96  | 5197.67        | -546.84    | -5192.98  | 1.88          |
| 11256.00                     | 92.340          | 271.090     | 6311.63  | 5261.63        | -545.84    | -5256.95  | 3.66          |
| 11319.00                     | 92.430          | 270.980     | 6309.01  | 5324.55        | -544.71    | -5319.89  | 0.23          |
| 11381.00                     | 91.630          | 270.390     | 6306.82  | 5386.50        | -543.97    | -5381.84  | 1.60          |
| 11444.00                     | 90.150          | 269.510     | 6305.84  | 5449.49        | -544.02    | -5444.83  | 2.73          |
| 11505.00                     | 88.240          | 268.000     | 6306.69  | 5510.47        | -545.35    | -5505.81  | 3.99          |
| 11568.00                     | 88.240          | 267.780     | 6308.63  | 5573.42        | -547.67    | -5568.74  | 0.35          |
| 11631.00                     | 88.310          | 267.860     | 6310.53  | 5636.36        | -550.06    | -5631.66  | 0.17          |
| 11694.00                     | 88.340          | 268.380     | 6312.37  | 5699.32        | -552.13    | -5694.60  | 0.83          |
| 11757.00                     | 88.340          | 268.650     | 6314.19  | 5762.28        | -553.76    | -5757.55  | 0.43          |
| 11820.00                     | 88.920          | 268.650     | 6315.70  | 5825.25        | -555.24    | -5820.52  | 0.92          |
| 11883.00                     | 90.340          | 268.790     | 6316.11  | 5888.25        | -556.65    | -5883.50  | 2.26          |
| 11945.00                     | 89.750          | 268.790     | 6316.06  | 5950.24        | -557.96    | -5945.48  | 0.95          |
| 12008.00                     | 89.780          | 267.210     | 6316.31  | 6013.22        | -560.16    | -6008.44  | 2.51          |



# Actual Wellpath Report

Oakmont 11-10 State COM No. 20H\_awp

Page 6 of 7



| REFERENCE WELLPATH IDENTIFICATION |                                     |          |                                 |
|-----------------------------------|-------------------------------------|----------|---------------------------------|
| Operator                          | Spur Energy Partners                | Well     | Oakmont 11-10 State COM No. 20H |
| Field                             | Lea County, NM (NAD 83)             | API      | 30-025-49803                    |
| Facility                          | Oakmont 11-10 State COM (North Pad) | Wellbore | Oakmont 11-10 State COM No. 20H |
| Slot                              | Oakmont 11-10 State COM No. 20H     |          |                                 |

| WELLPATH DATA (220 stations) † = interpolated, ‡ = extrapolated station |                 |             |          |                |            |           |               |
|---|-----------------|-------------|----------|----------------|------------|-----------|---------------|
| MD [ft]   | Inclination [°] | Azimuth [°] | TVD [ft] | Vert Sect [ft] | North [ft] | East [ft] | DLS ["/100ft] |
| 12071.00  | 90.340          | 270.060     | 6316.25  | 6076.20        | -561.66    | -6071.42  | 4.61          |
| 12134.00  | 90.460          | 270.750     | 6315.81  | 6139.19        | -561.21    | -6134.42  | 1.11          |
| 12197.00  | 90.120          | 270.440     | 6315.49  | 6202.18        | -560.56    | -6197.41  | 0.73          |
| 12260.00  | 90.000          | 271.160     | 6315.42  | 6265.16        | -559.68    | -6260.40  | 1.16          |
| 12323.00  | 90.220          | 271.450     | 6315.30  | 6328.13        | -558.24    | -6323.39  | 0.58          |
| 12386.00  | 90.340          | 271.390     | 6315.00  | 6391.10        | -556.68    | -6386.37  | 0.21          |
| 12449.00  | 89.850          | 271.000     | 6314.89  | 6454.07        | -555.37    | -6449.35  | 0.99          |
| 12512.00  | 89.880          | 270.920     | 6315.04  | 6517.05        | -554.31    | -6512.34  | 0.14          |
| 12575.00  | 89.820          | 270.810     | 6315.20  | 6580.03        | -553.36    | -6575.34  | 0.20          |
| 12637.00  | 89.720          | 270.580     | 6315.45  | 6642.01        | -552.61    | -6637.33  | 0.40          |
| 12700.00  | 89.660          | 270.110     | 6315.79  | 6705.01        | -552.23    | -6700.33  | 0.75          |
| 12763.00  | 89.750          | 269.020     | 6316.12  | 6768.00        | -552.71    | -6763.33  | 1.74          |
| 12826.00  | 90.150          | 268.670     | 6316.17  | 6831.00        | -553.98    | -6826.31  | 0.84          |
| 12889.00  | 90.180          | 268.170     | 6315.99  | 6893.99        | -555.72    | -6889.29  | 0.80          |
| 12953.00  | 90.280          | 268.690     | 6315.74  | 6957.98        | -557.47    | -6953.26  | 0.83          |
| 13014.00  | 89.880          | 269.160     | 6315.65  | 7018.97        | -558.61    | -7014.25  | 1.01          |
| 13077.00  | 90.120          | 269.170     | 6315.65  | 7081.97        | -559.53    | -7077.25  | 0.38          |
| 13141.00  | 90.400          | 269.610     | 6315.36  | 7145.97        | -560.21    | -7141.24  | 0.81          |
| 13202.00  | 90.030          | 269.650     | 6315.13  | 7206.97        | -560.61    | -7202.24  | 0.61          |
| 13265.00  | 90.310          | 269.660     | 6314.94  | 7269.97        | -560.99    | -7265.24  | 0.44          |
| 13326.00  | 90.310          | 269.710     | 6314.61  | 7330.97        | -561.32    | -7326.24  | 0.08          |
| 13388.00  | 90.340          | 269.250     | 6314.26  | 7392.97        | -561.88    | -7388.23  | 0.74          |
| 13451.00  | 90.460          | 269.290     | 6313.82  | 7455.97        | -562.69    | -7451.23  | 0.20          |
| 13513.00  | 90.060          | 269.570     | 6313.54  | 7517.96        | -563.30    | -7513.22  | 0.79          |
| 13576.00  | 89.880          | 269.940     | 6313.57  | 7580.96        | -563.57    | -7576.22  | 0.65          |
| 13638.00  | 89.940          | 270.530     | 6313.67  | 7642.96        | -563.32    | -7638.22  | 0.96          |
| 13702.00  | 90.090          | 270.250     | 6313.65  | 7706.95        | -562.88    | -7702.22  | 0.50          |
| 13763.00  | 89.720          | 269.940     | 6313.76  | 7767.95        | -562.78    | -7763.22  | 0.79          |
| 13890.00  | 89.720          | 268.780     | 6314.38  | 7894.94        | -564.20    | -7890.21  | 0.91          |
| 13952.00  | 89.910          | 268.080     | 6314.58  | 7956.93        | -565.90    | -7952.18  | 1.17          |
| 14015.00  | 89.850          | 268.830     | 6314.71  | 8019.92        | -567.60    | -8015.16  | 1.19          |
| 14078.00  | 90.060          | 269.210     | 6314.76  | 8082.92        | -568.68    | -8078.15  | 0.69          |
| 14141.00  | 89.910          | 269.570     | 6314.77  | 8145.92        | -569.35    | -8141.15  | 0.62          |
| 14204.00  | 90.150          | 269.950     | 6314.74  | 8208.92        | -569.61    | -8204.15  | 0.71          |
| 14265.00  | 89.940          | 269.900     | 6314.69  | 8269.91        | -569.69    | -8265.15  | 0.35          |
| 14328.00  | 89.880          | 270.560     | 6314.79  | 8332.91        | -569.44    | -8328.14  | 1.05          |
| 14390.00  | 90.090          | 270.600     | 6314.81  | 8394.90        | -568.81    | -8390.14  | 0.34          |
| 14453.00  | 89.970          | 271.000     | 6314.78  | 8457.88        | -567.93    | -8453.13  | 0.66          |
| 14517.00  | 89.970          | 271.280     | 6314.81  | 8521.85        | -566.66    | -8517.12  | 0.44          |
| 14575.00‡   | 89.970          | 271.280     | 6314.84  | 8579.83        | -565.36    | -8575.11  | 0.00          |



# Actual Wellpath Report

## Oakmont 11-10 State COM No. 20H\_awp

Page 7 of 7



| REFERENCE WELLPATH IDENTIFICATION |                                     |          |                                 |
|-----------------------------------|-------------------------------------|----------|---------------------------------|
| Operator                          | Spur Energy Partners                | Well     | Oakmont 11-10 State COM No. 20H |
| Field                             | Lea County, NM (NAD 83)             | API      | 30-025-49803                    |
| Facility                          | Oakmont 11-10 State COM (North Pad) | Wellbore | Oakmont 11-10 State COM No. 20H |
| Slot                              | Oakmont 11-10 State COM No. 20H     |          |                                 |

| TARGETS                                      |          |            |           |                   |                    |                 |                  |       |
|--|----------|------------|-----------|-------------------|--------------------|-----------------|------------------|-------|
| Name   | TVD [ft] | North [ft] | East [ft] | Grid East [US ft] | Grid North [US ft] | Latitude        | Longitude        | Shape |
| Oakmont 11-10 State COM No. 20H FTP Rev-B.0  | 6325.00  | -516.72    | -838.13   | 756039.30         | 674733.30          | 32°51'10.4830"N | 103°38'3.0407"W  | point |
| Oakmont 11-10 State COM No. 20H LTP Rev-B.0  | 6325.00  | -585.62    | -8539.34  | 748338.40         | 674664.40          | 32°51'10.2967"N | 103°39'33.3183"W | point |
| Oakmont 11-10 State COM No. 20H PBHL Rev-B.0 | 6325.00  | -586.12    | -8589.34  | 748288.40         | 674663.90          | 32°51'10.2949"N | 103°39'33.9045"W | point |

| WELLPATH COMPOSITION - Ref Wellbore: Oakmont 11-10 State COM No. 20H Ref Wellpath: Oakmont 11-10 State COM No. 20H_awp |             |   |   |                                 |             |  |
|--|-------------|---|---|---------------------------------|-------------|--|
| Start MD [ft]  | End MD [ft] | Positional Uncertainty Model                | Log Name/Comment                          | Wellbore                        | Survey Date |  |
| 20.00  | 1416.00     | OWSG MWD rev2 + IFR1                        | Imported Surface MWD Surveys 147' - 1416' | Oakmont 11-10 State COM No. 20H | 8/31/2022   |  |
| 1416.00  | 3141.00     | OWSG MWD rev2 + IFR1                        | 12 1/4" BKR MWD Surveys                   | Oakmont 11-10 State COM No. 20H | 9/13/2022   |  |
| 3141.00  | 14575.00    | BH AutoTrak Curve/eXpress (2019) (Standard) | 8 1/2" BKR RSS MWD Surveys                | Oakmont 11-10 State COM No. 20H | 9/13/2022   |  |



Intent  As Drilled

API #

|                |                |             |
|----------------|----------------|-------------|
| Operator Name: | Property Name: | Well Number |
|----------------|----------------|-------------|

Kick Off Point (KOP)

| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

First Take Point (FTP)

| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Last Take Point (LTP)

| UL       | Section | Township | Range | Lot | Feet      | From N/S | Feet | From E/W | County |
|----------|---------|----------|-------|-----|-----------|----------|------|----------|--------|
| Latitude |         |          |       |     | Longitude |          |      |          | NAD    |

Is this well the defining well for the Horizontal Spacing Unit?

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #

|                |                |             |
|----------------|----------------|-------------|
| Operator Name: | Property Name: | Well Number |
|----------------|----------------|-------------|

KZ 06/29/2018

|  |                       |   |                        |   |              |  |                 |  |          |               |
|--|-----------------------|---|------------------------|---|--------------|--|-----------------|--|----------|---------------|
| Submit To Appropriate District Office<br>Two Copies<br>District I<br>1625 N. French Dr., Hobbs, NM 88240<br>District II<br>811 S. First St., Artesia, NM 88210<br>District III<br>1000 Rio Brazos Rd., Aztec, NM 87410<br>District IV<br>1220 S. St. Francis Dr., Santa Fe, NM 87505 |                       | State of New Mexico<br>Energy, Minerals and Natural Resources<br><br>Oil Conservation Division<br>1220 South St. Francis Dr.<br>Santa Fe, NM 87505  |                        |   |              | Form C-105<br>Revised April 3, 2017  |                 |  |          |               |
|  |                       | 1. WELL API NO.   |                        | 30-025-49803                                    |              | 2. Type of Lease   |                 | <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN |          |               |
|  |                       | 3. State Oil & Gas Lease No.  |                        |   |              | 4. Reason for filing:  |                 | 5. Lease Name or Unit Agreement Name   |          |               |
|  |                       | <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  |                        |   |              | <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                 | OAKMONT 11-10 STATE COM  |          |               |
|  |                       | 6. Well Number:   |                        | 20H   |              | 7. Type of Completion:   |                 |  |          |               |
|  |                       | <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER |                        |   |              | 8. Name of Operator  |                 | 9. OGRID   |          |               |
|  |                       | SPUR ENERGY PARTNERS LLC  |                        |   |              |  |                 | 328947   |          |               |
|  |                       | 10. Address of Operator   |                        | 9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024 |              | 11. Pool name or Wildcat   |                 | WC-025 G-03 S173318N; YESO   |          |               |
| 12. Location   | Unit Ltr              | Section   | Township               | Range   | Lot          | Feet from the  | N/S Line        | Feet from the  | E/W Line | County        |
| Surface:   | B                     | 11  | 17S                    | 33E   |              | 790  | NORTH           | 1890   | EAST     | LEA           |
| BH:  | D                     | 10  | 17S                    | 33E   |              | 1279   | NORTH           | 64   | WEST     | LEA           |
| 13. Date Spudded   | 14. Date T.D. Reached | 15. Date Rig Released   |                        | 16. Date Completed (Ready to Produce)           |              | 17. Elevations (DF and RKB, RT, GR, etc.)  |                 | 4161' GR   |          |               |
| 08/17/2022   | 10/26/2022            | 10/29/2022  |                        | 12/15/2022                                      |              |  |                 |  |          |               |
| 18. Total Measured Depth of Well   |                       | 19. Plug Back Measured Depth  |                        | 20. Was Directional Survey Made?                |              | 21. Type Electric and Other Logs Run   |                 | GAMMA RAY  |          |               |
| 6315'V/14575'M   |                       | 6315'V/14528'M  |                        | YES   |              |  |                 |  |          |               |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name  |                       | 6837'-14505'  |                        | PADDOCK   |              |  |                 |  |          |               |
| <b>23. CASING RECORD (Report all strings set in well)</b>  |                       |   |                        |   |              |  |                 |  |          |               |
| CASING SIZE  |                       | WEIGHT LB./FT.  |                        | DEPTH SET                                       |              | HOLE SIZE  |                 | CEMENTING RECORD   |          | AMOUNT PULLED |
| 13-3/8"  |                       | 54.5#   |                        | 1533'   |              | 17-1/2"  |                 | 1570 SXS (CIRC TO SURFACE)   |          | 0             |
| 9-5/8"   |                       | 36#   |                        | 3200'   |              | 12-1/4"  |                 | 735 SXS (CIRC TO SURFACE)  |          | 0             |
| 7"   |                       | 32#   |                        | 6629'   |              | 8-3/4"   |                 | 2585 SXS (CIRC TO SURFACE)   |          | 0             |
| 5-1/2"   |                       | 20#   |                        | 14575'  |              | 8-3/4"   |                 | 2585 SXS(CIRC TO SURFACE)  |          | 0             |
| <b>24. LINER RECORD</b>  |                       |   |                        |   |              | <b>25. TUBING RECORD</b>   |                 |  |          |               |
| SIZE   | TOP                   | BOTTOM  | SACKS CEMENT           | SCREEN  | SIZE         | DEPTH SET  | PACKER SET      |  |          |               |
|  |                       |   |                        |   | 3-1/2" J-55  | 6491'  |                 |  |          |               |
| 26. Perforation record (interval, size, and number)  |                       |   |                        |   |              | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.  |                 |  |          |               |
| 11/18/2022 RIH & cleanout to PBSD @ 14528'. RIH & perf from 6837'-14505', total shots 900/ft @ 0.42 shot size. Frac in 38 stages w/ 18453666 gal slickwater and 7418354# sand. 12/04/2022 rig down wireline and cleanout. RIH w/ 3-1/2" J-55 tbg @ 6491'.                            |                       |   |                        |   |              | DEPTH INTERVAL   |                 | AMOUNT AND KIND MATERIAL USED  |          |               |
|  |                       |   |                        |   |              | 6837'-14505'   |                 | 18453666 GAL SLICKWATER & 7418354# SAND  |          |               |
| <b>28. PRODUCTION</b>  |                       |   |                        |   |              |  |                 |  |          |               |
| Date First Production  |                       | Production Method (Flowing, gas lift, pumping - Size and type pump)   |                        |   |              | Well Status (Prod. or Shut-in)   |                 |  |          |               |
| 12/30/2022   |                       | PUMPING ON ESP  |                        |   |              | PRODUCING  |                 |  |          |               |
| Date of Test   | Hours Tested          | Choke Size  | Prod'n For Test Period | Oil - Bbl                                       | Gas - MCF    | Water - Bbl.   | Gas - Oil Ratio |  |          |               |
| 03/21/2023   | 24-HOURS              | N/A   |                        | 379   | 228          | 2475   |                 |  |          |               |
| Flow Tubing Press.   | Casing Pressure       | Calculated 24-Hour Rate   | Oil - Bbl.             | Gas - MCF                                       | Water - Bbl. | Oil Gravity - API - (Corr.)  |                 |  |          |               |
| 133  | 93                    |   | 379                    | 228   | 2475         |  |                 |  |          |               |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)   |                       |   |                        |   |              | 30. Test Witnessed By  |                 | JERRY MATHEWS  |          |               |
| SOLD   |                       |   |                        |   |              |  |                 |  |          |               |
| 31. List Attachments   |                       |   |                        |   |              |  |                 |  |          |               |
| AS-DRILLED PLAT, DIRECTIONAL, FINAL C-104 AND WBD  |                       |   |                        |   |              |  |                 |  |          |               |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.   |                       |   |                        |   |              | 33. Rig Release Date:  |                 |  |          |               |
|  |                       |   |                        |   |              |  |                 |  |          |               |
| 34. If an on-site burial was used at the well, report the exact location of the on-site burial:  |                       |   |                        |   |              |  |                 |  |          |               |
| Latitude   |                       |   | Longitude              |   |              | NAD83  |                 |  |          |               |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief   |                       |   |                        |   |              |  |                 |  |          |               |
| Signature  |                       | Printed Name  |                        | Title   |              | Date   |                 |  |          |               |
| Sarah Chapman  |                       | SARAH CHAPMAN   |                        | REGULATORY DIRECTOR                             |              | 03/23/23   |                 |  |          |               |
| E-mail Address SCHAPMAN@SPURENERGY.COM   |                       |   |                        |   |              |  |                 |  |          |               |

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

| Southeastern New Mexico |                  | Northwestern New Mexico |                  |
|-------------------------|------------------|-------------------------|------------------|
| T. Anhy                 | T. Canyon        | T. Ojo Alamo            | T. Penn A"       |
| T. Salt                 | T. Strawn        | T. Kirtland             | T. Penn. "B"     |
| B. Salt                 | T. Atoka         | T. Fruitland            | T. Penn. "C"     |
| T. Yates 2775'          | T. Miss          | T. Pictured Cliffs      | T. Penn. "D"     |
| T. 7 Rivers 3115'       | T. Devonian      | T. Cliff House          | T. Leadville     |
| T. Queen 3745'          | T. Silurian      | T. Menefee              | T. Madison       |
| T. Grayburg 4220'       | T. Montoya       | T. Point Lookout        | T. Elbert        |
| T. San Andres 4560'     | T. Simpson       | T. Mancos               | T. McCracken     |
| T. Glorieta 6015'       | T. McKee         | T. Gallup               | T. Ignacio Otzte |
| T. Paddock              | T. Ellenburger   | Base Greenhorn          | T. Granite       |
| T. Blinebry             | T. Gr. Wash      | T. Dakota               |                  |
| T. Tubb                 | T. Delaware Sand | T. Morrison             |                  |
| T. Drinkard             | T. Bone Springs  | T. Todilto              |                  |
| T. Abo                  | T. YESO 6100'    | T. Entrada              |                  |
| T. Wolfcamp             | T.               | T. Wingate              |                  |
| T. Penn                 | T.               | T. Chinle               |                  |
| T. Cisco (Bough C)      | T.               | T. Permian              |                  |

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
 No. 2, from.....to..... No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

| From  | To    | Thickness In Feet | Lithology                  | From | To | Thickness In Feet | Lithology |
|-------|-------|-------------------|----------------------------|------|----|-------------------|-----------|
| 2775' | 3115' | 340'              | DOLOMITE, LIMESTONE, SHALE |      |    |                   |           |
| 3115' | 3745' | 630'              | DOLOMITE, LIMESTONE        |      |    |                   |           |
| 3745' | 4220' | 475'              | SANDSTONE, DOLOMITE        |      |    |                   |           |
| 4220' | 4560' | 340'              | DOLOMITE, LIMESTONE        |      |    |                   |           |
| 4560' | 6015' | 1455'             | DOLOMITE, SILTSTONE        |      |    |                   |           |
| 6015' | 6100' | 85'               | DOLOMITE, LIMESTONE        |      |    |                   |           |

# Oakmont 11-10 State Com 20H

Lea County, NM  
API# 30-025-49803

SPUD DATE: 8/16/2022  
ELEV: 4,161' GR, 20' KB

CURRENT WBD

**13-3/8" 54.5# J-55 BTC Csg @ 1,533'**  
CMT W/ 1155 SX LEAD (12.4 PPG, 1.77 CUFT/SK) & 415 SX TAIL (14.8 PPG, 1.33 CUFT/SK) CLASS C CEMENT  
CIRC 160 BBLs TO SURF, TOC @ SURF

**TUBING DETAIL**  
2-7/8" 6.5# J-55 EUE 8RD TUBING  
ESP ASSEMBLY  
INTAKE @ 6,434'  
PIP SENSOR @ 6,485'  
EOT @ 6,491'

**9-5/8" 36# J-55 BTC Csg @ 3,200'**  
CMT W/ 540 SX LEAD (12 PPG, 2.38 CUFT/SK) & 195 SX TAIL (13.5 PPG, 1.73 CUFT/SK) CLASS C CEMENT  
CIRC 95 BBLs TO SURF, TOC @ SURF

**7" 32# P-110 BTC Csg @ 6,629'**  
**5-1/2" 20# P-110 BTC Csg @ 14,575'**  
CMT W/ 215 SX LEAD (11.4 PPG, 2.39 CUFT/SK) & 2370 SX TAIL (13.2 PPG, 1.4 CUFT/SK) CLASS C CEMENT  
CIRC 87 BBLs TO SURF, TOC @ SURF


**LOWER PADDOCK COMPLETION**  
PERF & FRAC IN 38 STAGES F/ 6,837'-14,505'  
3-1/8" GUNS, 0.41 EHD, 60 DEG, 6 CLUSTERS/STG,  
4 SHOTS/CLUSTER, 912 TOTAL HOLES,  
44,695 GALS 15% HCL, 450,102 BBLs FR WATER,  
3,419,004# 100 MESH, 778,114# 20/40 PERMIAN,  
3,421,656# 40/70 PERMIAN

CROSS OVER FROM 7" TO  
5-1/2" CSG @ 6,629'

KOP @ 5,326'

TOP PERF @ 6,837'

BOTTOM PERF @ 14,505'



TD (MD) @ 14,575'  
TD (TVD) @ 6,315'  
PBTD @ 14,526' MD

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 200319

**ACKNOWLEDGMENTS**

|   |  |
|---|--|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                   |
|   | Action Number:<br>200319                           |
|   | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |  |
|-------------------------------------|--|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 200319

**CONDITIONS**

|   |  |
|---|--|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                   |
|   | Action Number:<br>200319                           |
|   | Action Type:<br>[C-104] Completion Packet (C-104C) |

**CONDITIONS**

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 4/30/2026      |