State of New Mexico

Form C-101 May 27, 2004

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

Energy, Minerals & Natural Resources APR 1 1 2007 Submit to appropriate District Office

Oil Conservation Division Oil Conservation Division

1220 S. St. Francis Dr.

Santa Fe. NM 87505

1220 S. St. Francis Drive Santa Fe, NM 87505 AMENDED REPORT

1220 S. St. Francis	•	•			O DRI	Sana PC, N ILL. RE-EN			PŁUGBACK	—) A ZONE		
Alleic	Allon			or Name and		ــــ معد وبيانا	<u> </u>	Ng 1011111	PLUGBACK, OR ADD A ZONE OGRID Number 16606				
OXY USA Inc.									 	16696			
P.O. Box 502	250 Mid	il and.	TX 79	9710-025	.0			30- 021- 20367					
⁴ Proper 271	rty Code 111			Br	ravo Do	⁵ Property P me Carbon Di		e Gas Unit l	832	°Wel	ll No.		
		•	osed Poo	ol l	WYC			<u> </u>	10 Proposed Po				
Bravo Dome	<u>Carbon</u>	Dioxid	le Gas	5 640		96010	<u> </u>						
⁷ Surface Location													
UL or let no.	Section	Towns		Range	Lot. Idn			North/South Line	Feet from the	East/West line	County		
<u>_</u>	।९	18		3AE	1-44000	Hole Locati		Different Fro	m Surface	east	Harding		
8 Proposed Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot. Idn Feet from the North/South Line Feet from the East/West line County										County			
UL or lot no.	Section	10wps.	nap	Range	Lot, Idr	i reet uom a	ine	Nопич 20 чил држ	Feet from the	Casi west me	County		
	Additional Well Location												
11 Work Ty			12 V	Well Type Code	ie	13 Cable/R	-		se Type Code	1	Level Elevation		
16 Multi	iole	-+	17 P	C Proposed Depth	eh.	R 18 Format			LG4612		nud Date		
N	lo	1		2600		Tub	bb		N/A	6	lilo7		
Depth to ground	water	>100'			Distance f	from nearest fresh >10	water v						
Pit: Liner: Syr	nthetic X		mils thic	ck Clay	у□	Pit Volume 40		bbls Drilling Meth	hod:	- 1004			
}	oop System		<u></u>					Vater X Brine	_	il-based 🔲	Gas/Air 🔲		
0.200	,op 2,0000	<u> </u>			7-2-061			ment Program			Tod (483): 2 200		
Hole S	Title a		Casing			ng weight/foot		Setting Depth	Sacks of Cemer		stimated TOC		
12-1/		+-	8-5/			24#	 	700'		и			
7-7/8		+	5-1/		5 9	5.9#FG/15.5#		2600'	300sx 300sx	_	Surface Surface		
	2	+			\	30.50		2000	30037		200 ace		
		+		,			 						
		1			 		 						
22 Describe the p	proposed pro	gram. If	f this ap	plication is	to DEEPF	N or PLUG BAC	CK, giv	e the data on the pro	esent productive zon	ne and proposed	new productive zone.		
Describe the blow									•	• -			
]													
)						See Attach	hmen	n t					
						000	(Hitrory)						
				<u></u>					· —	<u></u>	-		
²³ I hereby certify	²³ I hereby certify that the information given above is true and complete to the best of							OIL CONSERVATION DIVISION					
my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines \(\begin{align*} \limits & \text{a general permit } \begin{align*} \limits & \text{ord} \end{align*}, or													
an (attached) alt					,	· · · · · · · · · · · · · · · · · · ·	Approved by:						
Printed name: Da		wart					Title: DISTRICT SUPERVISOR						
<u> </u>	r. Regula		Analy	/st			1	oval Date: 4-1			4-12-08		
E-mail Address: david_stewart@oxy.com							 			ривноп рыс.	7-7		
Date:	Date:			Phone:			Conditions of Approval:						
4/9/07			- }	432-685-5717				Attached					

ATTACHMENT C-101' BDCDGU 1832-191

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 2M annular hydril preventer.

CASING: Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8* hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl2 + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud. Wt 8.6-9.2ppg, Vis 32-36sec

700-26001

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505


State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

Certificate Number 15079

1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pache	eco, Santa F	e, NM 87505	i			-,				AMEN	DED REPORT
		WE	LL LO	CATIO	ON AND	ACI	REAGE DEDIC	CATION PI	_AT		
	API Number				Code		Pool Name				
30-021-20389				96	010	<u> </u>	BRAVO DOME CARBON			NOXIDE GAS 640	
Property	Property Code			Property Name							Well Number
2711	27111			BRAVO DOME CARBON				<u>UNIT 18</u>			
OGRID No.				•			Name				Elevation
1669	6	L					SA INC.			4	1540.6
					Sur	Location					
UL or lot no.	Section	Township	Range	Lot Io		-	North/South line	Feet from the	Feet from the East/Wes		County
G	19	18 N	32 E		198	1'	NORTH	1981'	EA	IST	HARDING
Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Io	dn. Feet from	the	North/South line	Feet from the	East/West	t line	County
								<u></u>			<u> </u>
Dedicated Acre	"	i	Consolidation	n Code	Order No.						
640	<u> </u>				! 				·		
NO ALLO	WABLE '						ON UNTIL ALL EEN APPROVED			EEN CC	DNSOLIDATED
19										CEDT	IFICATION
\	, ,					Ì		11			ontained herein is
					1	true and complete to t					
	; 					ĺ		Ц			
1	[981,	İ					
}	i i		1							7/	
				-				Simon	<u> </u>		
						j		Signature	Davi	d Ste	wart
					1			Printed Nam	e		
					′ ∲ NM-E NAD27		—— 1981 ′— - —		Regula	atory	Analyst
1				L	.at = 35° 46'39.2 .on = 103° 34'38.5						
<u>]</u>	i			\ X	(- 724235.71 (- 1739130.86			Date		<u></u>	
				<u> </u>				CIIDV	EVOD	CEDT	IFICATION
<u> </u>	}					Í		П			shown on this plat
\parallel	į					i		was plotted fi	rom field n	otes of actua	al surveys made by
11	j					Ì		me or under and correct to		2 20.0	at the same is true
	j					Ì		i I	v g acrib	K10:	⁴ 5006
{{	j					i		Date of Surve	y /		3/3 1
	 		· —— —					Signature and	क्षित्र हिं	stessional S	mrveyon 💆
(l	ļ					i		ll l	JISTERES		りぼし
	ĺ					i			_\&\ <u>`</u>	<u>.</u> .	/ii/



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM

80,

Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

