' District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM, 87505

State of New Mexico Energy, Minerals & Natural Resources

Form C-101 May 27, 2004

Oil Conservation Divsiion 1220 S. St. Francis Dr.

Submit to appropriate District Office

Division AMENDED REPORT

1220 S. St. Francis	s Dr., Santa I	Fe, NN	M 87505			Santa Fe, N	NM 3	87505	suservation D	ivision AME	NDED REPORT	
					O DRJ	ILL, RE-EN	VT <u>E</u> I	R, DEEPEN20	PLUGBACK	COR ADD	A ZONE	
				ator Name and				Sa	nta Fe. NIVI 82	OGRID Number 16696	r	
OXY USA Inc.										3 API Number		
P.O. Box 502		il and	1. TX 7	79710-025	,0				30- 021-	<u> 20343</u>		
⁴ Proper 271	rty Code			Br	ravo Do	⁵ Property 1 ome Carbon Di		e Gas Unit 19	i32		ll No. 역 (
			oposed Po	ool 1				<u> </u>	¹⁰ Proposed Po			
Bravo Dome	Carbon	Diox	cide Ga	ıs 640		96010	L					
				~		⁷ Surface L		,			,	
UL or lot no.	Section	1	wnship	Range	Lot. Ida			North/South Line	Feet from the	East/West line	County	
G 9 19 N 32 E						Hole Locati		Different Fro	m Surface	east	Harding	
8 Proposed Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot. Idn Feet from the North/South Line Feet from the East/West line							County					
UL or lot no.	Section	10,	wnsuu	Range	LAUI. xu	I teet now	ine	NORTH SOURCE LAND	Legi nom me	Cast wost me	Councy	
Additional Well Location												
11 Work Typ	pe Code	1	12	Well Type Cod	je	13 Cable/R	-	14 Leas	se Type Code	1	Level Elevation	
16 x40,60	<u> </u>]	17	Proposed Dent		R 18 Format		197	Contractor		. 숙역 . 용 nud Date	
¹⁶ Multi N o		1	'	Proposed Depti 2600'	h	" Format		(N/A		ud Date	
Depth to ground					Distance f	from nearest fresh	water v	well	Distance from neare	est surface water		
- 7' C		>100 12		Cla			000 000,	D-III-a Mad		>1000'		
Pit: Liner: Syn			mils thi	ick (ma)	y 🗌	•				_	. —	
Closed-Lo	oop System							Vater X Brine		il-based	Gas/Air 🔲	
				F	?ropose	ed Casing an	ıd Ce	ement Program				
Hole S	ize		Casin	ng Size	Casir	ing weight/foot		Setting Depth	Sacks of Cemer	nt E	stimated TOC	
12-1/	4"		<u>8.5</u>	5/8*	<u> </u>	24#		700'	300sx		Surface	
7-7/8	8"		<u>5-1</u>	1/2"	5.9	5.9#FG/15.5#		2600'	300sx		Surface	
		\perp										
Describe the properties of the properties of the plant of							JK, giv	e the data on the pro-	sent productive zor	ne and proposed	new productive zone.	
Describe the blow	Out preveius	on pro)gram, u a	iny. Use auu.	itionai suc-	ets if necessary,						
1												
	See Attachment											
<u> </u>												
I hereby certify my knowledge an	that the info	rmatic → har	on given 2	above is true :	and compl	lete to the best of	•	OIL C	ONSERVATI	ION DIVISI	ION	
constructed acco	ording to NM	MOCD	D guidelin	nes 🗓 🛚 a (~ .	ermit , or	1		7	1.		
an (attached) alt Signature:	an (attached) alternetive OCD approved plan . Signature:							Approved by:				
	Printed name: David Stewart							DISTRIC	T SUPER	VISOR		
Title: Si	r. Regula	ator	y Anal	yst			t		. M P 1	-	4-12-08	
E-mail Address:			 -				†			100	<u> </u>	
Date: Phone:						Cond	ditions of Approval:					
4/9/07			1	437	32-685-5717		Attached					

ATTACHMENT C-101' BDCDGU 1932-091

PROPOSED TD: 2600' TVD

BOP PROGRAM: 0-700' None

700-2600' 8" 2M annular hydril preventer.

CASING: Surface: 8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production: 5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT: Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD: 0-700' Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600' Fresh water/Starch/Gel

pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease – 4 Copies Fee Lease – 3 Copies


District IV

1000 Rio Brazos Rd., Aztec, NM 87410

2040 South Pacheco,	, Santa Fo	e, NM 87505								AMEN	DED REPORT		
		WEJ	LL LO	CATIO	N AND	ACI	REAGE DEDIC	CATION PI	_AT		_		
API	I Numbe	er		Pool Co	ode		Pool Name						
30-021-	20	393	393 96010				BRAVO DO	ME CARBO	N DIO	XIDE	GAS 640		
Property Cod							Name	_	,	Well Number			
27111		BRAV	10 DC	OME C	ARBON	I DI	OXIDE GAS	UNIT 193	1932 091		091		
OGRID No				 :	-	-	Name	_	_	Γ,	Elevation		
16696							SA INC.			4	4699.8		
							Location	T	1 =		1		
	Section	Township	Range	Lot Idn.	Feet from		North/South line	Feet from the	East/West		County		
G	9	19 N	32 E		1700		NORTH	1700'	L		HARDING		
		T=	Bott				If Different Fro		T		T _		
UL or lot no. S	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West	line	County		
Dedicated Acres	Toint	or Infill C	Consolidatio	Code	Order No.		<u> </u>						
	Joine	_	.Olisoliuguo.	" couc	Order No.								
NO ALLOWA		_	ASSIGNE	T OT U	HIS COMI	PI ETI	ON UNTIL ALL	INTERESTS I	TAVE BE	EN CO	NSOLIDATED		
							EEN APPROVED			<i></i>	TIOOLIDIILL		
9			NM-E NAD27 Lat - 35° 53'3 Lon - 103° 32'2 X - 734718.35 Y - 1781743.0				1700′	I hereby certification true and composition of the second	David Stewart Printed Name Sr. Regulatory Analy Title 4 9 9				
					. <u> </u>		<u> </u>	I hereby certi was plotted fi me or under and correct to	ify that the wrom field no my supervision the best of	vell location otes of actual ion, and that may belief of the second state of the second secon	shown on this plat al surveys made by at the same is true		

Certificate Number

15079



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM

80,

Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

