Submit 3 Copies To Appropriate District	State of New Mexico		Form C-103	
Office District I	Energy, Minerals and Natural Resources		May 27, 2004	
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II	OIL CONSERVATION DIVISION		30-007-20864	
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Francis Dr.		7. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410			STATE FEE	
District IV	Santa Fe, NM 87505		7. State Oil & Gas Le	ase No.
1220 S. St. Francis Dr., Santa Fe, NM 87505				
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agr	eement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A				
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		VPR A		
	Gas Well Other Coalbed Methane		8. Well Number 430	
2. Name of Operator			9. OGRID Number	
EL PASO E & P COMPANY, L.P.		3. 333	与刀	
3. Address of Operator			10. Pool name or Wildcat	SEP (
P.O. BOX 190, RATON, NM 87740				~ C
4. Well Location	<u> </u>		<u> </u>	or M
	feet from the South line	and 513 feet f	rom the West line	-
Unit Letter M: 113 feet from the South line and 513 feet from the West line Section 21 Township 31N Range 20E NMPM Colfax County				
	hip 31N Range 201 11. Elevation (Show whether DR)		Colfax County	THE M
0	**I	,	15 m	K C
Pit or Below-grade Tank Application o	8, 098'	(GL)		<u> </u>
		Dist.	C	
Pit typeDepth to GroundwaterDistance from nearest fresh water wellDistance from nearest surface water				
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material				
12. Check A	Appropriate Box to Indicate N	ature of Notice,	Report or Other Data	
			SEQUENT REPORT ()F:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORL				G CASING 🗌
TEMPORARILY ABANDON 🛛	CHANGE PLANS	COMMENCE DRII	LLING OPNS.⊠ PAND A	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	JOB 🗌	
OTUED.		OTHER		_
OTHER:		OTHER:	1 - 1	
of starting any proposed we or recompletion.	leted operations. (Clearly state all pork). SEE RULE 1103. For Multip	le Completions: Att	ach wellbore diagram of prop	osed completion
•				
08/01/07 Spud @ 5:00 a.m. Dri	Il 11" surface hole to 333'. Run 8 j	ts. of 8 5/8", 24#, J	55 ST & C casing at 323'.	
	pumped 100 sks Midcon II ceme		ls of cement to surface.	
WOC 8 hrs. Test surf	ace 8 5/8" csg to 500 psi for 30 m	inutes.		
	333' – 2305'. Reached TD at 2	305' at 4:00 a.m.		
MIRU Superior and log well. Logger's TD 2291'.				
Run 47 jts 5 $\frac{1}{2}$, 15.5 ppf, J-55, and 8 jts 17 ppf, J-55 LT&C casing at 2198'. HES mixed and pumped 348 sks Midcon II cement. Circulated 22 bbl of cement to surface.				
HE3 mixed and pumpe	d 348 sks Wildcon it cement. Circi	uiated 22 bbi of cem	ent to surface.	
I hereby certify that the information				
grade tank has been/will be constructed or	crosed according to NMOCD guidelines L	, a general permit [_] (or an (attached) alternative OCD-a	pproved plan ∐.
SIGNATURE Ship Quit	notchell TITLE	Regulatory Analys	st DATE 09/0	5/2007
Type or print name Shirley A. Mi			o.com Telephone No. (505)	
For State Use Only		,pas		, 0.00
- 10 N	Λ Λ	DICTOIAT CII	IDEDVICAD	1. 1
APPROVED BY:	artin TITLE	DISTRICT SU	PERVIOUR DATE ?	9/6/07
Conditions of Approval (if any):				

Submit 3 Copies To Appropriate District