Submit to Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District II 1625 N. French, Hobbs, NM 88240 District III 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 84410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Well: OIL CONSERVATION DIVISION Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Completion: NEW WORK DEEPEN BACK DIFF. WELL OVER DEEPEN BACK OTHER 2. Name of Operator						5	WELL API 30-003-20 Indicate T STATI State Oil Lease Name Robert ar	O028 Type Of Le E	ease FEE [ease No	
Gruy Petroleum 3. Address of Operator	Operating Co.			 .		9	9. Pool name or Wildcat			
P.O. Box 14090 4. Well Location	7, Irving, TX 79	014-0907	-						<u> </u>	
Unit Letter	A 350 F 9 1. Date T.D. Reached	Township 3		Range	13W	NM	Feet Fi	Catro	n	County Casinghead
10-24-03	11-15-03	NA II	I SMultiple C	amel Ha	[18]	7225 ' Intervals	. Potessi To	n la	Cable To	- In
15. Total Depth 2105	16. Plug Back T 2045	.D. 17	. If Multiple Co Many Zones?	OMPI. HO	v Drilk	ed By	Rotary To 0-21		Cable 10	ools
19. Producing Interval(s) None 21. Type Electric and Ot Platform Expres				m Expre	ess Ind C	OMD	22. Was We			urvey Made
23.	CA	SING RECO	ORD (Repo	rt all st	rings set i	n well)				(of District Land
CASING SIZE 9 5/8"	WEIGHT LB./FT		SEI	HOLE 12			MENTING R			OUNT PULLED
5 1/2"	15.5 #	2105					Typ III			
								 -	+-	
24.	~	INER RECOR		- I a a		25.	TUB	ING REC		La Coura des
SIZE T	OP BO	OTTOM	SACKS CEME	ENT SC	REEN	SIZE		DEPTH S	EI	PACKER SET
26. Perforation record (interval, size, and number) None 27. ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED										
28.			PRODUCT	TON						
Date First Production NA	Production	Method (Flowing,	gas lift, pumpi	ing - Size	and type pum	p)		Well Stat	us <i>(Prod</i> .	or Shut-in)
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	l Oil	· Bbl.	Gas - MC	F Wate	r - Bbl.	Gas -	Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.		Gas - MCF	Water	- Bbl.	Oil Gravi	ty - API -	(Corr.)
29. Disposition of Gas	Sold, used for fuel, veni	ed, etc.)					Test W	itnessed By		<u> </u>
30. List Attachments				·		<u> </u>				
Electri 31. I hereby certify the	c logs Gruy res	pectfully re	quests tic	i <mark>ht ho</mark> l is true ai	e status ad complete	on logs to the best	submitte of my know	<mark>d.</mark> ledge and b	elief	
	nofau		d	Zeno Fa	-	Title	-	per Admi	-	te 12-3-03

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeas	stern New Mexico	Northeastern New Mexico				
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"			
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"			
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"			
T. Yates	T. Miss	T. Cliff House	T. Leadville			
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison			
T. Oueen	T. Silurian	T. Point Lookout	T. Elbert			
T. Grayburg	T. Montoya	T. Mancos	T. McCracken			
T. San Andres	T. Simpson	T. Gallup 881'	T. Ignacio Otzte			
T. Glorieta	T. McKee	Base Greenhorn	T. Granite			
T. Paddock	T. Ellenburger	T. Dakota 1820	Т			
T. Blinebry	T. Gr. Wash	T. Morrison	Т			
T. Tubb	T. Delaware Sand	T. Todilto	Т.			
T. Drinkard	T. Bone Springs	T. Entrada	T.			
T. Abo	T.	T. Wingate	T.			
T. Wolfcamp		T. Chinle 2015'	T.			
T. Penn	Т	T. Permain	T.			
T. Cisco (Bough C)	Т.	T. Penn "A"	T.			
			OIL OR GAS			

			SANDS OR ZONES
No. 1, from	to	No. 3, from	to
		No. 4, from	
	IMPORT	TANT WATER SANDS	
Include data on rate of wa	ter inflow and elevation to which wa	ater rose in hole.	
No. 1, from	to	feet	•
No. 2, from	to	feet	••••
No. 3. from	to	feet	

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
0	275		Tertiary Sand & Gravel				
275	882	}	Non Marine Cretaceous	1	ì		
882	938		Gallup Sandstone				
938	1308	1	Mancos Shale		1	1	
1308	1355		Sandstone				
1355	1428	1	Atarque Sandstone]	1	
1428	1654		Lower Mancos Shale				
1654	1722	1	Two Wells Sandstone	}	Į	}	
1722	1820		Mancos Shale				
1820	2015	1	Dakota Sandstone	}}	}		
2015	2105		Chinlic Shale				
	İ	1			}		
	}	}			}		
	ł					1 1	

Submit 3 Copies To Appropriate District	State of New Me			Form C-103	
Office District 1	Energy, Minerals and Natu	ral Resources		Revised May 08, 2003	
1625 N. French Dr., Hobbs, NM 87240			WELL API NO.	1020	
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION		30-003-20028 5. Indicate Type of Lease		
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fra Santa Fe, NM 8		STATE FEE X		
District IV	1/303	6. State Oil & Gas Lo			
1220 S. St. Francis Dr., Santa Fe, NM 87505			6. State Off & Gas La	ease No.	
SUNDRY NOTIC (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	7. Lease Name or Unit Agreement Name: Robert and Ruby Magee 8. Well Number				
I. Type of Well: Oil Well Gas Well	Other		o. Wen runner		
2. Name of Operator			9. OGRID Number		
Gruy Petroleum Management	Co.		1 Stra	it Ì	
3. Address of Operator			10. Pool name or Wi		
P.O. Box 140907	<u>Irving, Texas 75014-090</u>	<u>7</u>	Strat Test		
4. Well Location					
Unit LetterA :	350 feet from the Nor	rth line and	340 feet from t	he East line	
Section 9	Township 3N	Range 13W		County Catron	
	11. Elevation (Show whether	DR, RKB, RT, GR, et	c.)		
12. Check A	ppropriate Box to Indicate	Nature of Notice,	Report, or Other I	Data	
NOTICE OF INTE	ENTION TO:	SUB	SEQUENT REPO	ORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🔲	REMEDIAL WORK	·	ALTERING CASING [
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLI		PLUG AND	
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB	[X]	ABANDONMENT	
OTHER:		OTHER:			
13. Describe proposed or complete of starting any proposed work). or recompletion.					
10-24-03 Spud well Ran 9 5 surface.	/8" 36# J-55 to 277'. Ce	ment w 279 sx of 1	ype III + additive	s. Circ to	
11-19-03 Ran 5 1/2" 15.5# Prep to plug.	J-55 to 2105'. Cement w	205 sx Type II & I	II + additives. C	irc to surface.	
I hereby certify that the information above	is true and complete to the best of	f my knowledge and belie	f.		
SIGNATURE ZONO F	-aui		erations Admin D	ATE 12-2-03	
Type or print name Zeno F				ie No. 972-443-6489	
(This space for State use)		The same that it will be a		111	
APPROVED BY Conditions of approval, if any:	Mokum TI	TLE DISTRICT S	UPEKYIOON DA	TE 1/14/05	
conditions of approving it mix.	V				

Submit 3 Copies To Appropriate District Office	State of New M Energy, Minerals and Natu			Form C-103 Revised May 08, 2003			
District_1 1625 N. French Dr., Hobbs, NM 87240 District_II	WELL API NO. 30-003-20028						
1301 W. Grand Ave., Artesia, NM 88210 District III	5. Indicate Type of Lease						
1000 Rio Brazos Rd., Aztec, NM 87410	STATE	FEE X					
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	·		6. State Oil & Gas	Lease No.			
SUNDRY NOTIC (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)		OR PLUG BACK TO A	7. Lease Name or U Robert and	Jnit Agreement Name: Ruby Magee			
1. Type of Well: Oil Well Gas Well X	Other		8. Well Number				
2. Name of Operator			9. OGRID Number				
Gruy Petroleum Management	Co		1 Str				
3. Address of Operator P.O. Box 140907	<u> Irving. Texas 75014-090</u>	7	10. Pool name or Wildcat Strat Test				
4. Well Location							
Unit LetterA :	350 feet from the No	rth line and	340 feet from	the <u>East</u> line			
Section 9	Township 3N	Range 13W	NMPM	County Catron			
	11. Elevation (Show whether	DR, RKB, RT, GR, et	c.)				
12. Check A	appropriate Box to Indicate	Nature of Notice,	Report, or Other	Data			
NOTICE OF INTE		SUB	SEQUENT REP	ORT OF:			
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🗓	REMEDIAL WORK		ALTERING CASING [
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLI	NG OPNS. 🔲	PLUG AND ABANDONMENT			
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB		· · · · · · · · · · · · · · · · · · ·			
OTHER:		OTHER:					
13. Describe proposed or complete of starting any proposed work). or recompletion.							
11-20-03 Mix and spot bala Spot Plug # 2 from 1050' to Spot plug # 3 from 350' to Spot top plug from 50' to Install dry hole marker.	to 950' w 7 sx Type III ne o 250' w 10 sx Type III ne	eat.		al .			
Spot top plug from 50' to 0' w 5 sx Type III neat. Install dry hole marker. 11-21-03 Rig down move off location.							
I hereby certify that the information above	is true and complete to the best of	f my knowledge and belie	f.				
SIGNATURE Zino F	-aus	TLE <u>Manager, Ope</u>	erations Admin	DATE 12-3-03			
Type or print name Zeno F	arris		Telepho	ne No. 972-443-6489			
(This space for State use)	10	CACALINA V	I I Properties	July			
APPROVED BY Conditions of approval, if any:	TI'	TL DISTRICT S	UPERVISORD	ATE ///9/0 /			