	Appropriate District	1	State of New Mexico			Form C-103		
Office <u>District I</u>		Energy, N	Energy, Minerals and Natural Resources		irces	October 13, 2009		9
	r., Hobbs, NM 88240					WELL API'NO.		
District II 1301 W. Grand A	ve., Artesia, NM 88210	OIL CONSERVATION DIVISION				<b>30-019-20136</b> 5. Indicate Type	of Lease	
District III	1220 South St. Francis Dr.			`	STATE	FEE 🛛		
District IV	1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505				-	6. State Oil & G		$\dashv$
1220 S. St. Francis Dr., Santa Fe, NM 87505					I	NA		
0,303	SUNDRY NO	TICES AND REP	ORTS ON WI	ELLS	-	7. Lease Name of	or Unit Agreement Name	$\neg$
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A							-	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)						Singleton Propo		_
	ell: Oil Well	Gas Well 🛛	Other 🗌		8	8. Well Number	Latigo Ranch 2-34	
2. Name of Operator						9. OGRID Num	ber <b>250036</b>	
3. Address of	Operator					10 Pool name o	r Wildcat Wildcat	4
	, Houston, TX 770	001				io. Fooi name o	w nucat wnucat	
4. Well Locat								$\dashv$
	Letter <b>F</b> :	· 1010+/_ feet	from the	North line	and <b>20</b> 1	19+/- feet from t	the <b>West</b> line	
Section	<del></del>		wnship 11 N	Range	23 E	NMPM	County Guadalupe	
Section	)II 34			r DR, RKB, RT,		INIVIFIVI	County Guadalupe	
	9.00	4717' +/- gra	1	IDN, $RND$ , $RI$ ,	ON, eic.)			
\$		5	<u></u>				atani kandi kadi sadi sa madha in i i mali mata ar madha ta philipina i maran ngan ng ganaggan ng sa	
	12. Check	Appropriate B	ox to Indica	te Nature of	Notice, R	eport or Other	r Data	
		•••				-		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:								_
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WO							ALTERING CASING	
TEMPORARIL		CHANGE PLA	_			ING OPNS.□	P AND A	J
PULL OR ALT	_		OMPL	CASING	CEMENT.	JOB []		
DOWNHOLE	COMMINGLE [	J						
OTHER:				OTHER:	Complet	tion 🖂		
13. Descri			. (Clearly stat		etails, and g	give pertinent da	tes, including estimated d	_ ite
13. Descri of star	ting any proposed	work). SEE RULI	. (Clearly stat	e all pertinent d	etails, and g	give pertinent da	tes, including estimated divellbore diagram of	_ ite
13. Descri of star		work). SEE RULI	. (Clearly stat	e all pertinent d	etails, and g	give pertinent da		_ ate
13. Descri of star	ting any proposed sed completion or r	work). SEE RULI	. (Clearly stat	e all pertinent d	etails, and g	give pertinent da		_ ate
13. Descri of star propos	ting any proposed sed completion or rare as follows:	work). SEE RULI ecompletion.	. (Clearly stat E 19.15.7.14 N	e all pertinent d IMAC. For Mu	etails, and g ltiple Comp	give pertinent da letions: Attach		 ate
13. Descri of star propos Pertinent dates TD Date	ting any proposed sed completion or rare as follows:	work). SEE RULI ecompletion.  Backplug TD	. (Clearly stat	e all pertinent d IMAC. For Mu	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		— ate
13. Descri of star propos	ting any proposed sed completion or rare as follows:	work). SEE RULI ecompletion.	. (Clearly stat E 19.15.7.14 N	e all pertinent d IMAC. For Mu	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		 ate
13. Descri of star propos Pertinent dates TD Date 1/22/09	ting any proposed sed completion or rare as follows:  TD  13,460	work). SEE RULI ecompletion.  Backplug TD 13,868'	. (Clearly stat E 19.15.7.14 N No. of Comp	e all pertinent d IMAC. For Mu pletions	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propos Pertinent dates TD Date	ting any proposed seed completion or rare as follows:  TD  13,460  Set Date	work). SEE RULI ecompletion.  Backplug TD 13,868'  Interval	No. of Comp Weight	e all pertinent d IMAC. For Mu  pletions  Cement	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		 ate
13. Descri of star propose  Pertinent dates  TD Date 1/22/09  Casing Details	ting any proposed sed completion or rare as follows:  TD  13,460	work). SEE RULI ecompletion.  Backplug TD 13,868'	. (Clearly stat E 19.15.7.14 N No. of Comp	e all pertinent d IMAC. For Mu pletions	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		 ate
13. Descri of star propose  Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4"	ting any proposed seed completion or reare as follows:  TD 13,460  Set Date 9/24/08	work). SEE RULl ecompletion.  Backplug TD 13,868'  Interval 0-1,483'	No. of Comp  Weight 40.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		 ate
13. Descri of star propos  Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"	ting any proposed seed completion or rare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propos  Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"	ting any proposed seed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propos Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit	ting any proposed seed completion or rare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propos Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit	ting any proposed seed completion or rare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional	ting any proposed seed completion or rare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propos Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propose of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:	ting any proposed seed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	work). SEE RULI ecompletion.  Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  se Date:	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propose of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	work). SEE RULI ecompletion.  Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  se Date:	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propose of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:	ting any proposed seed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	work). SEE RULI ecompletion.  Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comp 7 Weight 40.5# 29.7# 13.5#	e all pertinent d IMAC. For Mu  pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  se Date:	etails, and g ltiple Comp	give pertinent da bletions: Attach Survey		ate
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:	ting any proposed seed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	work). SEE RULI ecompletion.  Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comp 7 Weight 40.5# 29.7# 13.5# est 104.473356	e all pertinent dimAC. For Mu  Pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  see Date:	etails, and g ltiple Comp  Directional Yes	give pertinent data bletions: Attach  Survey  s  and belief.	wellbore diagram of	ate
13. Descri of star propose of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:	ting any proposed seed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: No	work). SEE RULI ecompletion.  Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comp 7 Weight 40.5# 29.7# 13.5# est 104.473356	e all pertinent dimAC. For Mu  Pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  see Date:	etails, and g ltiple Comp	give pertinent data bletions: Attach  Survey  s  and belief.		ate
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:  I hereby certify  CSIGNATURE  Type or print na	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: Not Details Attached 9-22-08  that the information of the informat	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comparison of Compariso	e all pertinent d IMAC. For Mu  Pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  see Date:  the best of my k  FLE Senior I	etails, and g ltiple Comp  Directional Yes  Knowledge a	give pertinent databletions: Attach  Survey  and belief.  Advisor DA	wellbore diagram of	ate
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:  I hereby certify	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: Not Details Attached 9-22-08  that the information of the informat	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comparison of Compariso	e all pertinent d IMAC. For Mu  Pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  see Date:  the best of my k  ILE Senior F  ess: michael.	etails, and g ltiple Comp  Directional Yes  Knowledge a	give pertinent data bletions: Attach  Survey  and belief.  Advisor DA  @shell.com P.	ATE April 8, 2010	ate .
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:  I hereby certify  CSIGNATURE  Type or print not For State Use of State	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: Not Details Attached 9-22-08  that the information of the informat	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comparison of Compariso	e all pertinent d IMAC. For Mu  Pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  see Date:  the best of my k  ILE Senior F  ess: michael.	etails, and g ltiple Comp  Directional Yes  Knowledge a	give pertinent data bletions: Attach  Survey  and belief.  Advisor DA  @shell.com P.	ATE <u>April 8, 2010</u> HONE: <u>(303) 222-6347</u>	
13. Descri of star propose Pertinent dates  TD Date 1/22/09  Casing Details 10-3/4" 7-5/8" 4-1/2"  Latitude/Longit See Additional  Spud Date:  I hereby certify  CSIGNATURE  Type or print na For State Use 6  APPROVED B	ting any proposed sed completion or reare as follows:  TD 13,460  Set Date 9/24/08 10/4/08 2/01/09  sude location is: Not Details Attached 9-22-08  that the information of the informat	Backplug TD 13,868'  Interval 0-1,483' 0-6,078' 0-13,843'  orth 35.162697, W	No. of Comparison of Compariso	e all pertinent d IMAC. For Mu  Pletions  Cement 636sx 1,000sx 1,155sx 0 (NAD 83)  see Date:  the best of my k  FLE Senior I	etails, and g ltiple Comp  Directional Yes  Knowledge a	give pertinent data bletions: Attach  Survey  and belief.  Advisor DA  @shell.com P.	ATE April 8, 2010	

## ADDITIONAL DETAILS

Perf. Intervals	Perf. Date
11,776'-11,836'	11/14/09
12,604'-12,706'	11/13/09
13,006'-13,093'	11/12/09
13,180'-13,254'	11/11/09
13,290'-13,372'	11/10/09
13,402'-13,510'	09/27/09
13,722'-13,790'	09/27/09

State of New Mexico Energy, Minerals and Natural Resources Dept. Oil Conservation Division-District 4 1220 South St. Francis Drive Sante Fe, New Mexico 87505

Attn.: Ed Martin, District Supervisor

Shell Exploration & Production Co.

Regulatory Affairs-EP Americas 4582 S. Ulster Street Parkway Suite 1400 Denver, Colorado 80237

April 8, 2010

Subject: Subsequent Report of Completion

Shell Exploration & Production Co., Latigo Ranch 2-34 (API No. 30-019-20136)

Guadalupe County, New Mexico

Dear Mr. Martin:

Shell Exploration & Production Company (Shell), as service provider to SWEPI LP in New Mexico, is submitting our Subsequent Report (Form C-103) to provide completions data for the subject well to New Mexico Oil Conservation Division-District 4 (OCD) for your review and approval. Shell has performed the completions work and flow testing for this well, as specified in the approved APD, and is currently preparing the Well Completion or Recompletion Report and Log (Form C-105). Shell anticipates submitting the Well Completion or Recompletion Report and Log for this well, on or before April 30, 2010.

If you have any questions or require any additional information regarding these reports, please contact me at (303) 222-6347, or David Janney at Kleinfelder in Albuquerque at (505) 344-7373.

Regards,

Michael L. Bergstrom

Senior Regulatory Advisor

Shell Exploration & Production Company

Attachments: Form C-103 w/additional details attached