District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. 1st Street, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources

Form C-101 Revised March 17, 1999

Oil Conservation Divsiion 2040 South Pacheco

Submit to appropriate District Office State Lease - 6 Copies

Fee Lease - 5 Copies

2040 South Pache	co. Santa Fe.	NM 87	505		٠	Santa Fe,	NM	87505					-	
2070 000011 0010	, oui					·					[AME	NDED REPOR	
APPLIC	CATION	FO!	R PE	RMIT T	O DRI	LL, RE-E	NTE	R, DE	EPEN,	PLUGBA				
	tor Name an	d Address		² OGRID Number 16696				г						
OXY USA Inc.														
P.O. Box 50250 Midland, TX 79710-0250								30- 059-				³ API Number 2040 6 ^o Well No.		
⁴ Property Code ⁵ Proper 27111 Bravo Dome Carbon Di											202			
						⁷ Surface	Locat	ion						
UL or lot no. Section 7		Town	Township Range		Lot. Idn	Feet from	the	North/South Line		330		t/West line	County	
L _	L 20					231	2310		uth			west	Union	
			⁸ P	roposed l	Bottom	Hole Locati	on If	Differ	ent Fron	n Surface				
UL or lot no.	Section	Tow	ıship	Range	Lot. Idn	Feet from	the	North/S	outh Line			t/West line	County	
		9 Proj	osed Po	ool 1			¹⁰ Proposed Pool 2							
Bravo Dom	e Carbon	-			:	96010				•				
11 Work 7	11 Work Type Code			Well Type Co	¹³ Cable	/Rotary R		¹⁴ Le	ase Type Code		15 Ground Level Elevation 4943.9'			
¹⁶ Mu	N 16 Multiple			Proposed Dep	18 Form		19		Contractor		20 Spud Date			
No			2600			Tu				N/A		5/15/03		
				21	Propose	d Casing ar	nd Ce	ment P	rogram	<u>.</u>				
Hole S	Hole Size Casing Size				Casing	g weight/foot		Setting Depth		Sacks of Cement		Estimated TOC		
12-1/	/4"		8-5	/8"	24#		700'		300sx	300sx		Surface		
7-7/	8"		5-1/2"			5.9#FG/15.5#		2600		300sx		Surface		
		<u> </u>					<u> </u>							
											-			
		<u> </u>					<u> </u>							
Describe the	proposed pro	gram. I	f this ap	plication is	to DEEPEN	N or PLUG BAC	CK, giv	e the data	on the pre	esent productive	zone and	d proposed n	new productive zone	
Describe the blov	wout preventi	on prog	ram, if a	ny. Use add	litional shee	ets if necessary.								
						SEE ATT	ACHEL)						
²³ I hereby certify that the information given above is true and complete to the							OIL CONSERVATION DIVISION							
best of my knowledge and belief.								Approved by:						
Signature:	Suid Stor	/2n	4		a SI	<u>~</u>	-							
	Printed name: David Stewart Title: Sr. Regulatory Analyst							Title:						
Data				hone:	·		Approval Date: Expiration Date:							
1/2/	تحاص	~~2				Conditions of Approval:								
• -		915-685-5717					Attached							

ATTACHMENT C-101 BDCDGU 1934- 202

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210

District III

State of New Mexico
Energy, Minerals & Natural Resources Department

Revised October 18, 1994 Submit to Appropriate District Office

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Instructions on back State Lease - 4 Copies Fee Lease - 3 Copies

District IV 2040 South Pacheco, Santa Fe. NM 87505

1000 Rio Brazos Rd., Aztec, NM 87410

Form C-102

2010 30441 1241	icco, Santa 1	10, 14112 01300							، لــا	AMEN]	DED REPORT			
		WE	LL LO	CATIO	N AND	ACF	REAGE DEDI	CATION PI	LAT					
	API Numb	ег		Pool Co			Pool Name							
		9601	10		BRAVO DO	N DIOX	XIDE GAS							
Property Code						operty		Well Number						
2711		BI	RAVO	DOME				SAS UNIT	S UNIT 1934 202					
OGRID No.				O ₁		Elevatio 4943								
1669	0						A INC.	·····						
UL or lot no.	Section	Township	T Panes	1 14-	Sur Feet from		Location North/South line	Feet from the	East/West li					
UL or lot no.	1	1 *	Range	Lot Idn.							County			
L	20	19 N	34 E	ــــــــــــــــــــــــــــــــــــــ	2310		SOUTH	330'	WES	ST UNION				
UL or lot no.	Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Idn. Feet from the North/South line Feet from the East/West										County			
02 01 101 20.	500000	Township	lange	201 1011	Teet Hom	шс	North South Mie	reet nom the	East West II	ne	County			
Dedicated Acr	es Joint	or Infill (Consolidatio	n Code	Order No.									
640		<i>i</i>												
NO ALLO	WABLE V	WILL BE	ASSIGNE	D TO T	HIS COME	PLETIC	ON UNTIL ALL	INTERESTS I	LAVE BEE	N CO	NSOLIDATED			
		OR A	NON-ST	ANDARD	UNIT H	AS BE	EEN APPROVED	BY THE DIV	ISION					
20	į							OPER	ATOR C	ERTI	FICATION			
								11 '	I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.					
								l true and comp	piete to the bes	cormy ki	iowieage and belief.			
								- 1						
								li .		_	_			
								- 6	Par S.	D				
								Signature						
 					_1			Printed Nam		Stew	art			
					,			11	Regulat	ory	Analyst			
	ļ		31					Title	(_1	- >				
		310	5					Date	4/2/0	22				
 						1	·	CLIDA	EVOD O	EDTI	FICATION			
-330								11			FICATION shown on this plat			
NM-E NAD27						İ		was plotted fr	om field notes	of actual	surveys made by			
Lat - 35° 51'44.56" Lon -103° 21'18.39"									my supervision, the best of my		the same is true			
								11	March. 2		063			
								Date of Surve	y csate	پایداد نشد وی				
310′		_ · 						1	Seal of Profes	sional Su	rveyor \			
- 2:						ĺ		gessa	m. þn á	<i>rlsn</i> i 7911				
									/ /= /	للمستعلق	/ / 5/			
									E					

Certificate Number