Initial

Application Part I

Received 5/10/2021

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete

Revised March 23, 2017

6094

D8L82-210510-C-1080)
---------------------	---

REVIEWER:

RECEIVED:	_		_		
	5	/1	Λ	/71	
			U	1 7. 1	

TYPE: SWD

APP NO:

pBI

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Geological & Engineering Bureau –

1220 South St. Francis Drive, Santa Fe, NM 87505



	ADMINISTRATIVE AP		-	
	THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRAT REGULATIONS WHICH REQUIRE PROCES			ON RULES AND
Applicant:	Anthem Water Solutions, LLC		OGRID Nu	mber: <u>330069</u>
	Armadillo 362528 State SWD 1			
	evonian-Silurian		Pool Code	: 97869
SUBMIT ACC	CURATE AND COMPLETE INFORMATIO		OCESS THE TY	PE OF APPLICATION
	INDICA	TED BELOW		
1) TYPE OF A	PPLICATION: Check those which app	oly for [A]		
A. Loca	tion – Spacing Unit – Simultaneous De			
		\square NSP (proration unit	$\square SD$	
				SWD-2418
	ck one only for [I] or [II] Commingling – Storage – Measureme	nt		
[1]0			м	
[]	njection – Disposal – Pressure Increas			
	WFX PMX 🗙 SWD 🗌 IF	°I □EOR □PF	^R	
				FOR OCD ONLY
-	TION REQUIRED TO: Check those which	ch apply.		Notice Complete
	ffset operators or lease holders			- · ·
	oyalty, overriding royalty owners, reven oplication requires published notice	enue owners		Application
	otification and/or concurrent approv	val by SLO		Content
<u> </u>	otification and/or concurrent approv	-		Complete
	urface owner			
G.🕱 Fo	or all of the above, proof of notification	on or publication is	attached, c	and/or,
H. 🗌 No	o notice required			

3) CERTIFICATION: I hereby certify that the information submitted with this application for administrative approval is accurate and complete to the best of my knowledge. I also understand that no action will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Marshall Tippen

Print or Type Name

Signature

5/10/2021

Date

(972) 795-4201

Phone Number

mtippen@anthemwsllc.com

e-mail Address



4/16/2021

New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico, 87505

Re: Application of Anthem Water Solutions, LLC to drill and permit the saltwater disposal well Armadillo 362528 State SWD 1 located in Unit H, Section 36, Township 25 South, Range 28 East, NMPM, Eddy County, New Mexico.

To Whom it May Concern:

Please find the enclosed C-108 Application for Authority to Inject, supporting the above-referenced request for saltwater disposal. The well will be operated as a commercial endeavor offering operations in the area additional options for produced water disposal. Please find the enclosed C-108 Application for Authority to Inject along with supporting documents.

I would like to point out that this application for a proposed Devonian-Silurian SWD interval includes the following: Published legal notice ran 4/1/2021 in Carlsbad Current-Argus and all offset operators and other interested parties have been notified individually. The legal notice affidavit is included herein. This application also all information required for a completed Form C-108, as well as a wellbore schematic, area of review maps, affected party plat and other required and pertinent information. This well is located on state land and state minerals; a copy of the application has been sent to the appropriate regulatory bodies.

I respectfully request that the approval of this saltwater disposal well proceed swiftly and if your staff requires additional information or has any questions, please do not hesitate to call or email me.

Sincerely,

Marshall Tippen Anthem Water Solutions <u>mtippen@anthemwsllc.com</u> | (972) 795-4201

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

APPLICATION FOR AUTHORIZATION TO INJECT

	APPLICATION FOR AUTHORIZATION TO INJECT
I.	PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? X Yes No Storage
II.	OPERATOR: Anthem Water Solutions, LLC
	ADDRESS: 5914 W. Courtyard Drive, Suite 320, Austin TX 78730
	CONTACT PARTY: Marshall Tippen PHONE: (979) 795-4201
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project? Yes X No If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME: Marshall Tippen TITLE: Director of Engineering
	SIGNATURE:DATE:
	E-MAIL ADDRESS: mtippen@anthemwsllc.com

* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office.

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.

(4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Item III – Subject Well Data (Attachment 1)

A. Well Data

1) General Well Data

<u>Operator:</u> Anthem Water Solutions, LLC <u>Lease Name and Well Number:</u> Armadillo 362528 State SWD 1 <u>Location Footage Calls:</u> 2538' from FNL, 386' from FEL <u>Legal Location:</u> Unit H, Section 36, Township 25 South, Range 28 East, NMPM <u>Ground Elevation:</u> 2937 feet <u>Proposed Injection Interval:</u> 14,648 - 15,539 (open hole) <u>County:</u> Eddy

	Casing Information										
Туре	Conductor (1)	Surface (2)	Intermediate (3)	Production (4)	Liner (5)	Open Hole (6)					
OD	30"	16"	13 3/8"	9 5/8"	7 5/8"	N/A					
Weight	N/A	84 lb / ft	68 lb / ft	53.5 lb / ft	39 lb / ft	N/A					
Grade	N/A	J-55 BTC	L-80 EZ-GO FJ3	HCP-110 BTC	HCP-110 EZ- GO FJ3	N/A					
Hole Size	N/A	18 1/8"	14 3/4"	12 1/4"	8 1/2"	6 1/2"					
Depth Set Top	_	-	_	_	11,474	14,648					
Depth Set Bottom	120	975	2,700	11,674	14,648	15,539					
тос	Surf	Surf	Surf	Surface	TOL	N/A					
TOC Method	Circ	Circ	Circ	Circ	CBL	N/A					
Volume (Sacks)	250	490	481	481 3,440		N/A					
DV Tool 1	N/A	N/A	N/A	2,750	N/A	N/A					
DV Tool 2	N/A	N/A	N/A	8,352	N/A	N/A					

2) - 3) Casing , Tubing & Cement Information

Tubing Information									
Туре	Upper String (7)	Lower String (8)							
OD	5 1/2"	4 1/2"							
Weight	20 lb / ft	18 lb / ft							
Grade	HCL-80 BTC	HCL-80 LTC							
Hole Size	N/A	N/A							
Depth Set Top	-	11,374							
Depth Set Bottom	11,374	14,598							

*Wellbore Diagram Attached

4) Packer Information:

Arrowset AS1-X or equivalent packer set at approximately 14598 feet *Packer Schematic Attached

B. Completion Information

- Injection Formation Name: Devonian-Silurian
 Pool Name: SWD; Devonian-Silurian
 Pool Code: 97869
- 2) Injection Interval: 14,648 15,539 (open hole)
- 3) **Drilling Purpose:** Drilled for injection
- 4) **Overlying Oil and Gas Zones:** Below are approximate tops for known oil and gas producing zones in the area.
 - Delaware: 2650'
 - Bone Spring: 6554'
 - Wolfcamp: 9697'
 - Strawn: 12151'
 - Atoka: 12322'
 - Morrow: 12983'
- 5) Underlying Oil and Gas Zones: No underlying oil and gas zones exist.

Item V – Well and Lease Maps (Attachment 2)

- 1) 2-mile oil & Gas Well Map
- 2) 1-mile Well Detail List
- 3) 2-Mile Lease Map
- 4) 2-Mile Mineral Ownership Map
- 5) 2-Mile Surface Ownership map
- 6) 1.5-Mile Deep SWD Map (Devonian-Silurian)
- 7) Potash Lease Map

Item VI – AOR Well List (Attachment 2)

There have been 8 wells drilled within the 1-mile AOR. None of these wells nor any new or permitted wells penetrate the injection zone.

Item VII – Proposed Operation (Attachment 3)

- 1) Proposed Maximum Injection Rate: 30,000 bwpd Proposed Average Injection Rate: 15,000 bwpd
- 2) A closed system will be used.
- 3) Proposed Maximum Injection Pressure: 2929 psi (surface)
- 4) Proposed Average Injection Pressure: 1757 psi (surface)
- 5) **Source Water Analysis:** It is expected that the injected fluid will consist of water produced from the Wolfcamp and Bone Springs formations. Water samples from these formations are included in Attachment 3.
- 6) **Injection Formation Water Analysis:** The proposed SWD will be injecting water into the Devonian-Silurian formation which is a non-productive zone known to be compatible with formation water from the Wolfcamp and Bone Springs formations. Water analyses from the Devonian-Silurian formation in the area are included in attachment 3.

Item VIII – Geologic Description

The proposed injection interval includes the Devonian–Silurian formation from 14,648 feet to 15,539 feet. This formation consists of interbedded carbonate rocks consisting of dolomites and limestones with some interbedded siltstones and shales. Several thick sections of porous and permeable intervals capable of taking water are present within the subject formations in the area.

The base of the lowermost Underground Source of Drinking Water (USDW) is at a depth of approximately 950 feet. The USDW is covered by 16-inch casing set at 975 feet and cemented to surface, additionally the USDW is covered by intermediate casing set at 2700 feet and cemented to surface. Geophysical log assessment was conducted to accurately determine the top of the Rustler formation, as well as the top and base of the Salado formation in the area. Water well depths in the area range from approximately 70 feet – 300 feet below ground surface.

Item IX – Proposed Stimulation

A small cleanup acid job may be used to remove mud and drill cutting from the formation. However, no other formation stimulation is currently planned.

Item X – Logging and Test Data

Log data will be submitted to the OCD upon completion of this well.

Item XI – Fresh Groundwater Samples (Attachment 4)

Based on a review of the data from the New Mexico Office of State Engineer there are no fresh water wells within a 1-mile radius of the proposed location. As a result, no groundwater samples were obtained.

XII – No Hydrologic Connection Statement (Attachment 5)

Anthem has examined available geologic and engineering data, and has found no evidence of faulting present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing and cementing progam has been designed to further insure there will be no hydrologic connection between the injection interval and overlying USDWs. A letter from a knowledgeable and qualified expert stating that there is a low risk of seismic activity from the proposed injection activities is included in Attachment 5.

XIII – Proof of Notice (Attachment 6)

A Public Notice was filed with Carlsbad Current-Argus and an affidavit is included in Attachment 6.

A copy of the application was mailed to the OCD District Office, landowners, appropriate regulatory bodies, and leasehold operators within a 1-mile radius of the proposed SWD location. A list of recipients, as well as delivery confirmations, is included in Attachment 6.

Attachments Table of Content:

Attachment 1:

C-102

Proposed Wellbore Diagram

Packer Schematic

Attachment 2:

2-mile Oil & Gas Well Map

1-mile Well Detail List

2-Mile Lease Map

2-Mile Mineral Ownership Map

2-Mile Surface Ownership map

1.5-Mile Deep SWD Map (Devonian-Silurian)

Potash Lease Map

Attachment 3:

Source Water Analysis

Formation Water Analysis

Attachment 4:

1-Mile Fresh Ground Water Map

Fresh Ground Water Samples

Attachment 5:

Letter of Seimic Activity

Attachment 6:

Public Notice Affidavit

List of Notification Applicants & Delivery Confirmations

Attachment 1: Form C-102

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

1	API Numb	er		² Pool Coo	le	³ Pool Name						
30-0	15-XXX	XX	X 97869 SWD; Devonian-Silurian									
⁴ Property	⁴ Property Code ⁵ Property Name									Well Number		
		Armadi	llo 36252	28 State SW	'D				1			
⁷ OGRID	No.				⁸ Operator	Name				⁹ Elevation		
330069		Anthem	Water S	olutions, L	LC				293	7		
	¹⁰ Surface Location											
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/	West line	County		
Н	36	258	28E		2538	North	386	East		Eddy		
			11 Bot	tom Hol	e Location If	Different From	n Surface					
UL or lot no.	Section	Township	wnship Range Lot Idn Feet from the North/South line Feet from the East							County		
¹² Dedicated Acres	edicated Acres ¹³ Joint or Infill ¹⁴ Consolidation Code ¹⁵ Order No.											

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

D	С	В	A 25.	 ¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
E	F <u>GEODET</u> NAD 83 GRID		H H	Signature Date Printed Name E-mail Address
L	K J Armadillo 362528 State SWD :		38	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
M	LAT = 32.086625 N LONG = -104.03332 W N O		Ρ	Date of Survey Signature and Seal of Professional Surveyor: PRELIMINARY Certified survey to be conducted and submitted upon C-108 approval. Certificate Number

Attachment 1: Proposed Wellbore Diagram




AS1-X MECHANICAL PACKER

The ACT AS1-X Packer is the most versatile of the mechanically set retrievable packers and may be used in any production application. Treating, testing, injecting, pumping wells, flowing wells, deep or shallow, the AS1-X is suited for all. The packer can be left in tension or compression, depending on well conditions and the required application. A large internal by-pass reduces swabbing when running and retrieving. The by-pass closes when the packer is set and opens prior to releasing the upper slips when retrieving to allow pressure equalization.

The J-slot design allows easy setting and releasing; 1/4 turn right-hand set, right-hand release. A patented upper-slip releasing system reduces the force required to release the packer. A non directional slip is released first, making it easier to release the other slips. The AS1-X packer can withstand 7,000 psi (48 MPa) of differential pressure above or below.

FEATURES, ADVANTAGES AND BENEFITS:


- The design holds high differential pressure from above or below, enabling the packer to meet most production, stimulation, and injection needs
- The packer can be set with compression, tension, or wire line, enabling deployment in shallow and deep applications
- . The packer can be set and released with only a one-quarter turn of the tubing
- The bypass valve is below the upper slips so that debris are washed from the slips when the valve is opened, reducing the times for circulation and total retrieval




Attachment 2: 1-mile Well Detail List


Well Name	API #	Well Type	Well Status	Operator	Spud Date	Location (Sec, Tn, Rg)	Total Vertical Depth	Penetrate Inj Zone
YADDOCK BQY STATE #001H	30-015-38262	Oil	Active	EOG RESOURCES INC	11/30/2010	H-36-25S-28E	6,879	No
TROJANS BQT STATE #001H	30-015-38261	Oil	Active	EOG RESOURCES INC	11/30/2010	P-36-25S-28E	6,775	No
PRE-ONGARD WELL #001	30-015-25563	OIL	Plugged (site released)	PRE-ONGARD WELL OPERATOR (Max Wilson Inc)	1/31/1986	F-31-25S-29E	4,795	No
COOPER 31 FEDERAL #001H	30-015-36282	Oil	Active	Conoco Phillips (Previously COG)	5/25/2008	A-31-25S-29E	7,925	No
PRE-ONGARD WELL #001	30-015-20156	01	Plugged (site released)	PRE-ONGARD WELL OPERATOR (Duncan Drilling Co)	7/24/1968	I-31-25S-29E	2,955	No
PUDGE FEDERAL #021H	30-015-45045	Gas	Active	Conoco Phillips (Previously COG)	6/28/2018	P-31-25S-29E	8,446	No
COOPER 31 FEDERAL #003H	30-015-37749	Oil	Active	Conoco Phillips (Previously COG)	1/20/2011	H-31-25S-29E	7,061	No
COOPER 31 FEDERAL #004H	30-015-39343	Oil	Active	Conoco Phillips (Previously COG)	10/3/2011	I-31-25S-29E	6,910	No


Attachment 2: 2-Mile Oil & Gas Lease Map




Attachment 2: Mineral Ownership Map










	Injection Formation Water Analysis												
-					Ant	hem W	ater Solu	tions. LL	C.				
Well Name	API	Latitude	Longitude	Section	Township		County	State	Field	Formation	TDS (Mg/L)	Bicarbonate (MG/L)	Sulfate (Mg/L)
PRE-ONGARD WELL #001	30-015-02416	32.5527229			205	28E	Eddy	NM		DEVONIAN	39,605	810	1,618
PRE-ONGARD WELL #001	30-015-02475	32.4421539			215	28E	Eddy	NM		DEVONIAN	50,026	762	1,150
PRE-ONGARD WELL #001	30-015-03537	32.6839676			195	29E	Eddy	NM		DEVONIAN	29,011	520	1,500
WHITE CITY PENN GAS COM UNIT 1 #001	30-015-00408	32.1937523			245	26E	Eddy	NM	WHITE CITY	DEVONIAN	#N/A	653	1,336
REMUDA BASIN UNIT #001	30-015-03691	32.2886238	-103.9360428		235	29E	Eddy	NM	REMUDA	DEVONIAN	271.010	130	100
BIG EDDY SWD #001	30-015-05819	32.5968154	-103.8504983		205	31E	Eddy	NM	SWD	DEVONIAN	137,989	1,420	1,751
COTTON DRAW UNIT #084	30-015-29728	32.1592751	-103.7438736		255	31E	Eddy	NM	PADUCA	DEVONIAN	85,799	59	389
COTTON DRAW UNIT #076	30-015-29252	32.1565857	-103.737999		255	31E	Eddy	NM	PADUCA	DEVONIAN	128,947	317	481
COTTON DRAW UNIT #086	30-015-29850	32.1446877		12	255	31E	Eddy	NM	PADUCA	DEVONIAN	131,450	353	542
Source Water Analysis													
					Ant	hem W	ater Solu	tions, LL	С				
Well Name	API	Latitude	Longitude	Section	Township	Range	County	State	Field	Formation	TDS (Mg/L)	Bicarbonate (MG/L)	Sulfate (Mg/L)
PRE-ONGARD WELL #001	30-015-02416	32.5527229	-104.1623917	22	20S	28E	Eddy	NM		WOLFCAMP	55,965	252	2,260
PRE-ONGARD WELL #004	30-015-02280	32.6479454	-104.1791229	21	19S	28E	Eddy	NM	MILLMAN EAST	WOLFCAMP	118,720	2,700	1,080
SERRANO 29 FEDERAL #001H	30-015-37763	32.1901523	-104.2192003		24S	27E	Eddy	NM	SULPHATE DRAW	WOLFCAMP	102,136	183	#N/A
HABANERO 17 FEDERAL COM #001H	30-015-36108	32.2218759	-104.2189611	17	24S	27E	Eddy	NM	BLACK RIVER	WOLFCAMP	108,205	146	#N/A
WHITE CITY PENN GAS COM UNIT 1 #001	30-015-00408	32.1937523	-104.3088455		24S	26E	Eddy	NM	WHITE CITY	WOLFCAMP	#N/A	653	1,336
STATE AC COM #001	30-015-22299	32.5572166	-104.1806107	21	20S	28E	Eddy	NM	BURTON FLAT	WOLFCAMP	144,926	37	1,350
PURE GOLD C-17 FEDERAL #002	30-015-26021	32.3057258	-103.7987356	17	23S	31E	Eddy	NM	SAND DUNES WEST	WOLFCAMP	11,361	1,708	#N/A
PARKWAY WEST UNIT #015	30-015-32363	32.6353531	-104.0734329	28	19S	29E	Eddy	NM	PARKWAY WEST UNIT #015	BONE SPRING	215,934	98	702
APACHE 25 FEDERAL #009	30-015-32797	32.361248	-103.8309479	25	22S	30E	Eddy	NM	APACHE 25 FEDERAL #009	BONE SPRING	160,590	146	856
TODD 22 G FEDERAL #007	30-015-32881	32.2917137	-103.7635422	22	23S	31E	Eddy	NM	TODD 22 G FEDERAL #007	BONE SPRING	269,658	37	10
PARKWAY #021	30-015-32686	32.6253433	-104.0725937	28	19S	29E	Eddy	NM	PARKWAY #021	BONE SPRING	214,972	85	715
TODD 15 M FEDERAL #013	30-015-33118	32.2989769	-103.7720947	15	23S	31E	Eddy	NM	TODD 15 M FEDERAL #013	BONE SPRING	292,473	85	490
APACHE 25 FEDERAL #005	30-015-32720	32.3612404	-103.8266678	25	22S	30E	Eddy	NM	APACHE 25 FEDERAL #005	BONE SPRING	300,667	61	17
STRAWBERRY 7 FEDERAL #003	30-015-37171	32.6812553	-103.9148483	7	19S	31E	Eddy	NM	STRAWBERRY 7 FEDERAL #003	BONE SPRING	185,540	183	600
STRAWBERRY 7 FEDERAL #007	30-015-38485	32.6812526	-103.9012376	7	19S	31E	Eddy	NM	STRAWBERRY 7 FEDERAL #007	BONE SPRING	187,930	98	940
REMUDA BASIN UNIT #001	30-015-03691	32.2886238	-103.9360428	24	23S	29E	Eddy	NM	REMUDA BASIN UNIT #001	BONE SPRING	271,010	130	100
JONES FEDERAL B #003	30-015-10394	32.6405487	-103.8334885	23	19S	31E	Eddy	NM	JONES FEDERAL B #003	BONE SPRING	178,015	305	721
LONETREE STATE #001	30-015-21920	32.478508	-104.1454086	13	215	27E	Eddy	NM	LONETREE STATE #001	BONE SPRING	244,966	122	1,013
FEDERAL HJ-27 #001	30-015-25780	32.6335258	-103.863533	27	19S	31E	Eddy	NM	FEDERAL HJ-27 #001	BONE SPRING	176,639	305	530
HANLEY FEDERAL #001	30-015-26068	32.7674713	-103.9105911	7	18S	31E	Eddy	NM	HANLEY FEDERAL #001	BONE SPRING	204,076	293	1,515
ALLIED 7 FEDERAL #001	30-015-25900	32.7638435	-103.9067764	7	18S	31E	Eddy	NM	ALLIED 7 FEDERAL #001	BONE SPRING	225,562	122	740
APACHE 25 FEDERAL #002	30-015-27478	32.3576164	-103.8298492	25	225	30E	Eddy	NM	APACHE 25 FEDERAL #002	BONE SPRING	9,546	183	51
ORE IDA 14 FEDERAL #009	30-015-29278	32.2118607	-103.9491348	14	24S	29E	Eddy	NM	ORE IDA 14 FEDERAL #009	BONE SPRING	190,367	244	539
H B 11 FEDERAL #003	30-015-29249	32.2272186	-103.9569855		24S	29E	Eddy	NM	H B 11 FEDERAL #003	BONE SPRING	195,306	256	650
HACKBERRY 18 FEDERAL #001	30-015-29780	32.654953	-103.9065323	18	19S	31E	Eddy	NM	HACKBERRY 18 FEDERAL #001	BONE SPRING	180,325	85	850
WEST SHUGART 19 FEDERAL #002	30-015-30780	32.7271385	-103.9094238	19	18S	31E	Eddy	NM	WEST SHUGART 19 FEDERAL #002	BONE SPRING	144,906	390	850
WEST SHUGART 30 FEDERAL #003	30-015-30776	32.7247467	-103.9067154	30	18S	31E	Eddy	NM	WEST SHUGART 30 FEDERAL #003	BONE SPRING	136,715	244	675
ROOKIE STATE #001	30-015-10060	32.4134165	-104.3325848	7	22S	26E	Eddy	NM	ROOKIE STATE #001	BONE SPRING	67,985	61	1,148

Attachment 4: 1-mile Fresh Water Map and Tabular List



	Water Well Sampling Rational									
	Armadillo 362528 State SWD 1									
Water Wells	Water Wells Owner Available Contact Information Use Sampling Required Notes									
There are no f	resh water wells within a 1-mile	e radius								



NM Oil Conservation Division 1220 S. St. Francis Dr. Santa Fe, NM 87505

> Re: Geology Statement Anthem Water Solutions, LLC Armadillo 362528 State SWD No. 1 Section 36, T. 25S, R. 28E Eddy County, New Mexico

To whom it may concern:

Publicly available geologic and engineering data related to the proposed well have been thoroughly reviewed, and no evidence for open faults or any other hydrologic connection between the proposed Devonian-Silurian injection zone and any underground sources of drinking water has been found. Please see the attached seismic risk assessment for additional information.

Sincerely,

Cory Walk

Cory Walk Geologist

Seismic Risk Assessment Anthem Water Solutions, LLC Armadillo 362528 State SWD No. 1 Section 36, Township 25 South, Range 28 East Eddy County, New Mexico

Cory Walk, M.S.

Cory Walk

Geologist Permits West Inc.

April 2, 2021

GENERAL INFORMATION

Armadillo 362528 State SWD No. 1 is located in the NE 1/4, section 36, T25S, R28E, about 10 miles south of Malaga, NM in the Permian Basin. Anthem Water Solutions proposes the injection zone to be within the Devonian-Silurian formation through an open hole from 14,648'-15,539' below ground surface. This report assesses any potential concerns relating to induced seismicity along deep penetrating Precambrian faults or the connection between the injection zone and known underground potable water sources.

SEISMIC RISK ASSESSMENT

Historical Seismicity

Searching the USGS earthquake catalog resulted in no (0) earthquakes above a magnitude 2.5 within 6 miles (9.7 km) of the proposed deep disposal site since 1970 (Fig. 1). The nearest earthquake occurred on July 14, 2020 about 15.5 miles (~24.9 km) east of the proposed SWD site and had a magnitude of 2.5.

Basement Faults and Subsurface Conditions

A structure contour map (Fig. 1) of the Precambrian basement shows the Armadillo 362528 State SWD #1 is approximately 2.4 miles from the nearest basement-penetrating fault inferred by Ewing et al (1990). **Information about nearby faults is listed in Table 1**.

Snee and Zoback (2018) state, "In the western part of Eddy County, New Mexico, S_{Hmax} is ~northsouth (consistent with the state of stress in the Rio Grande Rift; Zoback and Zoback, 1980) but rotates to ~east-northeast-west-southwest in southern Lea County, New Mexico and the northernmost parts of Culberson and Reeves counties, Texas." Around the Armadillo 362528 State SWD site, Snee and Zoback indicate a S_{Hmax} direction of N035°E and an A_{ϕ} of 0.52, indicating an extensional (normal) stress regime.

Induced seismicity is a growing concern of deep SWD wells. Software developed by the Stanford Center for Induced and Triggered Seismicity allows for the probabilistic screening of deeply penetrating faults near the proposed injection zone (Walsh et al., 2016; Walsh et al., 2017). This software uses parameters such as stress orientations, fault strike/dip, injection rates, fault friction coefficients, etc. to estimate the potential for fault slip. Using the best available data as input parameters (Table 2) including the subject well injecting at 30,000 bbls/day and all other existing and proposed SWDs within a 10 mile radius also injecting at 30,000 bbls/day (67 total SWD wells), the Fault Slip Potential (FSP) models suggest a zero (0.00) percent chance of slip on nearby faults, inferred by Ewing et al (1990), through the year 2045 (Fig. 2; Table 1). This model also suggests a pore pressure increase of 1160.9 psi on the nearest fault (Fault 6; Fig. 3; Table 1) by the year 2045. Geomechanical modeling shows that the primary fault of concern (fault 5) would need a pressure increase of 5008 psi to reach a 100% probability of slip on the fault. Even a 50% probability requires an increase of 2581 psi which is approximately 2x greater than the modeled increase of 1126 psi (Fig. 3).

GROUNDWATER SOURCES

Quaternary Alluvium acts as the principal aquifer used for potable ground water near the Armadillo 362528 State SWD #1 location (Hendrickson and Jones, 1952). Nicholson and Clebsch (1961) state, "Potable ground water is not available below the Permian and Triassic unconformity but, because this boundary is not easily defined, the top of the Rustler anhydrite formation is regarded as the effective lower limit of 'potable' ground water." Around the Armadillo 362528 State SWD #1, the top of the Rustler Formation lies at a depth of approximately 950' bgs.

VERTICAL MIGRATION OF FLUIDS

Thick permeability barriers exist above (Woodford shale; 134 ft thick) and below (Simpson Group; 291 ft thick) the targeted Devonian-Silurian injection zone (Plate 2, Comer et al., 1991; Fig. 8, Frenzel et al., 1988). Precambrian structure contours (Ruppel, 2009) show the basement to be at a depth of approximately 17,170' in this area. Therefore, the injection zone lies approximately 1,630' above the Precambrian basement and approximately 13,700' below the previously stated lower limit of potable water at the top of the Rustler anhydrite formation. The stratigraphy suggests that the Woodford Shale and Simpson Group are adequate confining barriers that would prevent the vertical migration of injected fluids.

CONCLUDING STATEMENT

After examination of publicly available geologic and engineering data, there is no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.




Figure 1. Structural contour map of the Precambrian basement in feet below sea level. Red lines represent the locations of Precambrian basement-penetrating faults (Ewing et al., 1990). Purple and orange lines represent the locations of basement-penetrating faults inferred by Todd Reynolds representing NGL in NMOCD Case Nos. 20141 and 21090. The Armadillo 362528 State SWD #1 well lies ~2.4 miles northeast of the closest deeply penetrating fault and ~15.5 miles west of the closest historic earthquake.

	Table 1: Nearby Basement Fault Model Results										
Fault Number	Distance to proposed SWD (mi)	Strike (°)	Dip (°)	FSP	Δ Pore Pressure after 25 years (psi)	Δ Pore Pressure needed for 100% FSP (psi)	Δ Pore Pressure needed for 50% FSP (psi)				
6	2.4	326	50-90	0.00	1160.9	5220.4	2890.7				
5	2.5	317	50-90	0.00	1125.7	5007.6	2581.3				

Faults	Value	Notes		
Friction Coefficient	0.58	Ikari et al. (2011)		
Dip Angle (deg)	70	Snee and Zoback (2018)		
Stress				
Vertical stress gradient (psi/ft)	1.1	Hurd and Zoback (2012)		
Max Horizontal Stress Direction (deg)	35	Snee and Zoback (2018)		
Depth for calculations (ft)	15500	Proposed injection zone		
Initial Reservoir Pressure Gradient (psi/ft)	0.7	calculated from mud wt (ppg) used in drilling at these depths		
A Phi Parameter	0.52	Snee and Zoback (2018)		
Reference Friction Coefficient	0.58	Ikari et al. (2011)		
Hydrology				
Aquifer thickness (ft)	900	Proposed injection zone		
Porosity (%)	6			
Permeability (mD)	150			
Injection Rate (bbl/day)	30000	Maximum proposed injection rate		

 Table 2: Fault Slip Potential model input parameters



Figure 2. Precambrian fault map. Faults are colored based on probability of fault slip as modeled using Fault Slip Potential software (Walsh and Zoback, 2016). Labeled values represent the calculated fault slip potential using the parameters indicated in Table 2. Contours show the top of the Precambrian basement in feet below sea level.




Figure 3. A) Plot showing the modeled change of pore pressure on nearby faults through time as a response to the proposed SWD well. B) Plot showing the required pore pressure increase needed to produce specific probabilities of fault slip on nearby faults.

References Cited

- Comer, J. B., 1991, Stratigraphic Analysis of the Upper Devonian Woodford Formation, Permian Basin, West Texas and Southeastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology, Report of Investigations No. 201, 63 p.
- Ewing, T. E., 1990, The tectonic map of Texas: Austin, Bureau of Economic Geology, The University of Texas at Austin.
- Frenzel, H. N., Bloomer, R. R., Cline, R. B., Cys, J. M., Galley, J. E., Gibson, W. R., Hills, J. M., King, W. E., Seager, W. R., Kottlowski, F. E., Thompson, S., III, Luff, G. C., Pearson, B. T., and Van Siclen, D. C., 1988, The Permian Basin region, in Sloss, L. L., ed., Sedimentary cover—North American Craton, U.S.: Boulder, Colorado, Geological Society of America, The Geology of North America, v. D-2, p. 261–306.
- Hendrickson, G. E., and Jones, R. S., 1952, Geology and Ground-Water Resources of Eddy County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-Water Report 3, 179 pp., 6 plates.
- Hurd, O; Zoback, MD, 2012, Intraplate earthquakes, regional stress and fault mechanics in the Central and Eastern U.S. and Southeastern Canada. Tectonophysics, 581:182-92.
- Ikari, M. J.; C. Marone, and D. M. Saffer, 2011, On the relation between fault strength and frictional stability, Geology, 39, 83–86.
- Nicholson, A., Jr., and Clebsch, A., Jr., 1961, Geology and ground-water conditions in southern Lea County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-Water Report 6, 123 pp., 2 plates.
- Ruppel, S.C., 2009, Integrated synthesis of the Permian basin: data and models for recovering existing and undiscovered oil resources from the largest oil-bearing basin: U.S. Oil & Natural Gas Technology, Bureau Economic Geology, The University of Texas at Austin, p. 1-959.
- Snee, J.-E.L., Zoback, M.D., 2018, State of stress in the Permian Basin, Texas and New Mexico: Implications for induced seismicity: Leading Edge, v. 37, p. 127–134.
- Walsh, F. R., and Zoback, M. D., (2016) Probabilistic assessment of potential fault slip related to injection induced earthquakes: Application to north central Oklahoma, USA, Geology, Data Repository item 2016334, doi:10.1130/G38275.1
- Walsh, F. R., Zoback, M. D., Pais, D., Weingarten, M., and Tyrrell, T. (2017) FSP 1.0: A Program for Probabilistic Estimation of Fault Slip Potential Resulting From Fluid Injection, User Guide from the Stanford Center for Induced and Triggered Seismicity, available at SCITS.Stanford.edu/software
- Zoback, M. L., and M. D. Zoback, 1980, State of stress in the conterminous United States: Journal of Geophysical Research, 85, no. B11, 6113–6156, https://doi.org/10.1029/JB085iB11p06113.




Exhibit 4: Generic Stratigraphic Chart

Attachment 6: List of Notification Applicants & Delivery Confirmations

Ranch Water State SWD #1 - Notice of Application Receipts						
Entity	Address	City	State	Zip Code		
Landowner and Mineral Owner						
New Mexico State Land Office	310 Old Santa Fe Trail	Santa Fe	NM	87501		
OCD District						
NMOCD District 2	811 S. First St	Artesia	NM	88210		
Leasehold Operators (1-mile)						
EOG Resources Inc (NMNM 100555)	P.O Box 4362	Houston	ΤХ	77210		
Conoco Phillips (NMNM 118113)	925 N Eldridge Parkway	Houston	ТΧ	77079		
Oxy USA Inc (NMNM 013413A, NMNM 012559)	5 Greenway Plaza Ste 110	Houston	ТΧ	77046		
XTO Holdings LLC (NMNM 115416)	22777 Springwoods Village Pkwy	Spring	ТΧ	77389		
WPX Energy Permian, LLC (NMNM 120889)	3500 One Williams Ctr	Tulsa	OK	74172		
Endeavor Energy Resources LP (NMNM 088128)	110 N Marienfeld #200	Midland	ТΧ	79701		
Notes: The table above shows the Entities who were idenfified as parties of interest requiring notification on either the 1-mile well detail list (Attachment 2) or on the 2-mile						
Mineral Lease Map (Attachment 2).						

Carlsbad Current Argus.

Affidavit of Publication Ad # 0004716524 This is not an invoice

ANTHEM WATER SOLUTIONS, LLC 5914 W. COURTYARD DR, STE 320

AUSTIN, TX 78730

I, a legal clerk of the Carlsbad Current Argus, a newspaper published daily at the City of Carlsbad, in said county of Eddy, state of New Mexico and of general paid circulation in said county; that the same is a duly qualified newspaper under the laws of the State wherein legal notices and advertisements may be published; that the printed notice attached hereto was published in the regular and entire edition of said newspaper and not in supplement thereof on the date as follows, to wit:

05/02/2021

Legal Clerk

Subscribed and sworn before me this May 6, 2021:

State of WI, County of Brown NOTARY PUBLIC

My commission expires

SHELLY HORA Notary Public State of Wisconsin

Ad # 0004716524 PO #: ANTHEM WATER SOLUTIONS, LLC # of Affidavits: 1

This is not an invoice

APPLICATION FOR AUTHOR-ITY TO INJECT To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHOR-ITY TO INJECT as follow: PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells. WELL NAME AND LOCA-TION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line &

386' from East Line, Eddy County, New Mexico. NAME AND DEPTH OF DIS-POSAL ZONE: Devonian-Silurian (14,648'-15,539') EXPECTED MAXIMUM IN-JECTION RATE: 30,000

barrels/day EXPECTED MAXIMUM IN-JECTION PRESSURE: 2929 psi

(surface) Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220

South St. Francis Dr., Santa Fe, New Mexico 87505. Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

#0004716524, Current Argus, May 2, 2021



New Mexico State Land Office 310 Old Santa Fe Trail Santa Fe, NM 87501

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



NMOCD District 2 811 S. First St Artesia, NM 88210

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



EOG Resources Inc P.O Box 4362 Houston, TX 77210

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



Conoco Phillips 925 N Eldridge Parkway Houston, TX 77079

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



Oxy USA Inc 5 Greenway Plaza Ste 110 Houston, TX 77046

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



XTO Holdings LLC 22777 Springwoods Village Pkwy Spring, TX 77389

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



WPX Energy Permian, LLC 3500 One Williams Ctr Tulsa, OK 74172

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen



Endeavor Energy Resources LP 110 N Marienfeld #200 Midland, TX 79701

APPLICATION FOR AUTHORITY TO INJECT

To Whom it May Concern,

NOTICE IS HEREBY GIVEN; That Anthem Water Solutions, LLC, 5914 W. Courtyard Dr., Suite 320, Austin Texas, 78730, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORITY TO INJECT as follow:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Armadillo 362528 State SWD 1 Located 10 Miles SSE of Malaga, NM. SE 1/4 of the NE 1/4 Section 36, Township 25S, Range 28E, 2538' from North Line & 386' from East Line, Eddy County, New Mexico.

NAME AND DEPTH OF DISPOSAL ZONE: Devonian-Silurian (14,648' - 15,539')

EXPECTED MAXIMUM INJECTION RATE: 30,000 barrels/day

EXPECTED MAXIMUM INJECTION PRESSURE: 2929 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objections or requests for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Marshall Tippen (972) 795-4201.

Marshall Tippen

New Mexico State Land Office 310 Old Santa Fe Trail Santa Fe, NM 87501



NMOCD District 2 811 S. First St Artesia, NM 88210



EOG Resources Inc P.O Box 4362 Houston, TX 77210

485	U.S. Postal Service [™] CERTIFIED MAIL [®] RECEIPT Domestic Mail Only
Ŧ	For delivery information, visit our website at www.usps.com [®] .
375	HougorFF72CIALUSE
	\$ \$3.50
	Extra Services & Fees (check box, add fee as appropriate)
350	Adult Signature Restricted Delivery \$ Postage
	\$ \$0.55 Total Postage and Fees \$ \$4.15 \$ \$4.15
7027	Sent To BOX 4362 Street and Apt. No., or PO Box No. HOWANT TX 77210 City, State, ZIP+4*
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Conoco Phillips 925 N Eldridge Parkw Houston, TX 77079



Oxy USA Inc 5 Greenway Plaza Ste 110 Houston, TX 77046



XTO Holdings LLC 22777 Springwoods Village Pkwy Spring, TX 77389



WPX Energy Permian, LLC 3500 One Williams Ctr Tulsa, OK 74172

	U.S. Postal Service [™] CERTIFIED MAIL [®] RECEIPT Domestic Mail Only
5	For delivery information, visit our website at www.usps.com [®] .
5	OFFICAL USE
111	Certified Mail Fee (3, 50) \$ (1, 10) Extra Services & Fees (check box, add fee es appropriate) SdS0-16282
0000	Return Receipt (hardcopy) S SIT (11) Postmark Certified Mall Restricted Delivery S In 111 Here
	Adult Signature Required s 4.1 MAY 4 2021
0350	Postage \$().55 3 3 3115/114/2021
	Total Postage and Fees Total Postage an
7021	Sent To 3500 One Williams Cfr
r-	City, State, ZIP+4®
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Endeavor Energy Resources LP 110 N Marienfeld #200 Midland, TX 79701

