District I (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 District II (575) 748-1283 811 S. First St., Artesia, NM 88210 District III (505) 334-6178 1000 Rio Brazos Road, Aztec, NM 87410 District IV (505) 827-8198 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-106 Revised August 1, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

ACT Permit No.

NOTICE OF INTENTION TO UTILIZE AUTOMATIC CUSTODY TRANSFER EQUIPMENT

Operator LOGOS Operating, LLC	
Address 2010 Afton Place, Farmington, NM 87401	County San Juan
Lease(s) to be served by this ACT UnitFederal Lease NMNM18	463 and Federal CA NMNM141953
Pool(s) to be served by this ACT Unit <u>Basin Mancos (97232)</u>	
Location of ACT System: Unit <u>H</u> Section <u>3</u> Order No. authorizing commingling between leases if more than one	
CTB-935	Date 3/21/2020
Order No. authorizing commingling between pools if more than one p	pool is to be served by this system
_N/A	Date
Authorized transporter of oil from this system Whiptail Midstream,	LLC
Transporter's address 15 West 6th Street, Tulsa, OK 74119	
Maximum expected daily through-put for this system: 2000 BB. If system fails to transfer oil due to malfunction or otherwise, waste b CHECK ONE: A. Automatic shut-down facilities B. as required by 19.15.18.15.C(8) NMAC If "A" above is checked, will flowing wells be shut-in at the header may be a shut-in at t	Providing adequate available capacity to receive production during maximum unattended time of lease operation 19.15.18.15.C(9) NMAC
	Maximum well-head shut-in pressure
If "B" above is checked, how much storage capacity is available above	re the normal high working level of the
surge tank2400BBLS. What is the normal maximum unattended time of lease operation? What device will be used for measuring oil in this ACT unit? CHECK ONE: Positive displacement meter Positive volume metering chamber	Sixteen (16) Hours. ☐ Weir-type measuring vessel ☐ Other; describe Coriolis Meter
Remarks: This LACT will be selling to pipeline.	
OPERATOR: I hereby certify above information is true and complete to best of my knowledge and subject ACT system will be installed and operated in accordance with Rule 19.15.18.15 NMAC. Approval of this Form	l
C-106 does not eliminate necessity of an approved C-104 prior to running any oil or gas from this system.	Approved by: Dean R Milline
Signature Jan Serve	Title: Petroleum Engineer
Printed Name & Title Tamra Sessions	Date: 05/21/2021
Email Address tsessions@logosresourcesllc.com	C106-900
Date 4/20/2021 Telephone 505-324-4145	3100 000

<u>INSTRUCTIONS</u>: Submit one copy of Form C-106 with following attachments to appropriate district office.

- 1) Lease plat showing all wells which will be produced in ACT system.
- 2) Schematic diagram of battery and ACT equipment showing all major components and means employed to prove accuracy of measuring device.
- 3) Letter from transporter agreeing to utilization of ACT system as shown on schematic diagram.

NOTICE OF INTENTION TO UTILIZE CUSTORY TRANSFER EQUIPMENT OMEGA 2308 03 PIPELINE LACT UNIT

WELLS TO BE SERVED BY PIPELINE LACT UNIT:

Chaco 23 08 03 1H / API #30-045-35647 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM Chaco 23 08 03 2H / API #30-045-35646 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM Chaco 23 08 03 3H / API #30-045-38171 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM Zeus 2308 03 4H / API #30-045-38179 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM Omega 2308 03 5H / API #30-045-38180 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM

19.15.18.15 AUTOMATIC CUSTODY TRANSFER EQUIPMENT:


A. Oil shall be received and measured in facilities of an approved design. The facilities shall permit the testing of each well at reasonable intervals and may be comprised of manually gauged, closed stock tanks for which the operator of the ACT system has prepared proper strapping tables, or of ACT equipment. The division shall permit ACT equipment's use only after the operator complies with the following. The operator shall file with the division form C-106 and receive approval for use of the ACT equipment prior to transferring oil through the ACT system. The carrier shall not accept delivery of oil through the ACT system until the division has approved form C-106.


- See flow process diagram attached.
- **B.** The operator of the ACT system shall submit form C-106 to the appropriate division district office, which is accompanied by the following:
 - (1) plat of the lease showing all wells that the any well operator will produce into the ACT system;
 - Attached as part of Form C-106 Notice of Intent.
 - (2) schematic diagram of the ACT equipment, showing on the diagram all major components such as surge tanks and their capacity, extra storage tanks and their capacity, transfer pumps, monitors, reroute valves, treaters, samplers, strainers, air and gas eliminators, back pressure valves and metering devices (indicating type and capacity, *i.e.* whether automatic measuring tank, positive volume metering chamber, weir-type measuring vessel or positive displacement meter); the schematic diagram shall also show means employed to prove the measuring device's accuracy; and
 - Attached as part of Form C-106 Notice of Intent.
 - (3) letter from transporter agreeing to utilization of ACT system as shown on schematic diagram.
 - Attached as part of Form C-106 Notice of Intent.
- **C.** The division shall not approve form C-106 unless the operator of the ACT system will install and operate the ACT system in compliance with the following requirements.
 - (1) Provision is made for accurate determination and recording of uncorrected volume and applicable temperature, or of temperature corrected volume. The system's overall accuracy shall equal or surpass manual methods.
 - The LACT system is more accurate when compared to manual tank. It is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The LACT also has a temperature RTD which will be calibrated semi-annually, unless more frequent verification is requested by the division.
 - (2) Provision is made for representative sampling of the oil transferred for determination of API gravity and BS&W content.
 - The LACT is equipped with a flow proportional sampler (sample probe and actuated valve). The sampled fluid is stored in a sealed cylinder that is used for API gravity and S&W determination.
 - (3) Provision is made if required by either the oil's producer or the transporter to give adequate assurance that the ACT system runs only merchantable oil.
 - The LACT is equipped with a water cut analyzer that communicated with the flow computer. When the S&W set point is reached the divert valve will engage sending non-merchantable oil to a divert tank. The set point can be adjusted in the flow computer but only if agreed upon by both shipper and producer.
 - (4) Provision is made for set-stop counters to stop the flow of oil through the ACT system at or prior to the time the allowable has been run. Counters shall provide non-reset totalizers that are visible for inspection at all times.
 - The Coriolis meter has a non-resettable totalizer which is always visibly available on the LCD display.


- (5) Necessary controls and equipment are enclosed and sealed, or otherwise arranged to provide assurance against, or evidence of, accidental or purposeful mismeasurement resulting from tampering.
 - Required ports are sealed and tracked in the seal log.
- (6) The ACT system's components are properly sized to ensure operation within the range of their established ratings. All system components that require periodic calibration or inspection for proof of continued accuracy are readily accessible; the frequency and methods of the calibration or inspection shall be as set forth in Paragraph (12) of Subsection C of 19.15.18.15 NMAC.
 - The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Proving will be consistent with Onshore Order #4, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division. The water cut analyzer is calibrated as needed.
- (7) The control and recording system includes adequate fail-safe features that provide assurance against mismeasurement in the event of power failure, or the failure of the ACT system's component parts.
 - In the event of power failure, the divert valve mechanically goes to "failed state" and no longer sales oil but only sends it to the divert tank.
 - All of the historized volume data is stored in the flow computer memory with battery backup and is also transmitted by SCADA, multiple times a day, to an office server. So even during a power failure no oil volume is lost.
 - In the event of a malfunction, the LACT unit is programmed to shut off and the divert valve is forced to close and no longer sales oil but only sends it to the divert tank. The malfunction is also logged by the flow computer.
- (8) The ACT system and allied facilities include fail-safe equipment as may be necessary, including high level switches in the surge tank or overflow storage tank that, in the event of power failure or malfunction of the ACT or other equipment, will shut down artificially lifted wells connected to the ACT system and will shut in flowing wells at the well-head or at the header manifold, in which latter case the operator of the ACT system shall pressure test all flowlines to at least 1½ times the maximum well-head shut-in pressure prior to the ACT system's initial use and every two years thereafter.
 - Hi level switches are in place and will shut the well in at the inlet to the production unit in the event of a full tank. Flow lines were tested to 1½ times shut in pressure at initial construction. Testing will commence every two years to ensure piping integrity.
- (9) As an alternative to the requirements of Paragraph (8) of Subsection C of 19.15.18.15 NMAC the producer shall provide and at all times maintain a minimum of available storage capacity above the normal high working level of the surge tank to receive and hold the amount of oil that may be produced during maximum unattended time of lease operation.
 - *N/A*
- (10) In all ACT systems employing automatic measuring tanks, weir-type measuring vessels, positive volume metering chambers or any other volume measuring container, the container and allied components shall be properly calibrated prior to initial use and shall be operated, maintained and inspected as necessary to ensure against incrustation, changes in clingage factors, valve leakage or other leakage and improper action of floats, level detectors, etc.
 - N/A (Coriolis Meter)
- (11) In ACT systems employing positive displacement meters, the meter and allied components shall be properly calibrated prior to initial use and shall be operated, maintained and inspected as necessary to ensure against oil mismeasurement.
 - The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Monthly proving will continue per the rule, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division.

- (12) The operator of the ACT system shall check the measuring and recording devices of ACT systems for accuracy at least once each month unless it has obtained an exception to such determination from the division. Where applicable, the operator of the ACT system shall use API standard 1101, Measurement of Petroleum Hydrocarbons by Positive Displacement Meter. Meters may be proved against master meters, portable prover tanks or prover tanks permanently installed on the lease. If the operator of the ACT system uses permanently installed prover tanks, the distance between the opening and closing levels and the provision for determining the opening and closing readings shall be sufficient to detect variations of 5/100 of one percent. The operator of the ACT system shall file reports of determination on the division form entitled "meter test report" or on another acceptable form in duplicate with the appropriate division district office.
 - The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Monthly proving will continue per the rule, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division.
- (13) To obtain an exception to the requirement in Paragraph (12) of Subsection C of 19.15.18.15 NMAC that all measuring and recording devices be checked for accuracy once each month, either the producer or transporter may file a request with the director setting forth facts pertinent to the exception. The application shall include a history of the average factors previously obtained, both tabulated and plotted on a graph of factors versus time, showing that the particular installation has experienced no erratic drift. The applicant shall also furnish evidence that the other interested party has agreed to the exception. The director may then set the frequency for determination of the system's accuracy at the interval which the director deems prudent.
 - N/A
- **D.** The division may revoke its approval of an ACT system's form C-106 if the system's operator fails to operate it in compliance with 19.15.18.15 NMAC.


[19.15.18.15 NMAC - Rp, 19.15.5.309 NMAC, 12/1/08]







LOGOS OPERATING, LLC OMEGA 2308 03 PAD Lease Plat Map San Juan County, NM



CONFIDENTIAL TIGHT HOLE

District Office

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 86240
Phone: (676) 393-6161 Fax: (676) 393-0720
DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (676) 746-1283 Fax: (676) 748-9720
DISTRICT III
1000 Rio Brasos Rd., Astec, N.M. 87410
Phone: (506) 334-6178 Fax: (506) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87605
Phone: (506) 476-3460 Fax: (506) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department Form C-102 Revised August 1, 2011

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

☐ AMENDED REPORT

Submit one copy to appropriate

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35647	*Pool Code 97232	Pool Name BASIN MANCOS GAS	GAS		
Property Code 315301	⁸ Property CHACO 23		⁶ Well Number		
*OGRID No. 162928	*Operator ENERGEN RESOURCE	Name and the second sec	* Elevation 6912.3*		


10 Surface Location

)	UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	Н	3	23N	8W		2013'	NORTH	186'	EAST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section 3	Township 23N	Range 8W	Lot Idn	Feet from the 411'	North/South line	Feet from the 249'	East/West line WEST	County SAN JUAN
323.20 ACRE LOTS 1 THRU	s - s/2	N/2 &	18 Joint or	Infill	¹⁴ Consolidation C	Code	18 Order No.	NSL 7245-A	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OIL CONS. DIV DIST. 3

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240 ne: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 DISTRICT III 1000 Rio Brasos Rd., Astec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

16

DEC 2 2 2015 State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised August 1, 2011

Submit one copy to appropriate District Office

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

☐ AMENDED REPORT X AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35646	⁸ Pool Code 97232	Pool Name BASIN MANCOS GAS POOL
Property Code 315301		erty Name
*OGRID No. 162928	The state of the s	ator Name ° Elevatio URCES CORPORATION 6912


10 Surface Location

						The state of the s			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Н	3	23N	8W		2057'	NORTH	187'	EAST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section 3	Township 23N	Range 8W	Lot Idn	Feet from the 2260'	North/South line NORTH	Feet from the 230'	East/West line WEST	SAN JUAN
323.20 ACR LOTS 1 THRU	ES - S/2	N/2	18 Joint or	Infill	¹⁴ Consolidation C	ode	¹⁵ Order No. NSL 7246-	A	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION


true and complete to the best of my knowledge and betief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this proposed oction note location or has a right to area this well at this location pursuant to a contract with an owns of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

12/21/15 Date

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey Signature and Seal of Professional Surveyor:



11393

District I 1625 N. French Drive, Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First Street, Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Drive, Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department Form C-102 Revised August 1, 2011

Submit one copy to Appropriate District Office

OIL CONSERVATION DIVISION 1220 South St. Francis Drive Santa Fe, NM 87505

____AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number 30-045-38171				°Pool Coo 97232	ne NCOS				
1Property 31658	100011000000000000000000000000000000000		Property Name CHACO 23-08-3						Well Number 3H
'Ogrio No. "Operator Name 289408 LOGOS OPERATING, LLC								°Elevation 6908'	
					¹⁰ Surface	Location			
L or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

H	3	23N	BW BW	Lot Idn	Feet from the	North/South line	Feet from the 223	East/West line EAST	SAN JUAN
			1 Botto	m Hole	Location I	If Different	From Surfac	е	
UL or lat no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	3	23N	8W	4	1325	NORTH	20	WEST	SAN JUAN
¹² Dedicated Acres		323.20 1/2 - S	Acres ection	3	¹³ Joint or Infill	³⁴ Consolidation Code	15 Order No.	L	

END-OF-LATERAL (A) 1325' FNL 20' FWL SECTION 3, 723N, RBW LAT: 36,259922'N LONG: 107,677470'W DATUM: NAD1927

008 M914

LAT: 36.259935 °N LONG: 107.678081 °W DATUM: NAD1983 FIRST PERFORATION (B) 1324 FNL 100 FWL SECTION 3, T23N, RBW LAT: 36.259922 N LONG: 107.577199 W DATUM: NAD1927

LAT: 36.259935 *N LONG: 107.677810 *W DATUM: NAD1983 LAST PERFORATION (C) 1308 FNL 100 FEL SECTION 3, T23N, RBW LAT: 36.259949 N LONG: 107.659915 W DATUM: NAD1927

LAT: 36.259962 *N LONG: 107.660525 *W DATUM: NAD1983 POINT-OF-ENTRY (D) 1308' FNL 50' FWL SECTION 2, T23N, R8W LAT: 36.259950'N LONG: 107.659406'W DATUM: NAD1927

150.0

584°47.6'W

LAT: 36.259963 °N LONG: 107.660017 °W DATUM: NAD1983 SURFACE LOCATION (E) 1982 FNL 223 FEL SECTION 3, T23N, RBW LAT: 36.258099 N LONG: 107.660301 W DATUM: NAD1927

LAT: 36.258111 °N LONG: 107.660911 °W DATUM: NAD1983

(RECORD) NOO '48 W 2698.74 NO "52 '03 W 2698.72 (MEASURED) (RECORD) N89 *57 W 2651.55 * (RECORD) N89 *57 W 2651.55* (RECORD) N89 °57 W 2651.55 N89 *57 W 2651.55 S89 *58 '24"W 2652.78 S89 *58 '24"W 2652.78 S89 *59 '08 "W 2650.16 ' (MEASURED) S89 *59 '17 "W 2652.58 ' (MEASURED) (MEASURED) (MEASURED) 16 (AECORD) 01*11'W 2663.76' 16'56'W 2665.56' (MEASURED) 324 LOT 2 1308 LOT LOT LOT 60 LOT LOT LOT LOT (MEASURED) "24'03"W 2670.E NO 17 W 2671.68 (RECORD) 1982 4 4 3 1 AB W 11 . FON 20' 589°476'W 53258 NO1 " 8 223 3 (RECORD) NO1*11 W 2657.16 NO1*16 OG W 2654.26 (MEASURED) 58 12 (MEASURED) 28'54"W 2661. NO *17 W 2661. 8 (MEASURED) (MEASURED) (MEASURED) S89 *48 '19 "W 2626.08 (MEASURED) N89 *39 53 W 2634.43 NB9 *45 27 W 2614.46 S89 *48 '49 "W 2626.08 N89 *36 W 2636.04 * NB9 *36 W 2636.04 S89 *52 W 2630.43 S89 *52 W 2630.43 (RECORD) (RECORD) (RECORD) (MEASURED) NO1 *05 '55 "W 2649.64 NOO "48 W 2652.54 (RECORD)

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



District I 1625 N. French Drive, Hobbs, NM 88240 Phone: (575) 393–6161 Fax: (575) 393–0720 District II 811 S. First Street, Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Drive, Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

Phone: (505) 334-6178

State of New Mexico Energy, Minerals & Natural Resources Department

Submit one copy to Appropriate District Office

AMENDED REPORT

Form C-102 Revised August 1, 2011

"OPERATOR CENTIFICATION

Thereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unlessed mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretologic embred by the division.

landen 1/28/20 Date Tamra Sessions

tsessions@logosresourcesllc.com E-mail Address

Printed Name

18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

17 OPERATOR CERTIFICATION

Date Revised: JANUARY 27, 202 Date of Survey: MAY 4, 2019

Signature and Seal of Professional Surveyor



L DWARDS 15269

Certificate Number

000

2年

OIL CONSERVATION DIVISION 1220 South St. Francis Drive

Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number 30-045-38179	*Pool Code 97232	'Pool Name BASIN MANCOS			
Property Code 327184	Property ZEUS 23	2 MAY 400 1 - 100 MAY			
'OGRID No. 289408	*Operator LOGOS OPERA				

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lat Idn	Feet from the	North/South line	Feet from the	East/West line	County
Н	3	23N	8W		1938	NORTH	553	EAST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lat Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	1	23N	8W	4	755	NORTH	1100	WEST	SAN JUAN
Dedicated 4(3.72			- Section	ווג ווג	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.	-1

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

3

N84°54.2E

SURFACE LOCATION (A) 1938 FNL 223 FEL SECTION 3, T23N, R8W LAT: 36.258220 N LONG: 107.660305 W DATUM: NAD1927

145.0

28

LAT: 36.258232 N LONG: 107.660916 W DATUM: NAD1983

POINT-OF-ENTRY (B) 753 FNL 50 FEL SECTION 3, T23N, R8W LAT: 36.261476 N LONG: 107.659770 W DATUM: NAD1927

LAT: 36.261489 °N LONG: 107.660381 °W DATUM: NAD1983

LAST PERFORATION (C) 753' FNL 100' FWL SECTION 2, T23N, RBW LAT: 36.261475'N LONG: 107.659262' W DATUM: NAD1927

LAT: 36.261488 N LONG: 107.659872 W DATUM: NAD1983

FIRST PERFORATION (D) 754 FNL 1000 FWL SECTION 1, T23N, R8W LAT: 36.261447 N LONG: 107.638242 W DATUM: NAD1927

LAT: 36.261460 °N LONG: 107.638852 °W DATUM: NAD1983

END-OF-LATERAL (E) 755 FNL 1100 FWL SECTION 1, T23N, R8W LAT: 36.261446 N LONG: 107.637903 W DATUM: NAD1927

LAT: 36.261459 N LONG: 107.638513 W DATUM: NAD1983

(RECORD) NOO *48 W 2698.74 NO *52'03"W 2698.72

NOO "48"W 2652.54

(RECORD)


(RECORD) NO *17 W 2671.68 NO *24 '03 "W 2670.60"

NO 17 W 2661.12

(RECORD)

0.17918

37 PG.



District I 1625 N. French Drive, Hobbs, NM 88240 Phone: (575) 393–6161 Fax: (575) 393–0720

District II 811 S. First Street, Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

1APT Number

Section

3

Section

1

23N

Township

NES.

8W

8W

W/2 NW/4

N/2

179.5

30-045-38180

*Property Code

OGRID No

289408

327185

UL or lat no.

Н

F

¹² Dedicated Acre

403.72

District III
1000 Rio Brazos Road, Aztec. NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department

OTI CONSERVATION DIVISION 1220 South St. Francis Drive Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

Property Name

OMEGA 2308 03

*Onerator Name

LOGOS OPERATING, LLC

¹⁰ Surface Location

¹¹ Bottom Hole Location If Different From Surface

North/South line

NORTH

North/South line

NORTH

¹³ Joint or Infill

Feet from the

1960

Feet from the

1878

Form C-102 Revised August 1, 2011

Submit one copy to Appropriate District Office

AMENDED REPORT

Well Number

5H

⁹Elevation

6908

East/West line

FAST

East/West line

WEST

6185.4

184°41.1E

County

SAN JUAN

County

SAN JUAN

³Pool Name

BASIN MANCOS

Feet from the

F55

Feet from the

1098

Consolidation Code

California de James de Constante e respersante de la respensa de la compansión de la compan	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed pottom-hole location or has a right control of the proposed pottom of the location pursuant to working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Tama Sessions
	Signature Date
	Tamra Sessions
	Printed Name
	tsessions@logosresourcesllc.com
	E-mail Address
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me on under my supervision, and that the same is true and correct to the best of my belief.
	Date Revised: JANUARY 27, 2020 Date of Survey: MAY 4, 2019
	Signature and Seal of Professional Surveyor
	THE STATE OF THE S

PROFESSIONA

Certificate Number

000

4.1店

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

50.0

SURFACE LOCATION (A) 1960' FNL 223' FEL SECTION 3, T23N, R8W LAT: 36.258159 °N LONG: 107.660303 °W DATUM: NAD1927

LAT: 36.258172°N LONG: 107.660913°W DATUM: NAD1983

POINT-OF-ENTRY (B) 1910' FNL 50' FEL SECTION 3, T23N, R8W LAT: 36.258296°N LONG: 107.659718°W DATUM: NAD1927

Section 1

Section 2

Pool Code

97232

Lat Idn

LAT: 36.258308 °N LONG: 107.660329 °W DATUM: NAD1983

LAST PERFORATION (C) 1909 FNL 100 FWL SECTION 2, T23N, R8W LAT: 36.258297 N LONG: 107.659209 W Ш DATUM: NAD1927

> LAT: 36.258310 °N LONG: 107.659820 °W DATUM: NAD1983

FIRST PERFORATION (D) 1879' FNL 998' FWL SECTION 1, T23N, R8W LAT: 36.258358 N LONG: 107.638230 W DATUM: NAD1927


LAT: 36.258371°N LONG: 107.638840°W DATUM: NAD1983

END-OF-LATERAL (E) 1878' FNL 1098' FWL SECTION 1, T23N, R8W LAT: 36.258359 °N LONG: 107.637891 °W DATUM: NAD1927

15269

LAT: 36.258372°N LONG: 107.638501°W DATUM: NAD1983

(RECORD) NOO °48 W 2698.74 NO °52'03"W 2698.72 (RECORD) NO °17 W 2671.68



(MEASURED) NO1 °05 '55 'W 2649.64 NOO °48 W 2652.54 (RECORD)

(RECORD)

(RECORD)

(MEASURED) NO °28 '54"W 2661.26 NO °17 W 2661.12 (RECORD)

(RECORD)

(RECORD)

Tamra Sessions

From:

Jude Dysart < jude.dysart@whiptailmidstream.com>

Sent:

Monday, April 19, 2021 12:42 PM

To:

Tamra Sessions; Andy Pickle; Ernie Johnson

Cc:

Kelly Maxwell; Marie Florez; Etta Trujillo

Subject:

RE: C-106 Letter from Transporter: LOGOS Omega Pad

Tamra,

We approve the use of the Pipeline Transfer LACT equipment on the Chaco-Zeus-Omega 2308 03 well pad to transfer product from the wells below to Whiptail Midstream, LLC's pipeline system.

- Chaco 23 08 03 1H / API #30-045-35647 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM
- Chaco 23 08 03 2H / API #30-045-35646 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM
- Chaco 23 08 03 3H / API #30-045-38171 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM (to be drilled at a later date)
- Zeus 2308 03 4H / API #30-045-38179 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM
- Omega 2308 03 5H / API #30-045-38180 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM

Jude Dysart

VP - Engineering & Technical Services

Whiptail Midstream

15 W. 6th Street, Suite 2901, Tulsa, OK 74119

O: 918.289.2145, M: 405.834.9402 Jude.Dysart@WhiptailMidstream.com



From receipt to delivery, the midstream partner you count on.

From: Tamra Sessions <tsessions@logosresourcesllc.com>

Sent: Monday, April 19, 2021 12:58 PM

To: Jude Dysart < jude.dysart@whiptailmidstream.com>; Andy Pickle < andy.pickle@whiptailmidstream.com>; Ernie Johnson <ernie.johnson@whiptailmidstream.com>

Cc: Kelly Maxwell kmaxwell@logosresourcesllc.com>; Harie Florez <mflorez@logosresourcesllc.com>; Etta Trujillo <etrujillo@logosresourcesllc.com>

Subject: C-106 Letter from Transporter: LOGOS Omega Pad

Good afternoon Jude,

LOGOS is working on the C-106 Letter from Transporter submittal to NMOCD for Chaco-Zeus-Omega 2308 03 well pad. Please reply back to this email with your approval.

LOGOS Operating, LLC is requesting approval from the transporter to utilize Pipeline Transfer LACT equipment on the Chaco-Zeus-Omega 2308 03 well pad. Product from the below listed wells would be produced through the LACT equipment into Whiptail Midstream, LLC's (transporter) pipeline system. Whiptail Midstream, LLC will be responsible for transporting LOGOS Operating, LLC's product to sales.

OMEGA 2308 03 PIPELINE LACT UNIT

WELLS TO BE SERVED BY PIPELINE LACT UNIT:

- Chaco 23 08 03 1H / API #30-045-35647 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM
- Chaco 23 08 03 2H / API #30-045-35646 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM
- Chaco 23 08 03 3H / API #30-045-38171 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM (to be drilled at a later date)
- Zeus 2308 03 4H / API #30-045-38179 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM
- Omega 2308 03 5H / API #30-045-38180 / UNIT H (SE/NE) Sec. 3, T23N, R8W, NMPM

Tamra Sessions Regulatory Specialist Office 505-324-4145

tsessions@logosresourcesllc.com

