

November 14, 2021

State of New Mexico Energy, Minerals & Natural Resources Department Oil Conservation Division 1220 S. St. Frances Dr. Santa Fe, NM 87505

RE: Pressure Maintenance Project North Hobbs G/SA Unit Well No. 978 API: New Drill Letter I, Section 31, T-18S, R-38E Lea County, NM

To Mr. Richard Ezeanyim, Chief Engineer:

Occidental Permian Ltd. respectfully request administrative approval, without hearing, to commence injection (water, CO2, and produced gas) per the authorized Order No. R-6199-F. In support of this request please find the following documentation:

- Administrative Application Checklist
- Form C-108 with miscellaneous data attached
- An Injection Well Data Sheet with Wellbore Schematic
- Form C-102
- Map

\*\*\* Per Order No. R-6199-F, this application is eligible for administrative approval without notice or hearing \*\*\*

If you have any questions regarding this application, please contact me at 832-646-4450 or email Jose\_Gago@oxy.com.

Sincerely,

un Gapoj. Jose Gago

Regulatory Engineer

DATE IN SUSPENSE ENGINEER LOGGED IN TYPE APP NO.						
	DATE IN	SUSPENSE	ENGINEER	LOGGED IN	TYPE	APP NO.

ABOVE THIS LINE FOR DIVISION USE ONLY

## NEW MEXICO OIL CONSERVATION DIVISION



- Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505

# ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST	IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE
Application Acron	yms:
[DHC-D [PC	Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]ownhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]c-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement][WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion][SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]
[1] <b>TYPE OF</b>	<b>APPLICATION</b> - Check Those Which Apply for [A]"
[A]	
Ch	eck One Only for [B] or [C]"
[B	
[C	Injection - Disposal - Pressure Increase - Enhanced Oil Recovery"
[D	] Other: Specify Additional Injector within approved project area (R-6199-F)Á
[2] <b>NOTIFIC</b> [A	ATION REQUIRED TO: - Check Those Which Apply, or Does Not Apply Working, Royalty or Overriding Royalty Interest Owners
[B	Offset Operators, Leaseholders or Surface Owner
[C	Application is One Which Requires Published Legal Notice
[D	Notification and/or Concurrent Approval by BLM or SLO U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
[E	For all of the above, Proof of Notification or Publication is Attached, and/or,
[F]	Waivers are Attached

### [3] SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Jose L Gago Print or Type Name	Vou Luin Signature	Gapol.	Engineer, Regulatory	11/14/2021 Date
			jose_gago@oxy.com e-mail Address	

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

	APPLICATION FOR AUTHORIZATION TO INJECT
I.	PURPOSE:       Secondary Recovery       X       Pressure Maintenance       Disposal       Storage         Application qualifies for administrative approval?       X       Yes       No
II.	OPERATOR: OCCIDENTAL PERMIAN LTD
	ADDRESS: P.O. Box 4294 Houston, TX 77210-4294
	CONTACT PARTY: Jose L Gago PHONE: 832-646-4450
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project? X Yes No If yes, give the Division order number authorizing the project: <u>R-6199-F</u>
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	<ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol>
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).

- \*XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.

\*

XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

NAME: Jose L Gago		TITLE: Engineer, Regulatory
SIGNATURE:	Vou huin Gapof.	DATE: <u>11/14/2021</u>
E-MAIL ADDRESS:	Jose Gago@oxy.com	

If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: <u>February 11, 2014 as part of Order No. R-6199-F application</u>

#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - (3) A description of the tubing to be used including its size, lining material, and setting depth.

(4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
  - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,

(4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

#### NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

## C-108 Application Attachment Occidental Permian Ltd. North Hobbs G/SA Unit No. 978 Lea County, New Mexico

- I. This is a pressure maintenance project. The project qualifies for administrative approval.
- II. OCCIDENTAL PERMIAN Ltd. P.O. Box 4294 Houston, TX 77210-4294 Contact Party: Jose Gago, 832-646-4450
- III. Injection well data sheet and wellbore schematic has been attached for NORTH HOBBS G/SA UNIT No. 978
- IV. This is an expansion of an existing project authorized under Order No. R-6199-F.
- V. The map with a two mile radius surrounding the injection well and a one half mile radius for area of review is attached.
- VI. In accordance to Order No. R-6199-F Section 4 OCCIDENTAL PERMIAN Ltd certifies that: The area of review for well "NORTH HOBBS G/SA UNIT #978" shows no substantive changes in the information furnished in support of Order No. R-6199-F concerning the status of construction of any well that penetrates the injection interval within the one-half (1/2) mile around the injection well.
- VII. The area of review is attached.

1.	Average Injection Rate	4,000 BWPD / 15,000 MCFGPD				
	Maximum Injection Rate	9,000 BWPD / 20,000 MCFGPD				

- 2 This will be a closed system.
- Average Surface Injection Pressure 1,100 PSIG
   Maximum Surface Injection Pressure
   Produced Water 1,100 PSIG
   CO2 1,250 PSIG
   CO2 w/produced gas 1,770 PSIG

(In accordance with Order No. R-6199-F, effective 7/18/13)

4. Source Water – San Andres Produced Water

(Analysis previously provided at hearing, Case No. 14981)

- VIII. The information was previously submitted as part of Order No. R-6199-F application
- IX.
- a. Well will be perforated using slick gun system, 4- jspf, 90-degree phasing
- Acid stimulated using ~ 6000 gals of 15% HCL NEFE, pumped using a straddle packer assembly (PPI – Tool)
- c. Acid will be flush with approximately 100 bbls of fresh water
- d. Max injection rate per cluster: 4 to 5 bpm.
- X. Logs will be filed at the time of drilling.
- XI. The information was previously submitted as part of case No. 15103 Order R6199F Effective May 22, 2014.
- XII. N/A. This is a pressure maintenance project, not a disposal well.
- XIII. Section 3 of Order No. R-6199-F allows the administrative approval, from the Division Director, of additional injection wells without notice and hearing. Notices to producers and

surface owners for the water/CO2 flood area were provided at the time of the application and hearing for Order No. R-6199-F.

# INJECTION WELL DATA SHEET

## OPERATOR: Occidental Permian LTD.

WELL NAME & NUM	BER: NORTH HOBBS G/SA UNIT 978						
WELL LOCATION:	1662' FSL 901' FEL	I	31	18 S	38 E		
	FOOTAGE LOCATION	UNIT LETTER	SECTION	TOWNSHIP	RANGE		
WELLI	BORE SCHEMATIC			<u>CONSTRUCTION DATA</u> ice Casing			
		Hole Size: 13 1/2"		Casing Size: 9 5/8"			
		Cemented with: 515	5 sx.	or	ft <sup>3</sup>		
		Top of Cement: Sur	Top of Cement: Surface		d: Circulated		
			<u>Intermedia</u>	te Casing			
		Hole Size:		Casing Size:			
		Cemented with:	SX.	or	$_{} ft^3$		
		Top of Cement:		Method Determined	d:		
			Production	n Casing			
		Hole Size: <u>8 3/4</u> "		Casing Size: 7"			
		Cemented with: 750	) sx.	or	$ft^3$		
		Top of Cement: Sur	face	Method Determined	d: Circulated		
		Total Depth: 4500'	TVD / 4738 MD				
			Injection	Interval			
		perforated from	3950' TVD fee	t_to <mark>Base of the ur</mark>	nit @ 4500' TVD		

(Perforated or Open Hole; indicate which)

Side 1

# **INJECTION WELL DATA SHEET**

ing Size: 2 - 7/8" Lining Material: Duoline									
Type of Packer: <u>5-1/2" x 2 3/8" 14-20# AS1-X Double Grip injection Packer</u>									
Packer Setting Depth: approx. 3900' TVD or 4100' MD									
Other Type of Tubing/Casing Seal (if applicable):									
Additional Data									
Is this a new well drilled for injection? <u>X</u> Yes <u>No</u>									
If no, for what purpose was the well originally drilled?									
Name of the Injection Formation: San Andres									
Name of Field or Pool (if applicable): Hobbs; Grayburg - San Andres									
Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) usedNo									
Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area:									
Queen @ 235' TVDSS or 3400' TVD									
Glorieta @ -1720' TVDSS or 5370' TVD									

WELL# NORTH HOBBS G/SA UNIT #978 (updated: 10/27/2021)								
API# TBD	Revision 0							
Zone: San Andres Spud: TBD		GL elev	3633.90					
	NORTH HOBBS G/SA UNIT #978	8						
CEMENT		DEVIATION S	URVEYS					
		DEPTH						
Surface Casing Cement with 515 sx 14.8 PPG Class C CIRCULATED TO SURFACE	13-1/2" hole 9-5/8" 32# set							
Production Casing Cement with 750 sx 14.8 PPG Class C, Two satge cement CIRCULATED TO SURFACE ON BOTH STAGES	Job 8-3/4" Hole							
	Perfs 4240' 7" 23# set at +/-	MD - 4738' MD 4738' MD						


\_

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

#### □ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT													
API Number Pool Code									Pool Name				
Property Code						Property	Name				Well Number		
NORTH HOBBS G/SA UNIT 31–978								1–978					
OGI	RID No.						Operator	Name					Elevation
	OCCIDENTAL PERMIAN LTD. 3633.9'								633.9'				
Surface Location													
UL or lot no.	Section	Township	wnship Range				Lot Idn	Feet from the	North/South line	Feet from the	East/We	est line	County
Ι	31	18 SOUTH	3	38 EAST, N.M.P.M.			1662'	SOUTH	<i>901'</i>	EAST		LEA	
Bottom Hole Location If Different From Surface													
UL or lot no.	Section	Township	vnship Range		Lot Idn	Feet from the	North/South line	Feet from the	East/We	est line	County		
L	32	18 SOUTH	3	38 EAST, N.M.P.M.			2198'	SOUTH	203'	WES	ST	LEA	
Dedicated	Dedicated Acres Joint or Infill Consolidation Code Order No.		Order No.										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



# North Hobbs G/SA Unit 978 AOR

#### Oil and Gas Wells

Wells - Large Scale

- Miscellaneous
- ℜ CO2, Active
- ₭ CO2, Cancelled
- 🔆 CO2, New
- CO2, Plugged
- 🔆 CO2, Temporarily Abandoned
- 🌣 Gas, Active
- 🌣 🛛 Gas, Cancelled
- 🌣 Gas, New
- 🌣 Gas, Plugged
- 🌣 🛛 Gas, Temporarily Abandoned
- Injection, Active
- Injection, Cancelled
- Injection, New
- Injection, Plugged
- Injection, Temporarily Abandoned
- Oil, Active
- Oil, Cancelled
- Oil, New
- Oil, Plugged
- Oil, Temporarily Abandoned
- Salt Water Injection, Active
- A Salt Water Injection, Cancelled
- Salt Water Injection, New
- Salt Water Injection, Plugged
- Salt Water Injection, Temporarily Abandoned
- Water, Active
- Water, Cancelled
- Water, New
- Water, Plugged
- Water, Temporarily Abandoned
- ? undefined

#### OCD Districts and Offices

OCD District Offices

\*

#### Public Land Survey System

PLSS Second Division

