

WELLBORE DIAGRAM

(updated: 04/26/2021 CER)

Revision 0

WELL# State G 33 # 001

API# 30-025-37577

Zone: San Andres

Spud: 11/7/2005 0:00

GL elev

3642'

State G 33 # 001

CEMENT

DEVIATION SURVEYS

DEPTH

DEGREE

Surface Casing

Cement with 550 sxs 35:65:6 Poz "C" w/3% Salt.

1/4# CF (12.6 ppg, 1.96 yd) Lead

200 sxs CL "C" w/ 2% CaCl (14.8 ppg, 1.35 Yd)

Tail

CIRCULATED TO SURFACE

12-1/4" hole

8-5/8" 24# set at 1539'

Production Casing

First Stage: Cemented with 430 sxs Super "H" w/ 2.5# salt, 1/4% LAP and 0.3% CFR-3 (13.2 ppg, 1.62 Yd).

Second Stage: Cemented with 935 sxs Interfill "C" (11.9 ppg, 2.45 yd) lead + 100 sxs CL "C" (15.0 ppg, 1.29 yd)

CIRCULATED TO SURFACE

Set Injection Packer @ ~ 3950'

5-1/2" x 2 3/8" 14-20# AS1-X Double Grip Packer

Perf Interval from ~ 4000' to 4500'
Gross Interval

Bottom plug

Spot ~100 sxs on top of existing CIBP (5650').
Tag TOC and report

CIBP set @ 5650' w/
5sxs cmt

Perf Interval:
5739-5744, 5749, 5753, 5772-5774, 5828-
5832, 5839-5846, 5866-5869

CIBP set @ 5900'

Sqz'd Perf Interval:
5929-5981', 6064-6081"

CIBP set @ 6150' w/ 2
sxs cmt

Perf Interval:
6154-6256'

7-7/8" Hole

5-1/2" 15.5# J-55 LTC set at 6389'

From: [Montgomery, Kelley A](#)
To: [Murphy, Kathleen A, EMNRD](#)
Cc: [Gago, Jose L](#)
Subject: [EXT] RE: OXY PMXs
Date: Wednesday, June 9, 2021 1:37:05 PM

Will do.

From: Murphy, Kathleen A, EMNRD <KathleenA.Murphy@state.nm.us>
Sent: Wednesday, June 9, 2021 2:35 PM
To: Montgomery, Kelley A <Kelley_Montgomery@oxy.com>
Cc: Gago, Jose L <Jose_Gago@oxy.com>
Subject: [EXTERNAL] RE: OXY PMXs

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

So is there someplace in previous NHU case exhibits where the water wells are discussed, and samples taken of wells in the unit, or a discussion of the wells being on city water systems? This would be similar to how you reference the geology section. I just don't know specifically where to find this and it would be useful for the review of the rest of the PMXs.

From: Montgomery, Kelley A <Kelley_Montgomery@oxy.com>
Sent: Wednesday, June 9, 2021 1:30 PM
To: Murphy, Kathleen A, EMNRD <KathleenA.Murphy@state.nm.us>
Cc: Gago, Jose L <Jose_Gago@oxy.com>
Subject: [EXT] RE: OXY PMXs

Hi Kathleen,

We pulled all of the historical water wells within 1 mile on the engineering website and attached two excel files. There is a lot of overlap between the two wells as they are located near each other. The majority of these wells are within the city limits or very close and the residents are all on city water. A 2014 city ordinance (below) required all domestic water wells within the city and those residences on city water to be P&A'd. I spoke with our operations personnel and they do not know of any active water wells within 1 mile of the wells. I found two wells on the list (highlighted) that were drilled after 2014 that could potentially still be active. I can have our operations folks check on these two if necessary? Please let me know. Kelley

Chapter 13.28 - WATER WELLS

13.28.010 - Restrictions upon drilling of water wells within the City limits.

A.

It shall be unlawful for any person, firm, or entity to drill, deepen, or cause to be drilled, any water well or any well capable of producing water within the City of Hobbs without written consent of the Hobbs City Commission for good and sufficient cause shown.

B.

Pursuant to the Safe Drinking Water Act (SDWA) and applicable State and Federal rules and regulations governing cross connections, cross contamination, and physical separation of conflicting water systems, all water wells located on premises or property connected to the City's water distribution system shall be properly

plugged and abandoned in accordance with New Mexico Environment Department (NMED) rules and regulations. It shall be unlawful for the owner of any premises or property connected to the City's water distribution system to allow any water well to remain in operation and not properly plugged and abandoned.

C.

Upon violation of this section, any person, firm or entity found guilty shall be punishable by fine not to exceed five hundred dollars (\$500.00) per violation and the City of Hobbs may, at its discretion, seek injunctive relief in a court of competent jurisdiction against any person violating this section.

([Ord. No. 1079](#), 11-3-2014)

From: Murphy, Kathleen A, EMNRD <KathleenA.Murphy@state.nm.us>


Sent: Tuesday, June 8, 2021 10:48 AM

To: Montgomery, Kelley A <Kelley_Montgomery@oxy.com>

Subject: [EXTERNAL] RE: OXY PMXs

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

I would look at the OCD Engineering webpage and turn on the OSE PODs. I would determine how many water wells are within a mile and then determine if any are active. I thought I saw a couple that were domestic and active.



From: Montgomery, Kelley A <Kelley_Montgomery@oxy.com>

Sent: Tuesday, June 8, 2021 9:26 AM

To: Murphy, Kathleen A, EMNRD <KathleenA.Murphy@state.nm.us>

Cc: Gago, Jose L <Jose_Gago@oxy.com>

Subject: [EXT] RE: OXY PMXs

Hi Kathleen,

We pulled up the GIS map and did not see any active water wells. Can you tell how you pulled up water well information?

Thank you for your help.

Kelley

From: Murphy, Kathleen A, EMNRD <KathleenA.Murphy@state.nm.us>

Sent: Monday, June 7, 2021 4:22 PM

To: Montgomery, Kelley A <Kelley_Montgomery@oxy.com>

Subject: [EXTERNAL] RE: OXY PMXs

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

Kelly,

I am reviewing PMX 294 which are the NHU SA/G 632 and 312 wells, and applied for in October 2020.

Questions thus far:

On P 9 of the application, the 632 well will need to be edited that it is located in unit J, not B.

Also, the application states (pages 4, 8) there are no fresh water wells within a mile of the injection wells per field personnel. When I look on GIS at the OSE pods there are many wells within a mile, and several that are domestic. Please review this and advise.

Sincerely,

Kathleen Murphy

From: Murphy, Kathleen A, EMNRD

Sent: Thursday, June 3, 2021 1:40 PM

To: Montgomery, Kelley A <Kelley_Montgomery@oxy.com>

Subject: OXY PMXs

Kelly,

I am going to start working on the OXY PMXs—there are 10 I believe. I will do the NHU 312 and 632 first—PMX-294— as it was submitted in October of last year. Is there any preferred order of the batch that you submitted in April, I believe.

thanks

Kathleen Murphy

Petroleum Specialist- Advanced
Geologist/GIS Analyst
New Mexico Oil Conservation Division
1200 South St Francis Drive
Santa Fe, New Mexico 87505

505-365-3161

Email: kathleena.murphy@state.nm.us

** Please use email during this stressful time**





C-108 APPLICATION FOR AUTHORIZATION TO INJECT ADMINISTRATIVE COMPLETENESS FORM

Well Name: _____

Applicant: _____

PO Number: _____

Admin. App. No: _____

C-108 Item	Description of Required Content	Yes	No
I. PURPOSE	Selection of proper application type.		
II. OPERATOR	Name; address; contact information.		
III. WELL DATA	Well name and number; STR location; footage location within section.		
	Each casing string to be used, including size, setting depth, sacks of cement, hole size, top of cement, and basis for determining top of cement.		
	Description of tubing to be used including size, lining material, and setting depth.		
	Name, model, and setting depth of packer to be used, or description of other seal system or assembly to be used.		
	Well diagram: Existing (if applicable).		
	Well diagram: Proposed (either Applicant's template or Division's Injection Well Data Sheet).		
IV. EXISTING PROJECT	For an expansion of existing well, Division order number authorizing existing well (if applicable).		
V. LEASE AND WELL MAP	AOR map identifying all wells and leases within 2 mile radius of proposed well, and depicting a 1/2 mile radius circle around any another projected injection well and a 1 mile radius circle around any other projected injection well in the Devonian formation.		
VI. AOR WELLS	Tabulation of data for all wells of public record within AOR which penetrate the proposed injection zone, including well type, construction, date drilled, location, depth, and record of completion.		
	Schematic of each plugged well within AOR showing all plugging detail.		
VII. PROPOSED OPERATION	Proposed average and maximum daily rate and volume of fluids to be injected.		
	Statement that the system is open or closed.		
	Proposed average and maximum injection pressure.		
	Sources and analysis of injection fluid, and compatibility with receiving formation if injection fluid is not produced water.		
	A chemical analysis of the disposal zone formation water if the injection is for disposal and oil or gas is not produced or cannot be produced from the formation within 1 mile of proposed well. Chemical analysis may be based on sample, existing literature, studies, or nearby well.		
VIII. GEOLOGIC DATA	Proposed injection interval, including appropriate lithologic detail, geologic name, thickness, and depth.		
	USDW of all aquifers overlying the proposed injection interval, including geologic name and depth to bottom.		
	USDW of all aquifers underlying the proposed injection interval, including the geologic name and depth to bottom.		



C-108 (SWD) APPLICATION FOR AUTHORIZATION TO INJECT ADMINISTRATIVE COMPLETENESS FORM

Well Name: _____

Applicant: _____

PO Number: _____

Admin. App. No: _____

C-108 Item	Description of Required Content	Yes	No
IX. PROPOSED STIMULATION	Description of stimulation process or statement that none will be conducted.		
X. LOGS/WELL TESTS	Appropriate logging and test data on the proposed well or identification of well logs already filed with OCD.		
XI. FRESH WATER	Chemical analysis of fresh water from two or more fresh water wells (if available and producing) within 1 mile of the proposed well, including location and sampling date(s).		
XII. AFFIRMATION STATEMENT	Statement of qualified person endorsing the application, including name, title, and qualifications.		
XIII. PROOF OF NOTICE	Identify of all " <i>affected persons</i> " identified on AOR map in Section V, including all affected persons within 1/2 mile radius circle around any another projected injection well and a 1 mile radius circle around any other projected injection well in the Devonian formation.		
	Identification and notification of all surface owners.		
	BLM and/or NMSLO notified per 19.15.2.7(A)(8)(d) NMAC.		
	Notice of publication in local newspaper in county where proposed well is located with the following specific content:		
	<ul style="list-style-type: none"> Name, address, phone number, and contact party for Applicant; 		
	<ul style="list-style-type: none"> Intended purpose of proposed injection well, including exact location of a single well, or the section, township, and range location of multiple wells; 		
	<ul style="list-style-type: none"> Formation name and depth, and expected maximum injection rates and pressures; and 		
XIV. CERTIFICATION	Signature by operator or designated agent, including date and contact information.		

Review Date*:

Reviewer:

☐ Administratively COMPLETE

☐ Administratively INCOMPLETE

NOTES:

* The Review Date is the date of administrative completeness determination that commences the 15 day protest period in 19.15.26.8 (C)(2) NMAC.



FORM C-108 Technical Review Summary [Prepared by reviewer and included with application; V17]

DATE RECORD: First Rec: ☒ Admin Complete: ☐ or Suspended: ☐ Add. Request/Reply: ☐

ORDER TYPE: PMX Number: 304 Order Date: 2014 Legacy Permits/Orders: R-6199F

Well No. 970 Well Name(s): NHobbs G/SA Unit (State G 33#1)

API: 30-0 25-37577 Spud Date: 2005 New or Old (EPA): ☒ (UIC Class II Primacy 03/07/1982)

Footages: 1680FWL, 660FWL Lot or Unit E Sec 33 Tsp 185 Rge 38E County Loc.

Latitude: 32.706535 Longitude 103.159874 Pool: Hobbs; Lower Bluebry Pool No.: 31650 current;

Operator: Oxy OGRID: 157984 Contact: Email: 31920 = new pool -

COMPLIANCE RULE 5.9: Total Wells: 611 Inactive: 1 Fincl Assur: ☒ Compl. Order? ☒ IS 5.9 OK? ☒ Date: 2-10-22

WELL FILE REVIEWED ☒ Current Status: conversion

WELL DIAGRAMS: NEW: Proposed ☐ or RE-ENTER: Before Conv. ☒ After Conv. ☐ Logs in Imaging: yes.

Planned Rehab Work to Well: convert oil well CTA-exi

Well Construction Details		Sizes (In) Borehole / Pipe	Setting Depths (ft)	Cement Sx or Cf	Cement Top and Determination Method
Planned <input checked="" type="checkbox"/> or Existing <input type="checkbox"/> Surface		12 1/4 - 8 5/8	1539	550	CTS
Planned <input type="checkbox"/> or Existing <input type="checkbox"/> Interm/Prod					
Planned <input checked="" type="checkbox"/> or Existing <input type="checkbox"/> Interm/Prod		7 7/8 - 5 1/2	6369 - PB	5650	430 + 935
Planned <input type="checkbox"/> or Existing <input type="checkbox"/> Prod/Liner					CTC / Tag.
Planned <input type="checkbox"/> or Existing <input type="checkbox"/> Liner					
Planned <input type="checkbox"/> or Existing <input type="checkbox"/> OH / PERF		4000	4500	Inj Length 500	

Injection Lithostratigraphic Units:	Depths (ft)	Injection or Confining Units	Tops
Adjacent Unit: Litho <input type="checkbox"/> Struc <input type="checkbox"/> Por <input type="checkbox"/>			
Confining Unit: Litho <input type="checkbox"/> Struc <input type="checkbox"/> Por <input type="checkbox"/>			
Proposed Inj Interval TOP:	See geology section		14481
Proposed Inj Interval BOTTOM:			
Confining Unit: Litho <input type="checkbox"/> Struc <input type="checkbox"/> Por <input type="checkbox"/>			
Adjacent Unit: Litho <input type="checkbox"/> Struc <input type="checkbox"/> Por <input type="checkbox"/>			

Completion/Operation Details:	
Drilled TD 6389	PBTD 5650
NEW TD 5650	NEW PBTD
NEW Open Hole <input type="radio"/>	NEW Perfs <input checked="" type="radio"/>
Tubing Size 2 3/8 in.	Inter Coated? <input type="checkbox"/>
Proposed Packer Depth 3950	ft
Min. Packer Depth 3000	(100-ft limit)
Proposed Max. Surface Press. 1100	psi
Admin. Inj. Press. order	(0.2 psi per ft)

AOR: Hydrologic and Geologic Information

POTASH: R-111-P ☒ Noticed? ☐ BLM Sec Ord ☐ WIPF ☐ Noticed? ☐ Salt/Salado T: ☐ B: ☐ NW: Cliff House fm

USDW: Aquifer(s) CBP Max Depth ☐ HYDRO AFFIRM STATEMENT By Qualified Person ☐

NMOSE Basin: ☐ CAPITAN REEF: thru ☐ adj ☐ NA ☐ No. GW Wells in 1-Mile Radius? ☐ FW Analysis? ☐

Disposal Fluid: Formation Source(s) SA Analysis? ☒ On Lease ☐ Operator Only ☒ Commercial ☒

Disposal Interval: Inject Rate (Avg/Max BWPDP): 1100 Protectable Waters? ☐ Source: ☐ System: Closed ☐ or Oper ☐

HC Potential: Producing Interval? ☒ Formerly Producing? ☐ Method: Logs ☒ DST ☐ P&A ☐ Other ☐ 2-Mi Radius Pool Map ☐

AOR Wells: 1/2-M ☒ or ONE-M ☐ RADIUS MAP/WELL LIST: Total Penetrating Wells: R-6199F AOR Hor: ☐ AOR SWDs: ☐

Penetrating Wells: No. Active Wells 7 No. Corrective? ☐ on which well(s)? 7 new wells Diagrams? ☒

Penetrating Wells: No. P&A Wells 3 No. Corrective? ☐ on which well(s)? 3 P&A Diagrams? ☒

Induced-Seismicity Risk Assess: analysis submitted ☐ historical/catalog review ☐ fault-slip model ☐ probability ☐

NOTICE: 1/2-M ☐ or ONE-M ☐ : Newspaper Date ☐ Mineral Owner* ☐ Surface Owner ☐ N. Date ☐

RULE 26.7(A): Identified Tracts? ☐ Affected Persons*: R-6199F N. Date ☐

* new definition as of 12/28/2018 [any the mineral estate of United States or state of New Mexico; SWD operators within the notice radius]

Order Conditions: Issues: See admin complete for explanation - geology

Additional COAs: FW wells, notice