

GW-336

**TERMINATION
PERMIT
2012**



New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John H. Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



FEBRUARY 13, 2012

Ms. Runnel Seale
Enterprise Products Operating, LLC.
614 Reilly Drive
Farmington, New Mexico 87401

Dear Ms. Seale:

Based on your responses given in the "Oil & Gas Facilities Questionnaire for Determination of a WQCC Discharge Permit", the Oil Conservation Division (OCD) has determined that several of your facilities with soon to expire permits are not required to operate under a Water Quality Control Commission (WQCC) Discharge Permit. This means that the WQCC Discharge Permit for **GW-332** (San Ysidro Pump Station), **GW-333** (San Luis Pump Station), **GW-334** (Kutz Pump Station), **GW-335** (Huerfano Pump Station), **GW-336** (Duran Pump Station), **GW-337** (Lybrook Pump Station), **GW-338** (Mesa Pump Station), **GW-339** (Estancia Pump Station), **GW-340** (Edgewood Pump Station), **GW-341** (White Lakes Pump Station), and **GW-342** (Caprock Pump Station) will be allowed to expire and you are not required to proceed with the renewal of these expired WQCC Discharge Permits. OCD will close these discharge permits in its database.


Because these WQCC Discharge Permits will now longer be in effect, you may be required to obtain separate OCD permit(s) for other processes at your facility, such as: pits, ponds, impoundments, below-grade tanks; waste treatment, storage and disposal operations; and landfarms and landfills. OCD will determine if any of these existing processes may require a separate permit under OCD's Oil, Gas, and Geothermal regulations. If OCD determines that a separate permit(s) is required, then a letter will be sent to you indicating what type of permit is required. Please keep in mind, if your facility has any discharges that would require a WQCC Discharge Permit now or in the future, then you will be required to renew or obtain a WQCC Discharge Permit.

Ms. Runnel Seale

Page 2

If you have any questions regarding this matter, please contact Glenn von Gonten at 505-476-3488.

Thank you for your cooperation.

A handwritten signature in black ink, appearing to read "Jami Bailey". The signature is fluid and cursive, with the first name "Jami" and last name "Bailey" clearly distinguishable.

Jami Bailey

Director

JB/gvg