

DATE 3.23.12	SUSPENSE	ENGINEER WVJ	LOGGED IN 3.23.12	TYPE DHC	APP NO. 1208350699
--------------	----------	--------------	-------------------	----------	--------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



Merit Energy
 1459

State A A/C #66

ADMINISTRATIVE APPLICATION CHECKLIST 30-025-09346

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
 [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
 [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
 [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
 [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
 [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] **TYPE OF APPLICATION** - Check Those Which Apply for [A]

[A] Location - Spacing Unit - Simultaneous Dedication
☐ NSL ☐ NSP ☐ SD

Check One Only for [B] or [C]

[B] Commingling - Storage - Measurement
☒ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

[C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR

[D] Other: Specify _____

[2] **NOTIFICATION REQUIRED TO:** - Check Those Which Apply, or Does Not Apply

[A] ☐ Working, Royalty or Overriding Royalty Interest Owners
 [B] ☐ Offset Operators, Leaseholders or Surface Owner
 [C] ☐ Application is One Which Requires Published Legal Notice
 [D] ☐ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
 [E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,
 [F] ☐ Waivers are Attached

[3] **SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.**

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Pat Ogden
 Print or Type Name

Pat Ogden
 Signature

Regulatory Analyst 2/22/12
 Title Date

pat.ogden@meritenergy.com
 e-mail Address

D-13-235-36E

State
 RECEIVED
 MAR 22 2 34 PM

District I
1625 N. French Drive, Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Road, Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-107A
Revised August 1, 2011

APPLICATION TYPE
☒ Single Well
☒ Establish Pre-Approved Pools
EXISTING WELLBORE
☒ Yes ☐ No

APPLICATION FOR DOWNHOLE COMMINGLING

Merit Energy Company
Operator
State A A/C 1
Lease
OGRID No. 14591
Property Code
API No. 30-025-09346
Lease Type: ☐ Federal ☒ State ☐ Fee

13727 Noel Rd Ste 500 Dallas, TX 75240
Address
DHC-4550
66
Well No.
D-13-23S-36E
Unit Letter-Section-Township-Range
Lea
County

DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
Pool Name	Jalmat Tansil Yates 7-Rivers <i>Ca</i>	<i>LM</i>	Junice 7 Rivers Queen <i>80</i>
Pool Code	79240		24130
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	2964'-3141'		3447'-3557'
Method of Production (Flowing or Artificial Lift)	Artificial Lift		Artificial Lift
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	NA		NA
Oil Gravity or Gas BTU (Degree API or Gas BTU)	BTU 1.3174		33.6 API/1.2088 BTU
Producing, Shut-In or New Zone	Producing		New Zone
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.)	Date: 02/20/2012 Rates: 0 BO; 30 MCF	Date: Rates:	Date: Rates: 1.5 BO; 20 MCF
Fixed Allocation Percentage (Note: If allocation is based upon something other than current or past production, supporting data or explanation will be required.)	Oil Gas 0 % 60 %	Oil Gas % %	Oil Gas 100 % 40 %

ADDITIONAL DATA

Are all working, royalty and overriding royalty interests identical in all commingled zones? Yes ☒ No ☐
If not, have all working, royalty and overriding royalty interest owners been notified by certified mail? Yes ☐ No ☐
Are all produced fluids from all commingled zones compatible with each other? Yes ☒ No ☐
Will commingling decrease the value of production? Yes ☐ No ☒
If this well is on, or communitized with, state or federal lands, has either the Commissioner of Public Lands or the United States Bureau of Land Management been notified in writing of this application? Yes ☒ No ☐
NMOCD Reference Case No. applicable to this well: _____

Attachments:

- C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
- Production curve for each zone for at least one year. (If not available, attach explanation.)
- For zones with no production history, estimated production rates and supporting data.
- Data to support allocation method or formula.
- Notification list of working, royalty and overriding royalty interests for uncommon interest cases.
- Any additional statements, data or documents required to support commingling.

PRE-APPROVED POOLS

If application is to establish Pre-Approved Pools, the following additional information will be required:

- List of other orders approving downhole commingling within the proposed Pre-Approved Pools
- List of all operators within the proposed Pre-Approved Pools
- Proof that all operators within the proposed Pre-Approved Pools were provided notice of this application.
- Bottomhole pressure data.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *[Signature]* TITLE Regulatory Analyst DATE 02/22/2012
TYPE OR PRINT NAME Matt Ogden TELEPHONE NO. () (972)628-1603
E-MAIL ADDRESS matt.ogden@meritenergy.com

FORM	TOP																														
		STATE A A/C-1 #66 CURRENT WELLBORE DIAGRAM MISSION RESOURCES																													
		SU-T-R 13D-23S-36E API #: 30-025-09346																													
		POOL: JALMAT; TAN-YATES-7 RVRS (PRO GAS)																													
		CO, ST: LEA, NEW MEXICO	LAND TYPE: STATE																												
		STATUS: ACTIVE ACREAGE 40.12																													
		LATEST RIG WORKOVER:																													
		DIAGRAM REVISED: 4/27/2004 BY ERG																													
		LOG ELEVATION: N/R GROUND ELEVATION: 3,389'																													
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">CASING</th> <th style="width: 30%;">LINER</th> <th style="width: 30%;">TUBING</th> </tr> </thead> <tbody> <tr> <td>Hole</td> <td></td> <td></td> </tr> <tr> <td>Pipe 9 5/8"</td> <td>7"</td> <td>2 3/8"</td> </tr> <tr> <td>Weight 36#</td> <td>20#</td> <td>4.7#</td> </tr> <tr> <td>Grade</td> <td></td> <td></td> </tr> <tr> <td>Thread</td> <td></td> <td></td> </tr> <tr> <td>Depth 333'</td> <td>3,586'</td> <td>3,198'</td> </tr> <tr> <td>Mud wt</td> <td></td> <td></td> </tr> </tbody> </table>		CASING	LINER	TUBING	Hole			Pipe 9 5/8"	7"	2 3/8"	Weight 36#	20#	4.7#	Grade			Thread			Depth 333'	3,586'	3,198'	Mud wt						
CASING	LINER	TUBING																													
Hole																															
Pipe 9 5/8"	7"	2 3/8"																													
Weight 36#	20#	4.7#																													
Grade																															
Thread																															
Depth 333'	3,586'	3,198'																													
Mud wt																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LOGS</th> </tr> </thead> <tbody> <tr> <td>Sonic Log</td> <td>1959</td> </tr> <tr> <td>Temperature</td> <td>1959</td> </tr> <tr> <td>Perforating</td> <td>1971</td> </tr> <tr> <td>Compensated Neutron</td> <td>1990</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		LOGS		Sonic Log	1959	Temperature	1959	Perforating	1971	Compensated Neutron	1990																		
LOGS																															
Sonic Log	1959																														
Temperature	1959																														
Perforating	1971																														
Compensated Neutron	1990																														
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">TAN-YATES-7 RVRS ZONE HISTORY</th> </tr> </thead> <tbody> <tr><td colspan="2">6/90 Recomplete from Queen.</td></tr> <tr><td colspan="2">Perforated 2,964-3,141'</td></tr> <tr><td colspan="2">Acidized 2964-3141' w/2000 gal 15%</td></tr> <tr><td colspan="2">Frac w/57,346 gal gel & 149,076# sand. POP</td></tr> <tr><td colspan="2">IPF 0 BO, 880 MCF, 0 BW</td></tr> <tr><td colspan="2">1/91 CO to 3,395'. POP</td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>		TAN-YATES-7 RVRS ZONE HISTORY		6/90 Recomplete from Queen.		Perforated 2,964-3,141'		Acidized 2964-3141' w/2000 gal 15%		Frac w/57,346 gal gel & 149,076# sand. POP		IPF 0 BO, 880 MCF, 0 BW		1/91 CO to 3,395'. POP															
TAN-YATES-7 RVRS ZONE HISTORY																															
6/90 Recomplete from Queen.																															
Perforated 2,964-3,141'																															
Acidized 2964-3141' w/2000 gal 15%																															
Frac w/57,346 gal gel & 149,076# sand. POP																															
IPF 0 BO, 880 MCF, 0 BW																															
1/91 CO to 3,395'. POP																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">OPPORTUNITY</th> </tr> </thead> <tbody> <tr><td colspan="2">None seen.</td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>		OPPORTUNITY		None seen.																									
OPPORTUNITY																															
None seen.																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY</th> </tr> </thead> <tbody> <tr><td colspan="2">9/59 Spud. 9/59 Initial Completion.</td></tr> <tr><td colspan="2">Open hole completion 3,586-3,619'</td></tr> <tr><td colspan="2">Sand Jet 3,594'</td></tr> <tr><td colspan="2">Frac w/10,000 gal oil & 10,000# sand.</td></tr> <tr><td colspan="2">IPF 97 BO, 0 BW, 628 GOR in 6 hrs.</td></tr> <tr><td colspan="2">3/60 POP</td></tr> <tr><td colspan="2">5/66 CO to 3,619'. String shot 3,595-3,625'.</td></tr> <tr><td colspan="2">Acidize OH w/500 gal 15%</td></tr> <tr><td colspan="2">8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)</td></tr> <tr><td colspan="2">Acidize 3,447-3,557' w/1500 gal.</td></tr> <tr><td colspan="2">Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP</td></tr> <tr><td colspan="2">IPP 9 BOPD, 91 MCF, 154 BWPD</td></tr> <tr><td colspan="2">6/90 Set CIBP @ 3,395'.</td></tr> </tbody> </table>		LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY		9/59 Spud. 9/59 Initial Completion.		Open hole completion 3,586-3,619'		Sand Jet 3,594'		Frac w/10,000 gal oil & 10,000# sand.		IPF 97 BO, 0 BW, 628 GOR in 6 hrs.		3/60 POP		5/66 CO to 3,619'. String shot 3,595-3,625'.		Acidize OH w/500 gal 15%		8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)		Acidize 3,447-3,557' w/1500 gal.		Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP		IPP 9 BOPD, 91 MCF, 154 BWPD		6/90 Set CIBP @ 3,395'.	
LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY																															
9/59 Spud. 9/59 Initial Completion.																															
Open hole completion 3,586-3,619'																															
Sand Jet 3,594'																															
Frac w/10,000 gal oil & 10,000# sand.																															
IPF 97 BO, 0 BW, 628 GOR in 6 hrs.																															
3/60 POP																															
5/66 CO to 3,619'. String shot 3,595-3,625'.																															
Acidize OH w/500 gal 15%																															
8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)																															
Acidize 3,447-3,557' w/1500 gal.																															
Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP																															
IPP 9 BOPD, 91 MCF, 154 BWPD																															
6/90 Set CIBP @ 3,395'.																															
		<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>9 5/8" @ 333' w/300 sx Cmt</p> <p>TOC @ 2,260' by Temp Surv.</p> <p>Perfs: 2,964-3,141' (1 SPF) 2,964, 3,000, 18, 29, 49, 52, 53, 74, 3,106, 07, 08, 41'</p> <p>CIBP @ 3,395' on 6/90</p> <p>Perfs: 3,447-3,557' 3,447, 54, 60, 67, 72, 78, 88, 99, 3,508, 16, 22, 26, 35, 39, 44, 49, 57' 7" @ 3,586' w/250 sx Cmt</p> <p>TD 3,619'</p> </div> <div style="width: 50%;"> <p>9 5/8" @ 333' w/300 sx Cmt</p> <p>TOC @ 2,260' by Temp Surv.</p> <p>Perfs: 2,964-3,141' (1 SPF) 2,964, 3,000, 18, 29, 49, 52, 53, 74, 3,106, 07, 08, 41'</p> <p>CIBP @ 3,395' on 6/90</p> <p>Perfs: 3,447-3,557' 3,447, 54, 60, 67, 72, 78, 88, 99, 3,508, 16, 22, 26, 35, 39, 44, 49, 57' 7" @ 3,586' w/250 sx Cmt</p> <p>TD 3,619'</p> </div> </div>																													
TANSILL	2,787' (file pick)																														
YATES	2,940'																														
7 RVRS	3,192'																														
QUEEN	3,524'																														

☒ Well File

☒ OCD File

Current

Queen ← → 7 Rivers Yates

20 MCFD

20 MCFD
1.5 BOPD


Oil-bbl/d	OUTLOOK12
Qual=	6/2012
Cum=	22772
Rem=	3406
EUR=	26179
Yrs=	19.997
Qref=	1.2
De=	11.220836
Dmin=	0.000
b=	0.000000
Qab=	0.1

Gas-mcf/d	OUTLOOK12
Qual=	6/2012
Cum=	1195705
Rem=	40467
EUR=	1236172
Yrs=	19.997
Qref=	20.6
De=	16.552901
Dmin=	0.000
b=	0.000000
Qab=	0.6

Water-bbl/m	6/2012
Ref=	2247
Cum=	

Allocation

40% Queen
60% 7 Rivers Yates
Oil: 100% Queen



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-09346	² Pool Code 24130	³ Pool Name Eunice 7 Rivers Queen South
⁴ Property Code State A A/C 1	⁵ Property Name Merit Energy Company	⁶ Well Number 66
⁷ OGRID No. 14591	⁸ Operator Name Merit Energy Company	⁹ Elevation

¹⁰ Surface Location



UL or lot no. D	Section 13	Township 22S	Range 36E	Lot Idn	Feet from the 660	North/South line North	Feet from the 660	East/West line West	County Lea
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹² Dedicated Acres 40	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
-------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 	<p>¹⁷ OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p> 02/22/2012 Signature Date</p> <p>Matt Ogden Printed Name</p> <p>matt.ogden@meritenergy.com E-mail Address</p>
	<p>¹⁸ SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>Date of Survey Signature and Seal of Professional Surveyor:</p>
	Certificate Number

District I
1625 N. French Dr., Hobbs. NM 88240
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd. Aztec, NM 87410
District IV
PO Box 2088, Santa Fe. NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102

Revised February 21, 1994
instructions on back

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-09346		2 Pool Code 79240		3 Pool Name Jalmat Tansill Yates 7 Rvrs (Pro Gas)	
4 Property Code 24669		5 Property Name State A A/C 1			6 Well Number 66
7 OGRID No. 162791		8 Operator Name Raptor Resources			9 Elevation

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	13	23 S	36E		660'	North	660	West	Lee

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

12 Dedicated Acres 640	13 Joint or Infill	14 Consolidation Code	15 Order No. NSL-2730-D (SD)
---------------------------	--------------------	-----------------------	---------------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<div data-bbox="162 1021 1104 1936"> </div>	<h4>17 OPERATOR CERTIFICATION</h4> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief</p> <p><i>Bill R. Keathly</i></p> <p>Signature</p> <p>Bill R. Keathly</p> <p>Printed Name</p> <p>Regulatory Agent</p> <p>Title</p> <p>9-27-00</p> <p>Date</p>	
	<h4>18 SURVEYOR CERTIFICATION</h4> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p>	
	<p>Certificate Number</p>	



*Merit Energy Company
13727 Noel Road, Suite 500
Dallas, TX 75240*

Date: February 23, 2012
To: New Mexico Oil Conservation Division
Attention: William V Jones P.E.
RE. Jalmat Field: AC-1 #50,52,54,57,60,66,71,72,74,80,81, 107 & AC-2 #29-Queen
Commingling
Lea County, New Mexico

Merit Energy Company has requested approval to commingle the Yates formation (Jalmat Pool) with the Queen formation (Langlie-Mattix) .

This well that we are asking to commingle does have "identically owned" (working/royalty/orri) interest from the surface to the base of the queen formation.

Please let me know if you have any questions

Sincerely,

Matt Van Eaton
Associate Landman
matt.vaneaton@meritenergy.com
Phone: 972-628-1557
Fax: 972-682-1857



*Merit Energy Company
13727 Noel Road, Suite 500
Dallas, TX 75240*


Date: February 23, 2012
To: New Mexico Oil Conservation Division
Attention: William V Jones P.E.
RE: **Jalmat Field: 13 Commingling Applications**
Lea County, New Mexico

Merit Energy Company has requested approval to commingle the Queen formation (Langlie Mattix Pool) with the Tansill-Yates-Seven Rivers formation (Jalmat Pool).

All of these wells are located in Lea County, C Sec 10, B-D-E-G-M Sec 13, G Sec 15, E- Sec 23, I-K-L-O- Sec 24 T23S R36E and D Sec 9 T22S R36E. Commingling the Jalmat Pool with the Langlie Mattix Pool is in the interest of both royalty owners and the conservation, and it will extend the life of each well and optimize recovery from both Pools. The 13 well's commercial value will be extended 20 years based on estimated reserves from the Queen formation, and will ultimately allow uncommercial Jalmat Pool reserves to be recovered via production from the Queen. The Queen Completions are uneconomic if it is required by the NMOCD to seal off the Jalmat Pool from the Langlie Mattix Pool. Operationally, fluid samples will be collected before and after commingling. Scale inhibitors will be continuously pumped during operations. The fluid level will be maintained below the Jalmat pool both to optimize production and reduce any scaling tendencies.

Please let me know if you have any questions.

Sincerely,



Jason Vining
Operations Engineer

jason.vining@meritenergy.com

Phone: 972-628-1606

Fax: 972-682-1906