1R - 43527

APPROVALS

YEAR(S):

20/2

Hansen, Edward J., EMNRD

From:

Hansen, Edward J., EMNRD

Sent:

Wednesday, May 02, 2012 2:25 PM

To:

Hack Conder (hconder@riceswd.com)

Cc:

 $Leking, Geoffrey\ R,\ EMNRD;\ Katie\ Jones\ < kjones@riceswd.com>\ (kjones@riceswd.com);$

Laura Pena (Ipena@riceswd.com); Scott Curtis (scurtis@riceswd.com)

Subject:

Remediation Plan (1R425-29) Termination - ROC Vacuum F-30-1 Vent Site

RE: Termination Request

for the Rice Operating Company's

Vacuum F-30-1 Vent Site

Unit Letter F, Section 30, T17S, R35E, NMPM, Lea County, New Mexico

Remediation Plan (1R425-29) Termination

Dear Mr. Conder:

The New Mexico Oil Conservation Division (OCD) has received Rice Operating Company's report and request to close the above-referenced site, dated April 27, 2012 (received May 1, 2012). The report is acceptable to the QCD.

The above-referenced report, submitted in accordance with 19.15.29 NMAC (Rule 29; formally, Rule 116), indicates that Rice Operating Company has met the requirements of 19.15.29 NMAC; therefore, the OCD approves the report and hereby notifies you that the remediation plan (1R425-29) is terminated in accordance with 19.15.29 NMAC.

Please be advised that OCD approval of this report does not relieve the owner/operator of responsibility should operations pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the owner/operator of responsibility for compliance with any OCD, federal, state, or local laws and/or regulations.

If you have any questions regarding this matter, please contact me at 505-476-3489.

Edward J. Hansen Hydrologist Environmental Bureau

2012 MAY -1 A 9:09

RICE Operating Company

122 West Taylor • Hobbs, New Mexico 88240 Phone: (575) 393-9174 • Fax: (575) 397-1471

April 27, 2012

Mr. Edward Hansen New Mexico Energy, Minerals, & Natural Resources Oil Conservation Division, Environmental Bureau 1220 S. St. Francis Drive Santa Fe, New Mexico 87505

RE: Termination Request

Vacuum F-30-1 vent (1R425-29): UL/F, Sec. 30, T17S, R35E

RICE Operating Company - Vacuum SWD System

Mr. Hansen:

Rice Operating Company (ROC) is the service provider (agent) for the abandoned Vacuum Saltwater Disposal (SWD) System and has no ownership of any portion of the pipeline, well, or facility. The System is owned by a consortium of oil producers, System Parties, who provide all operating capital on a percentage ownership/usage basis.

Background

In 2005, ROC initiated work on the former F-30-1 vent junction box as part of the system abandonment. The site is located in UL/F, Sec. 30, T17S, R35E. NM OSE records indicate that groundwater would likely be encountered at a depth of approximately 102 +/- feet. The site was delineated using a backhoe to collect soil samples at regular intervals, creating a 9x3x12-ft deep excavation. Each sample was field titrated for chlorides and field screened using a PID for hydrocarbons, resulting in low concentrations of each. The 12-ft sample was sent to a commercial laboratory for analysis of chloride and TPH, resulting in a chloride concentration of 149 mg/kg, and concentrations of gasoline range organics (GRO) and diesel range organics (DRO) below detectable limits. The excavated soil was blended on site and returned to the excavation to ground surface. Clean, imported soil was used as a top cap and to contour the site to the surrounding area. On 3/21/2006, the site was seeded with a blend of native vegetation and is expected to return to a productive capacity at a normal rate. The junction box final report, photo documentation, laboratory analysis, and PID sheet are attached.

Recommendations

Site investigation demonstrates that residual chloride and hydrocarbons in the vadose zone will not with reasonable probability contaminate groundwater in excess of NMOCD standards. This site meets the requirements of the NMOCD-approved Revised Junction Box Upgrade Work Plan (July 16, 2003). As such, ROC request termination of the regulatory file, or similar closure status.

Please contact me at (575)393-9174 if you have any questions or wish to discuss this site. Thank you for your time and consideration.

Sincerely,

RICE Operating Company

Hack Conder

Environmental Manager

enclosures

RICE OPERATING COMPANY JUNCTION BOX FINAL REPORT

BOX LOCATION

				BOX LOCA	TION		· · · · · · · · · · · · · · · · · · ·			_
SWD SYSTEM J	UNCTION	UNIT	SECTION	V TOWNSHIP	RANGE	COUNTY		IMENSIONS -		_
Vacuum (F-30-1 vent	F	30	178	35E	Lea	Length	Width	Depth	
			<u> </u>				System A	Abandonment-	-no box	
LAND TYPE: BLM	STA	TEX_	FEE LAN	DOWNER			OTHER		 	
Depth to Groundw	ater1	02	feet	NMOCD	SITE ASSE	SSMENT F	RANKING S	CORE:	0	
Date Started	8/24/20	05	Date Co	ompleted	2/17/2006	NMOC	D Witness		no	
Soil Excavated	12	cubic ya	rds Ex	xcavation Le	ength 9	Width	3	Depth	12	feet
Soil Disposed	0	cubic ya	rds C	Offsite Facility	'n	/a	Location	r	n/a	
FINAL ANALYTI	CAL RES	ULTS:	Samp	ole Date	8/30/20	005	Sample De	epth	12 ft	
	nloride labora						CHLOR	RIDE FIELD T	ESTS	
approved laborato	ry and testing	procedur	es pursuar	nt to NMOCD	guidelines.					
	·					L(OCATION	DEPTH (ft)) pr	pm
Sample	<u>PID</u>	GI	RO	DRO	Chloride		-	2	2	51
Location	ppm	mg	g/kg	mg/kg	mg/kg			3	2	97
GRAB @ 12 ft	51.3	<1	0.0	<10.0	149			4	2	64
								5	2	59
							vertical lelineation	6	3	29
General Description o	f Remedial A	ction:				1 1	trench at	7	3:	26
			This junctio	n box was addr	essed as		junction	8	3:	23
part of the Vacuum SWD S	ystem abandon	ment. After i	removing the	box materials, a	a delineation			9	4	52
rench was made at the site	using a trackho	e while soil s	samples were	e collected at re	gular			10	2	65
ntervals to 12 ft BGS. Chlo	oride field tests a	and PID scre	enings were	conducted on e	each sample.			11	1	81
Chloride field tests yielded	very low concen	trations and	VOC concen	trations were al	l less than			12	2	27
00 ppm. The soil samples	did not exhibit	any physical	indications o	of adverse impac	ct. The					
excavated soil was blended	on site and ther	n backfilled in	nto the excav	ation. Additiona	al clean topsoil	was needed to	o level the area	to the surround	ing terrain	1;
his soil was imported. The	disturbed surfa	ce was seed	led with a ble	end of native veg	etation and is	expected to re	turn to product	ive capacity at a		
normal rate. Since the Vac	uum SWD Syst	em has beer	abandoned,	, a junction box	is no longer red	quired here.				
						·				
						enclo	sures: photos,	lab results, PID	field scre	enings
										
I HEREBY (CERTIFY TH	AT THE IN		ION ABOVE			ETE TO TH	HE BEST OF	MY	
SITE SUBERVICOR	Iorgo Llornandos	- 610	NIATI IDE			COME	NAMY DIC	\F		
SITE SUPERVISOR	orge meritandez	510	NA I UKE	not a	valiable	COMF	ANT KIL	CE Operating Co	unpariy	
REPORT ASSEMBLED B	Y Kris	stin Farris Po	ope	SIGNATURE		india C	Vann	0,00	•	
DATE		5/10/2006	1. 7				Project Scientis			
DATE	-	3/10/2008		TITLE	<u> </u>		Froject Scientis) ·		

Vacuum F-30-1 vent

unit 'F', sec. 30, T17S, R35E



undisturbed junction box

7/11/2005



backfilling delineation trench

2/17/2006




delineation trench to 12 ft BGS make with trackhoe

2/17/2006



seeding backfilled location

3/21/2006



COPY

Analytical Report

Prepared for:

Roy Rascon Rice Operating Co. 122 W. Taylor Hobbs, NM 88240

Project: Vacuum 7-30-1 Vent
Project Number: None Given
Location: None Given

Lab Order Number: 5H31021

Report Date: 09/02/05

Rice Operating Co. 122 W. Taylor

Project: Vacuum 7-30-1 Vent

Fax: (505) 397-1471

122 W. Taylor Hobbs NM, 88240 Project Number: None Given Project Manager: Roy Rascon

Reported: 09/02/05 13:21

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Bottom Grab Sample@ 12'	5H31021-01	Soil	08/30/05 10:45	08/31/05 16:35

Project: Vacuum 7-30-1 Vent

Project Number: None Given Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported: 09/02/05 13:21

Organics by GC Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bottom Grab Sample@ 12' (5H3102)	1-01) Soil	- · · · · · · · · · · · · · · · · ·							
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EI50104	09/01/05	09/01/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	11	0	11	11	11	II	
Total Hydrocarbon C6-C35	ND	10.0	H	,,	II	П	11	u,	
Surrogate: 1-Chlorooctane		93.2 %	70-1	30	11	"	"	n	
Surrogate: 1-Chlorooctadecane		99.6 %	70-1	30	"	"	11	u	

Project: Vacuum 7-30-1 Vent

Project Number: None Given Project Manager: Roy Rascon Fax: (505) 397-1471

Reported: 09/02/05 13:21

General Chemistry Parameters by EPA / Standard Methods **Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bottom Grab Sample@ 12'	(5H31021-01) Soil								
Chloride	149	5.00	mg/kg	10	EI50204	09/01/05	09/01/05	EPA 300.0	
% Moisture	6.7	0.1	%	1	EI50201	09/01/05	09/02/05	% calculation	

Project: Vacuum 7-30-1 Vent

Project Number: None Given Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported: 09/02/05 13:21

Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch E150104 - Solvent Extraction	(GC)									
Blank (EI50104-BLK1)				Prepared	& Analyze	d; 09/01/	05			
Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	H							
Total Hydrocarbon C6-C35	ND	10.0	"							
Surrogate: 1-Chlorooctane	40.9		mg/kg	50.0		81.8	70-130			
Surrogate: 1-Chlorooctadecane	43.0		"	50.0		86.0	70-130			
LCS (EI50104-BS1)				Prepared	& Analyze	ed: 09/01/	05			
Gasoline Range Organics C6-C12	411	10.0	mg/kg wet	500		82.2	75-125			
Diesel Range Organics >C12-C35	436	10.0	li	500		87.2	75-125			
Total Hydrocarbon C6-C35	847	10.0	II	1000		84.7	75-125			
Surrogate: 1-Chlorooctane	. 55.7		mg/kg	50.0		111	70-130			· · · · · · · · · · · · · · · · · · ·
Surrogate: 1-Chlorooctadecane	53.5		"	50.0		107	70-130	•		
Calibration Check (EI50104-CCV1)				Prepared:	09/01/05	Analyzeo	1: 09/02/05			
Gasoline Range Organics C6-C12	460		mg/kg	500		92.0	80-120			
Diesel Range Organics >C12-C35	450			500		90.0	80-120			
Total Hydrocarbon C6-C35	910		II	1000		91.0	80-120			
Surrogate: 1-Chlorooctane	56.5		"	50.0		113	0-200			
Surrogate: 1-Chlorooctadecane	62.5		"	50.0		125	0-200			
Matrix Spike (EI50104-MS1)	So	urce: 5H31(20-01	Prepared	& Analyz	ed: 09/01/	05			
Gasoline Range Organics C6-C12	478	10.0	mg/kg dry	554	ND	86.3	75-125			
Diesel Range Organics >C12-C35	441	10.0	11	554	ND	79.6	75-125			
Total Hydrocarbon C6-C35	919	10.0	II .	1110	ND	82.8	75-125			
Surrogate: 1-Chlorooctane	57.7		mg/kg	50.0		115	70-130			
Surrogate: 1-Chlorooctadecane	53.1		"	50.0		106	70-130			
Matrix Spike Dup (EI50104-MSD1)	Sc	urce: 5H310	020-01	Prepared	& Analyz	ed: 09/01/	05			
Gasoline Range Organics C6-C12	472	10.0	mg/kg dry	554	ND	85.2	75-125	1.26	20	
Diesel Range Organics >C12-C35	454	10.0	11	554	ND	81.9	75-125	2.91	20	
Total Hydrocarbon C6-C35	926	10.0	Ħ	1110	ND	83.4	75-125	0.759	20	
Surrogate: 1-Chlorooctane	56.0		mg/kg	50.0		112	70-130			
Surrogate: 1-Chlorooctadecane	53.1		"	50.0		106	70-130			

Project: Vacuum 7-30-1 Vent

Project Number: None Given Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported: 09/02/05 13:21

General Chemistry Parameters by EPA / Standard Methods - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
, tituly to	·			- Dover	100000	70.000	- Dillito	10.0		140103
Batch EI50201 - General Preparation	n (Prep)									
Blank (EI50201-BLK1)				Prepared:	09/01/05	Analyzed	: 09/02/05			
% Solids	100		%							
Duplicate (EI50201-DUP1)	Sour	ce: 5H3102	20-01	Prepared:	09/01/05	Analyzed	: 09/02/05			
% Solids	91.1		%	,	90.3			0.882	20	
Duplicate (EI50201-DUP2)	Sour	ce: 5I0102	7-02	Prepared:	09/01/05	Analyzed	: 09/02/05			
% Solids	90.4	•	%	-	90.6			0.221	20	
Batch EI50204 - Water Extraction	· · · · · · · · · · · · · · · · · · ·	 								
Blank (EI50204-BLK1)				Prepared	& Analyz	ed: 09/01/	05			
Chloride	ND	0.500	mg/kg							
LCS (EI50204-BS1)				Prepared	& Analyz	ed: 09/01/	05			
Chloride	8.56		mg/L	. 10.0		85.6	80-120			
Calibration Check (EI50204-CCV1)				Prepared	& Analyz	ed: 09/01/	05			
Chloride	8.73		mg/L	10.0		87.3	80-120			
Duplicate (EI50204-DUP1)	Sou	rce: 5H310	13-01	Prepared	& Analyz	ed: 09/01/	05			
Chloride	2550	50.0	mg/kg		2570			0.781	20	

Rice Operating Co. 122 W. Taylor

Project: Vacuum 7-30-1 Vent

Fax: (505) 397-1471

Reported:
09/02/05 13:21

Hobbs NM, 88240

Project Number: None Given Project Manager: Roy Rascon

Notes and Definitions

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

LCS Laboratory Control Spike

MS Matrix Spike

Dup Duplicate

Report Approved By:

Rala dr Ju

Date: 9-06-05

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas, Inc.

2600 West I-20 East)dessa, Texas 79763 Phone: 915-563-1800 Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Ma	nager: Roy Rasc	con			·	<u>.</u>									Pro]ect	Nam	ie: _	Va	cir	241		7-	30	· - /		Ve.	n t
Company	Name Rice Ope	rating Com	npany		······································						<u>, .</u>		<u></u>															
Company Ac	idress: <u>122 W Ta</u>	aylor			<u> </u>						·				Ė													
City/Sta	ate/zip: <u>Hobbs, N</u>	M 88240			·				<u>.</u>																			
	one No: <u>505-393-</u> 9	/			Fax No:																							
	7.0.4	ð																TCL	P:	A	nalyz	ze Foi	<u>r:</u>	$\overline{}$	T		7	
							<u> </u>									-		ГОТА	L:					1				
XXX		·····		Date Sampled	Time Sampled	No. of Containers				NaOH H,SO ₄		her (Specify).	Water	Matrix	r (specify):	/CF/	TPH 418.1	TEH BOASM GROUND	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030	EC, CEC, SAR, ESP Maior cations/anions TDS	or calcularaminite, 100			SH TAT (Pre-Schedule	Standard TAT
AB # (lab use only)		LD CODE				ž	lce	호	¥ :	Z T	ž	ŏ	≥	-	+		F 1	+		>	Š	<u>" "</u>	D E	1		-	12	: de
	Rottom Grab	Sample C	<u>a 12'</u>	8-30-05	10:45 A		X		_		+-	-	+	<u> </u>	 	X	+	_ ×	4	+	$\vdash \vdash$	+	_	+-	\vdash	\dashv	+	+
									-		╁		\dashv		\vdash		+	+	+	╫	H	+	+	+	+-	\dashv	+-	+-
e tradicial interestigation of his		 				<u> </u>			\dashv		╁		+	╅	+			+	+	+		+	+	+	+-	-+	+	+
<u>au Tuduseda Barros de Leiraber</u> Arros			:				\vdash	\vdash	\dashv	+	+		-	+		-	-	+-	+		\vdash	+		+	+		+	+
ngar-restitat seste Salapan					· · · · · · · · · · · · · · · · · · ·	-	·	\vdash	-	+	+	\Box	_	+			+	+	+-	+	-	+		十	+	+	+	+
ilan mengalakan mengalan sa Tanggalak sampan sampan									+		+		十	\top			+	+	+	1		+	\top	+		\top	十	+
									Ť		\top	\Box	_		\Box		+	\dagger	+	1	\Box	\dashv	1	\dagger		\top	+	\dagger
Control of Market and Arthresis	· · · · · · · · · · · · · · · · · · ·		, -	-					_	+	1		十	1	\Box		\top	1	+-	T			\top	\top	\Box		十	
		······································																								\top	T	
pecial instructions:								-	·								Ť L	emp	erati	ire U	pơn l	Intaci Recei	ipt:		0	N		
elinquished/by: John Manuel elinquished by: 1		Date	Time	Received by:	2m							8	Date 3	1	1	ime ime	rò	•		4	- 22-	- O	. 9					
elinquished by:	~	Date 8/3 /	Time 16 = 3 5	Received by ELC	¥ .	IQ.	7					18/	Sl(0)	; 5 		1.36 -36				XZ Eo	عاد	Δ	abi	elg				

Environmental Lab of Texas Variance / Corrective Action Report – Sample Log-In

Client: MC OP.				
Pate/Time: 8/31/05				
Order #:5H3l02/				
nitials:				
Sample Recei	nt Checkl	ic†		
emperature of container/cooler?	Yes	No	-05 C	
Shipping container/cooler in good condition?	Xes	No		
Custody Seals intact on shipping container/cooler?	Xes	No	Not present	
Custody Seals intact on sample bottles?	Y/ēs	No	Not present	
Chain of custody present?	Yes	No		
Sample Instructions complete on Chain of Custody?	YES	No		
Chain of Custody signed when relinquished and received?	Yes .	No		
Chain of custody agrees with sample label(s)	Yes	No		
Container labels legible and intact?	Yes,	No		
Sample Matrix and properties same as on chain of custody?	YES	No		
Samples in proper container/bottle?	Yes	No		
Samples properly preserved?	\(\frac{1}{2}\)	No		
Sample bottles intact?	Yes	No		
Preservations documented on Chain of Custody?	Yes	No		
Containers documented on Chain of Custody?	YES	No		
Sufficient sample amount for indicated test?	Yes	No		
All samples received within sufficient hold time?	Xas	No	 	
/OC samples have zero headspace?	(Yes	No	Not Applicable	
Other observations:				
Variance Doc			Contacted by:	
Variance Doc Contact Person: Date/Time:				
Variance Doc Contact Person: Date/Time: Regarding: Corrective Action Taken:				
Variance Doc Contact Person: Date/Time: Regarding: Corrective Action Taken:				
Variance Doc Contact Person: Date/Time: Regarding: Corrective Action Taken:				

RICE OPERATING COMPANY

122 WEST TAYLOR

HOBBS, NEW MEXICO 88240

PHONE: (505) 393-9174 FAX: (505) 397-1471

VOC FIELD TEST REPORT FORM

MINI RAE PLUS CLASSIC PHOTOIONIZATION GAS DETECTOR

MODEL NO: PGM 761S

SERIAL NO: 104412

CALIBRATION GAS

GAS COMPOSITION: ISOBUTYLENE

100 PPM

AIR

BALANCE

LOT NO: 64-2747

FILL DATE:

EXP. DATE: 2-1-06

ACCURACY: # 2 %

METER READING ACCURACY: _____

SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE
	Vant F.30-1.	£	3/	175	.350
Vacioni.					

•	and the second of the second	• (ا و و د الله الله الله الله الله الله الله ال	••
SAMPLE	PID RESULT	SAMPLE	PID RESULT	1
Sa 100 @ 2'	0.3	Bottom Giab Sauple @ 12'	51.3	
3	6.7			
4 .	0.5			
.₹	0.9			Ī
6	1.1			
7	1.3].
تع	7.6			
7.	3.9			
/0	45.4]
11	30.2]
1.2	51.1			
	•			

I certify that I have calibrated the above instrument in accordance to the manufacture operation manual.