

DATE IN 02/14/2013	SUSPENSE	ENGINEER DB	LOGGED IN 02/14/13	TYPE NSL	APP NO. PPRG1304555990
--------------------	----------	-------------	--------------------	----------	------------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



30-015-40955-00-00
 Grave Digger state
 Com # 6H
 Cog operating LLC

ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
 [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
 [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
 [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
 [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
 [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] **TYPE OF APPLICATION** - Check Those Which Apply for [A]

[A] Location - Spacing Unit - Simultaneous Dedication
☒ NSL ☐ NSP ☐ SD

Check One Only for [B] or [C]

[B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

[C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR

[D] Other: Specify _____

[2] **NOTIFICATION REQUIRED TO:** - Check Those Which Apply, or ☒ Does Not Apply

INTEREST ARE THE SAME

[A] ☐ Working, Royalty or Overriding Royalty Interest Owners

[B] ☐ Offset Operators, Leaseholders or Surface Owner

[C] ☐ Application is One Which Requires Published Legal Notice

[D] ☐ Notification and/or Concurrent Approval by BLM or SLO
 U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office

[E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,

[F] ☐ Waivers are Attached

[3] **SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.**

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Kelly J. Holly
 Print or Type Name

Signature

Permitting Tech
 Title

2-12-13
 Date

(432) 685-4384
 Phone Number

kholly@concho.com
 E-mail Address

**Grave Digger State Com #6H
Eddy County, NM**

COG is requesting to horizontally drill a NW/4 NE/4 to SW/4 SE/4 120 acre spacing
N. Seven Rivers; Glorieta-Yeso oil well
Approximately: TVD 2934', MD 7466'

Non-standard Location:

SHL: 210' FNL & 2630' FEL	Sec 2, T20S, R25E, Unit 2
BHL: 330' FSL & 2600' FEL	Sec 2, T20S, R25E, Unit O

**This well had to be staked at a non-standard location due to existing road, surface pipeline
and electrical line.**

We won't know the exact perms until we drill & log it, but it will be very similar to the Grave Digger State Com #1H and is located at:

SHL: 330' FNL & 380' FWL	Section 2, T20S, R25E, Unit 4
BHL: 322' FSL & 384' FWL	Section 2, T20S, R25E, Unit M

Grave Digger State Com #1H has perms from: 2880' – 6880' overall, but broken up into 5 separate intervals, with 5 separate fracs:

1st Perf: 2880-3480',
acidized w/ 4861 gals, 15% NEFE; frac'd w/256764# sand & 516224 gal fluid

2nd Perf: 3730-4330',
acidized w/ 2521 gals, 15% NEFE; frac'd w/249468# sand & 511005 gal fluid

3rd Perf: 4580-5180',
acidized w/ 2427 gals, 15% NEFE; frac'd w/255948# sand & 519074 gal fluid

4th Perf: 5430-6030',
acidized w/ 3985 gals, 15% NEFE; frac'd w/250253# sand & 532321 gal fluid

5th Perf: 6266-6880',
acidized w/ 1506 gals, 15% NEFE; frac'd w/254588# sand & 512961 gal fluid

**Attachment 1
Plat & Map**

**Attachment 2
Map & legend of offset wells.**

**Attachment 3
Updated land plat showing COG Operating LLC acreage.
The acreage we are encroaching on is Units C, F, K and N of Section 2.**

All interests are the same.

COG Operating LLC respectfully requests permission to have this NSL approved.

DISTRICT I
1625 N. Finch Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

API No.		30-015-40955		5		Pool Name			
Property Code		308178		VE DIGGER STATE COM		Well Number			
OGRID No.		229137		OG OPERATING, LLC		Elevation			
						3457'			
Surface Location									
UL or lot No.	Se	Range	Section	Feet from the	North/South line	Feet from the	East/West line	County	
2	2	20-S	25-E	210	NORTH	2630	EAST	EDDY	
Bottom Hole Location If Different From Surface									
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	2	20-S	25-E		330	SOUTH	2600	EAST	EDDY
Dedicated Acres		Joint or Infill		Consolidation Code		Order No.			
160.32									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


CORNER COORDINATES TABLE A - Y=585511.7 N, X=462548.4 E B - Y=585516.2 N, X=463869.6 E C - Y=580253.0 N, X=462532.4 E D - Y=580241.0 N, X=463855.1 E				OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Kelly J. Holly</i> 1-10-13 Signature Date Kelly J. Holly Printed Name kholly@concho.com E-mail Address	
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. DECEMBER 13, 2012 Date of Survey Signature & Seal of Professional Surveyor: <i>Ronald J. Eidson</i> Certificate Number 3239 AF JWSC W.O.: 12.11.1969					

SECTION 2, TOWNSHIP 20 SOUTH, RANGE 25 EAST, N.M.P.M.
EDDY COUNTY **NEW MEXICO**




DIRECTIONS TO LOCATION:

FROM THE INTERSECTION OF U.S. HWY. #285 AND CO. RD. #23 (ROCK DAISY) GO WEST APPROX. 3.15 MILES ON CO. RD. #23. TURN LEFT AND GO SOUTH APPROX. 0.8 MILES. TURN LEFT AND GO SOUTHEAST APPROX. 0.33 MILES. TURN RIGHT AND GO SOUTH APPROX. 0.2 MILES. TURN LEFT AND GO EAST APPROX. 0.5 MILES TO THE ROAD SURVEY. FOLLOW ROAD SURVEY NORTH 25 FEET TO THIS LOCATION.



COG OPERATING, LLC

GRAVE DIGGER STATE COM #6H WELL
LOCATED 210 FEET FROM THE NORTH LINE
AND 2630 FEET FROM THE EAST LINE OF SECTION 2,
TOWNSHIP 20 SOUTH, RANGE 25 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO




Survey Date: 12/13/12	CAD Date: 12/17/12	Drawn By: AF
W.O. No.: 12111969	Rev.:	Rel. W.O.:

Sheet 1 of 1

Producing wells in Sec 2, T20S, R25E, Eddy County

API#	Operator	Lease	Well#	County	Legal	Total Depth	Well Type	Well Status	First Prod.	Last Prod.	Prac. IP (MCF/D)
30-015-37582	COG OPERATING LLC	GRAVE DIGGER STATE COM	2H	EDDY	S:2, T:20S, R:25E	7,060	O	Active Permit	Oct 2010	Nov 2012	34.83
30-015-39151	COG OPERATING LLC	GRAVE DIGGER STATE COM	3H	EDDY	S:2, T:20S, R:25E	7,163	U	Active Permit	Feb 2012	Nov 2012	44.97
30-015-24091	SANTA FE EXPLORATION CO	EXXON STATE COM	001	EDDY	S:2, T:20S, R:25E	9,838	PG	Shut-in	Jan 1984	Jan 1993	86.38
30-015-33763	COG OPERATING LLC	CEMETARY 2	#2	EDDY	S:2, T:20S, R:25E	9,820	G	Active	Nov 2005	Nov 2012	675.77



Non Standard Location
Operator: COG Operating LLC
Legal: SEC2 T20S-R25E UL-
C,F,K,& N of Eddy County NM

Well name: Grave Digger State Com #6H
Operator: COG Operating LLC
Legal: SEC2 T20S-R25E UL-B,G,J,& O of
Eddy County NM



Concho

**Eddy County, New Mexico (Nad27)
Grave Digger State Com #6H**

OH

Plan: Plan #2 01-09-13

Surface: 210' FNL, 2630' FEL, Sec 2, T20S, R25E, Unit B (Lot 2)

BHL: 330' FNL, 2600' FWL, Sec 2, T20S, R25E, Unit O

Standard Planning Report

09 January, 2013



Phoenix
Planning Report

Database:	GCR DB	Local Co-ordinate Reference:	Well #6H
Company:	Concho	TVD Reference:	RF @ 3471.00usft (UDI #40)
Project:	Eddy County, New Mexico (Nad27)	MD Reference:	RF @ 3471.00usft (UDI #40)
Site:	Grave Digger State Com	North Reference:	Grid
Well:	#6H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #2 01-09-13		

Project	Eddy County, New Mexico (Nad27)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Grave Digger State Com		
Site Position:		Northing:	585,277.40 usft
From:	Map	Easting:	464,199.50 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 36' 32.3219 N
		Longitude:	104° 26' 58.5446 W
		Grid Convergence:	-0.06 °

Well	#6H		
Well Position	+N/-S	24.40 usft	Northing:
	+E/-W	-1,638.50 usft	Easting:
Position Uncertainty	0.00 usft	Wellhead Elevation:	Ground Level:
			3,457.00 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination
			(°)
	IGRF2010_14	01/09/13	7.83
			Dip Angle
			(°)
			60.35
			Field Strength
			(nT)
			48,592

Design	Plan #2 01-09-13		
Audit Notes:			
Version:	Phase:	PLAN	Tie On Depth:
			0.00
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(usft)	(usft)	(usft)
	0.00	0.00	0.00
			Direction
			(°)
			179.78

Plan Sections										
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Dogleg Rate	Build Rate	Turn Rate	TFO	Target
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(°/100usft)	(°/100usft)	(°/100usft)	(°)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2,449.55	0.00	0.00	2,449.55	0.00	0.00	0.00	0.00	0.00	0.00	
3,272.28	90.50	179.78	2,970.40	-525.41	2.04	11.00	11.00	0.00	179.78	
7,466.36	90.50	179.78	2,933.80	-4,719.30	18.30	0.00	0.00	0.00	0.00	PBHL-Grave Digger #



Phoenix
Planning Report

Database: GCR DB
Company: Concho
Project: Eddy County, New Mexico (Nad27)
Site: Grave Digger State Com
Well: #6H
Wellbore: OH
Design: Plan #2 01-09-13

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:

Well #6H
RF @ 3471.00usft (UDI #40)
RF @ 3471.00usft (UDI #40)
Grid
Minimum Curvature

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2,449.55	0.00	0.00	2,449.55	0.00	0.00	0.00	0.00	0.00	0.00
KOP Start Build 11.00									
2,500.00	5.55	179.78	2,499.92	-2.44	0.01	2.44	11.00	11.00	0.00
2,600.00	16.55	179.78	2,597.92	-21.58	0.08	21.58	11.00	11.00	0.00
2,700.00	27.55	179.78	2,690.46	-59.06	0.23	59.06	11.00	11.00	0.00
2,800.00	38.55	179.78	2,774.15	-113.51	0.44	113.51	11.00	11.00	0.00
2,900.00	49.55	179.78	2,845.91	-182.93	0.71	182.94	11.00	11.00	0.00
3,000.00	60.55	179.78	2,903.11	-264.77	1.03	264.77	11.00	11.00	0.00
3,100.00	71.55	179.78	2,943.65	-356.02	1.38	356.02	11.00	11.00	0.00
3,200.00	82.55	179.78	2,966.02	-453.33	1.76	453.33	11.00	11.00	0.00
3,272.28	90.50	179.78	2,970.40	-525.41	2.04	525.42	11.00	11.00	0.00
EOC Start 4194.08 hold at 3272.28 MD									
3,300.00	90.50	179.78	2,970.16	-553.13	2.14	553.14	0.00	0.00	0.00
3,400.00	90.50	179.78	2,969.29	-653.13	2.53	653.14	0.00	0.00	0.00
3,500.00	90.50	179.78	2,968.41	-753.13	2.92	753.13	0.00	0.00	0.00
3,600.00	90.50	179.78	2,967.54	-853.12	3.31	853.13	0.00	0.00	0.00
3,700.00	90.50	179.78	2,966.67	-953.12	3.70	953.12	0.00	0.00	0.00
3,800.00	90.50	179.78	2,965.79	-1,053.11	4.08	1,053.12	0.00	0.00	0.00
3,900.00	90.50	179.78	2,964.92	-1,153.11	4.47	1,153.12	0.00	0.00	0.00
4,000.00	90.50	179.78	2,964.05	-1,253.10	4.86	1,253.11	0.00	0.00	0.00
4,100.00	90.50	179.78	2,963.18	-1,353.10	5.25	1,353.11	0.00	0.00	0.00
4,200.00	90.50	179.78	2,962.30	-1,453.09	5.63	1,453.10	0.00	0.00	0.00
4,300.00	90.50	179.78	2,961.43	-1,553.09	6.02	1,553.10	0.00	0.00	0.00
4,400.00	90.50	179.78	2,960.56	-1,653.08	6.41	1,653.10	0.00	0.00	0.00
4,500.00	90.50	179.78	2,959.69	-1,753.08	6.80	1,753.09	0.00	0.00	0.00
4,600.00	90.50	179.78	2,958.81	-1,853.08	7.19	1,853.09	0.00	0.00	0.00
4,700.00	90.50	179.78	2,957.94	-1,953.07	7.57	1,953.09	0.00	0.00	0.00
4,800.00	90.50	179.78	2,957.07	-2,053.07	7.96	2,053.08	0.00	0.00	0.00
4,900.00	90.50	179.78	2,956.20	-2,153.06	8.35	2,153.08	0.00	0.00	0.00
5,000.00	90.50	179.78	2,955.32	-2,253.06	8.74	2,253.07	0.00	0.00	0.00
5,100.00	90.50	179.78	2,954.45	-2,353.05	9.12	2,353.07	0.00	0.00	0.00
5,200.00	90.50	179.78	2,953.58	-2,453.05	9.51	2,453.07	0.00	0.00	0.00
5,300.00	90.50	179.78	2,952.70	-2,553.04	9.90	2,553.06	0.00	0.00	0.00
5,400.00	90.50	179.78	2,951.83	-2,653.04	10.29	2,653.06	0.00	0.00	0.00
5,500.00	90.50	179.78	2,950.96	-2,753.03	10.68	2,753.06	0.00	0.00	0.00
5,600.00	90.50	179.78	2,950.09	-2,853.03	11.06	2,853.05	0.00	0.00	0.00
5,700.00	90.50	179.78	2,949.21	-2,953.03	11.45	2,953.05	0.00	0.00	0.00
5,800.00	90.50	179.78	2,948.34	-3,053.02	11.84	3,053.04	0.00	0.00	0.00
5,900.00	90.50	179.78	2,947.47	-3,153.02	12.23	3,153.04	0.00	0.00	0.00
6,000.00	90.50	179.78	2,946.60	-3,253.01	12.61	3,253.04	0.00	0.00	0.00
6,100.00	90.50	179.78	2,945.72	-3,353.01	13.00	3,353.03	0.00	0.00	0.00
6,200.00	90.50	179.78	2,944.85	-3,453.00	13.39	3,453.03	0.00	0.00	0.00
6,300.00	90.50	179.78	2,943.98	-3,553.00	13.78	3,553.02	0.00	0.00	0.00
6,400.00	90.50	179.78	2,943.11	-3,652.99	14.17	3,653.02	0.00	0.00	0.00
6,500.00	90.50	179.78	2,942.23	-3,752.99	14.55	3,753.02	0.00	0.00	0.00
6,600.00	90.50	179.78	2,941.36	-3,852.98	14.94	3,853.01	0.00	0.00	0.00
6,700.00	90.50	179.78	2,940.49	-3,952.98	15.33	3,953.01	0.00	0.00	0.00
6,800.00	90.50	179.78	2,939.62	-4,052.98	15.72	4,053.01	0.00	0.00	0.00
6,900.00	90.50	179.78	2,938.74	-4,152.97	16.10	4,153.00	0.00	0.00	0.00
7,000.00	90.50	179.78	2,937.87	-4,252.97	16.49	4,253.00	0.00	0.00	0.00
7,100.00	90.50	179.78	2,937.00	-4,352.96	16.88	4,352.99	0.00	0.00	0.00
7,200.00	90.50	179.78	2,936.12	-4,452.96	17.27	4,452.99	0.00	0.00	0.00
7,300.00	90.50	179.78	2,935.25	-4,552.95	17.65	4,552.99	0.00	0.00	0.00



Phoenix
Planning Report

Database:	GCR DB	Local Co-ordinate Reference:	Well #6H
Company:	Concho	TVD Reference:	RF @ 3471.00usft (UDI #40)
Project:	Eddy County, New Mexico (Nad27)	MD Reference:	RF @ 3471.00usft (UDI #40)
Site:	Grave Digger State Com	North Reference:	Grid
Well:	#6H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #2 01-09-13		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
7,400.00	90.50	179.78	2,934.38	-4,652.95	18.04	4,652.98	0.00	0.00	0.00
7,466.36	90.50	179.78	2,933.80	-4,719.30	18.30	4,719.34	0.00	0.00	0.00
TD at 7466.36 - PBHL-Grave Digger #6H									

Design Targets

Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
PBHL-Grave Digger #6H	0.00	360.00	2,933.80	-4,719.30	18.30	580,582.50	462,579.30	32° 35' 45.8444 N	104° 27' 17.4236 W
- plan hits target center									
- Point									

Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
2,449.55	2,449.55	0.00	0.00	KOP Start Build 11.00
3,272.28	2,970.40	-525.41	2.04	EOC Start 4194.08 hold at 3272.28 MD
7,466.36	2,933.80	-4,719.30	18.30	TD at 7466.36



Concho




Project: Eddy County, New Mexico (Nad27)
Site: Grave Digger State Com
Well: #6H
Wellbore: OH
Plan: Plan #2 01-09-13



SECTION DETAILS									
MD	Inc	Azi	TVD	+N-S	+E-W	Dleg	TFace	Vsect	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2449.8600	0.00	0.00	2449.55	0.00	0.00	0.00	0.00	0.00	
3272.28	90.50	179.78	2970.40	-525.41	2.04	11.00	179.78	525.42	
7466.36	90.50	179.78	2933.80	-4719.30	18.30	0.00	0.00	4719.34	PBHL-Grave Digger #6H

WELL DETAILS: #6H			
Ground Level: 3457.00			
Northing	Easting	Latitude	Longitude
585301.80	462561.0032° 36'	32.5452 MD4° 27'	17.7006 W

ANNOTATIONS		
TVD	MD	Annotation
2449.55	2449.55	KOP Start Build 11.00
2970.40	3272.28	EOC Start 4194.08 hold at 3272.28 MD
2933.80	7466.36	TD at 7466.36



Brooks, David K., EMNRD

From: Brooks, David K., EMNRD
Sent: Friday, February 15, 2013 9:26 AM
To: kholly@concho.com
Subject: COG Operating LLC - Grave Digger St Com #6H; NSL Application

Dear Ms. Holly

To prepare an order on this NSL application, we need estimated footages for the beginning of the "completed interval."

Sincerely

David K. Brooks

Brooks, David K., EMNRD

From: Kelly Holly <kholly@concho.com>
Sent: Friday, February 15, 2013 9:37 AM
To: Brooks, David K., EMNRD
Subject: RE: COG Operating LLC - Grave Digger St Com #6H; NSL Application

He said the Estimated Completed Interval is:

735 FNL 2628 FEL

Thank you,

Kelly Holly

Kelly Holly
Permitting Tech-NM

One Concho Center, Floor 8
432.685.4384 (direct)
kholly@concho.com

Mailing Address:
One Concho Center
600 W Illinois Ave
Midland, Texas 79701

From: Brooks, David K., EMNRD [<mailto:david.brooks@state.nm.us>]
Sent: Friday, February 15, 2013 10:26 AM
To: Kelly Holly
Subject: COG Operating LLC - Grave Digger St Com #6H; NSL Application

Dear Ms. Holly

To prepare an order on this NSL application, we need estimated footages for the beginning of the "completed interval."

Sincerely

David K. Brooks

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

Brooks, David K., EMNRD

From: Kelly Holly <kholly@concho.com>
Sent: Friday, February 15, 2013 9:37 AM
To: Brooks, David K., EMNRD
Subject: RE: COG Operating LLC - Grave Digger St Com #6H; NSL Application

He said the Estimated Completed Interval is:

735 FNL 2628 FEL

Thank you,

Kelly Holly

Kelly Holly
Permitting Tech-NM

One Concho Center, Floor 8
432.685.4384 (direct)
kholly@concho.com

Mailing Address:
One Concho Center
600 W Illinois Ave
Midland, Texas 79701

From: Brooks, David K., EMNRD [<mailto:david.brooks@state.nm.us>]
Sent: Friday, February 15, 2013 10:26 AM
To: Kelly Holly
Subject: COG Operating LLC - Grave Digger St Com #6H; NSL Application

Dear Ms. Holly

To prepare an order on this NSL application, we need estimated footages for the beginning of the "completed interval."

Sincerely

David K. Brooks

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.