



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 6	Q 4	Q 1	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 03554	POD1	C	ED	2	1	4	01	26S	31E	620547	3549148	2781	630	300	330
C 02090			ED	4	4	01	26S	31E	620329	3548533*	3210	350	335	15	
C 02250			ED	3	1	4	21	25S	31E	614912	3553620*	4612	400	390	10

Average Depth to Water: **341 feet**

Minimum Depth: **300 feet**

Maximum Depth: **390 feet**

Record Count: 3

UTMNAD83 Radius Search (in meters):

Easting (X): 618981

Northing (Y): 3551447

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 6	Q 4	Q 1	Q 2	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 03554 POD1	C	ED		2	1	4	01	26S	31E		620547	3549148	2781	630	300	330
C 02090		ED		4	4	01	26S	31E			620329	3548533*	3210	350	335	15
C 02250		ED		3	1	4	21	25S	31E		614912	3553620*	4612	400	390	10
C 01777	C	ED					08	26S	31E		613245	3547409*	7014	325	300	25
C 02570		ED		4	2	4	02	25S	31E		618704	3558489*	7047	895		
C 02248		ED		1	2	3	08	26S	31E		612942	3547316*	7316	300	292	8
C 02249		ED		1	2	3	08	26S	31E		612942	3547316*	7316	300	292	8
C 02568		ED		4	3	1	01	25S	31E		619103	3558892*	7445	1025		
C 02569		ED		4	4	2	02	25S	31E		618699	3558891*	7449	1016		
C 02573		ED		1	4	2	02	25S	31E		618499	3559091*	7659			
C 02572		ED		4	2	2	02	25S	31E		618695	3559294*	7852	852		
C 02571		ED		4	1	2	02	25S	31E		618292	3559294*	7877	860		
C 02574		ED		1	1	2	02	25S	31E		618092	3559494*	8095			
C 03537 POD1	C	LE		3	2	3	21	26S	32E		624250	3543985	9134	850		
C 02271		LE		3	2	3	21	26S	32E		624348	3544010*	9171	300	260	40
C 02323	C	LE		3	2	3	21	26S	32E		624348	3544010*	9171	405	405	0

Average Depth to Water: **321 feet**

Minimum Depth: **260 feet**

Maximum Depth: **405 feet**

Record Count: 16

UTMNAD83 Radius Search (in meters):

Easting (X): 618981

Northing (Y): 3551447

Radius: 10000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
 (quarters are smallest to largest)

(NAD83 UTM in meters) (In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
C 02250			ED	3	1	4	21	25S	31E	614912	3553620*	400	390	10
C 02568			ED	4	3	1	01	25S	31E	619103	3558892*	1025		
C 02569			ED	4	4	2	02	25S	31E	618699	3558891*	1016		
C 02570			ED	4	2	4	02	25S	31E	618704	3558489*	895		
C 02571			ED	4	1	2	02	25S	31E	618292	3559294*	860		
C 02572			ED	4	2	2	02	25S	31E	618695	3559294*	852		
C 02573			ED	1	4	2	02	25S	31E	618499	3559091*			
C 02574			ED	1	1	2	02	25S	31E	618092	3559494*			

Average Depth to Water: **390 feet**

Minimum Depth: **390 feet**

Maximum Depth: **390 feet**

Record Count: 8

PLSS Search:

Township: 25S Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer
Water Column/Average Depth to Water

No records found.

PLSS Search:

Township: 25S Range: 32E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
 O=orphaned,
 C=the file is closed) (quarters are 1=NW 2=NE 3=SW 4=SE)
 (quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Sub-			Q Q Q			X	Y	Depth Well	Depth Water	Water Column		
	Code	basin	County	64	16	4						Sec	Tws
<u>C 01777</u>	C	ED		08	26S	31E	613245	3547409*	325	300	25		
<u>C 02090</u>		ED	4	4	01	26S	31E	620329	3548533*	350	335	15	
<u>C 02248</u>		ED	1	2	3	08	26S	31E	612942	3547316*	300	292	8
<u>C 02249</u>		ED	1	2	3	08	26S	31E	612942	3547316*	300	292	8
<u>C 03554 POD1</u>	C	ED	2	1	4	01	26S	31E	620547	3549148	630	300	330

Average Depth to Water: **303 feet**
 Minimum Depth: **292 feet**
 Maximum Depth: **335 feet**

Record Count: 5

PLSS Search:

Township: 26S Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD		Q Q Q				X	Y	Depth Well	Depth Water	Water Column			
	Sub-Code	basin	County	64	16	4						Sec	Tws	Rng
C 02271			LE	3	2	3	21	26S	32E	624348	3544010*	300	260	40
C 02274			LE	2	1	2	31	26S	32E	621742	3541730*	300	295	5
C 02323		C	LE	3	2	3	21	26S	32E	624348	3544010*	405	405	0
C 03537 POD1		C	LE	3	2	3	21	26S	32E	624250	3543985	850		

Average Depth to Water: **320 feet**

Minimum Depth: **260 feet**

Maximum Depth: **405 feet**

Record Count: 4

PLSS Search:

Township: 26S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.