

HBP - 32

**GENERAL
CORRESPONDENCE**

**YEAR(S):
2014 - 2016**



5 Greenway Plaza, Suite 110, Houston TX 77046-0506
P.O. Box 27756, Houston, TX 77227-7756
Phone 713.215.7301 Fax 713.350.4783

RECEIVED 07/11

2016 MAR 30 PM 2:17

March 28, 2016

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South Francis Drive
Santa Fe, NM 87505

RE: Temporary Permission Fee - Centurion Pipeline, LP Request for Renewal of Annual Temporary
Permission to Discharge Hydrostatic Test Water HBP - 032

Dear Mr. Jones,

Please find the enclosed temporary permission fee of \$150 payable to the Water Quality Management Fund for the above referenced annual discharge permit. Should you have any questions, please feel free to contact me at 713-215-7241 or dean_cox@oxy.com. Centurion appreciates your consideration and review of this application renewal.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Dean Cox', is written over a horizontal line.

Dean Cox
Environmental Specialist
Centurion Pipeline, LP

Enclosure: \$150 permission fee

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 1074 dated 03/28/2016

or cash received on 03/30/2016 in the amount of \$ 150.⁰⁰

from Texas Certified Environmental Services, LLC

for HBP-032

Submitted by: Brad Jones Date: 03/30/2016

Submitted to ASD by: Lorraine DeVargas Date: 03/30/2016

Received in ASD by: _____ Date: _____

Filing Fee _____ New Facility: _____ Renewal: _____

Modification _____ Other ☒ permission fee

Organization Code 521.07 Applicable FY _____

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

**TEXAS CERTIFIED ENVIRONMENTAL
SERVICES, LLC**

11923 STERLING MOON LN
CYPRESS, TX 77433-3861

1074

35-2/1130 TX
17863

Date 3/28/16

Pay To The
Order of

Water Quality Management Fund

\$ 150⁰⁰~~xx~~

One hundred Fifty & ⁰⁰/₁₀₀

Dollars

Bank of America 

ACH R/T 111000025

For Centurian Pipeline HRP-032



Cash Remittance Report (CRR)

Energy, Minerals & Natural Resources Department CASH REMITTANCE REPORT (CRR)

Location Name (1)

Location Code (2)

OCD- ENVIRONMENT

0740

Today's Date: 03 / 30 / 2016
MONTH DAY YEAR

Collection Period: MM / DD / YYYY through MM / DD / YYYY (4)

Cost Center (5)	Revenue Code (5)	Receipt Amount (7)	Collected Amount (8)
0740		150.00	

Total =====> \$ 150.00 (9) \$ (10)

Over/Short Amount \$ (11)

CRR Deposit Amount \$ (12)

Print Name: Lorraine De Vargas (13) Signature: Lorraine De Vargas (13)

Print Name: _____ (13) Signature: _____ (13)

Distribution: White and Yellow copy to Accounts Receivable-ASD,
Pink copy retained at CRR submitting location.

Official Use Only

Completed by the Accounts Receivable

Date Received: 03-30-16 (1)

Notes: _____ (2)

Amount Received: 150.00 (3)

State Treasurer Deposit Number: 20670100352 (4)

Verified by: [Signature] (6)

Deposit Date: 03-30-16 (5)

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 1069 dated 12/03/2015
or cash received on 12/08/2015 in the amount of \$ 100.⁰⁰
from Texas Certified Environmental Services, LLC
for HBP - 032

Submitted by: Brad Jones Date: 12/08/2015

Submitted to ASD by: Lorraine DeVargas Date: 12/08/2015

Received in ASD by: _____ Date: _____

Filing Fee ✓ New Facility: _____ Renewal: _____

Modification _____ Other _____

Organization Code 521.07 Applicable FY 16

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

NEW MEXICO ENVIRONMENT DEPARTMENT - ALBUQUERQUE FIELD OFFICE DAILY CHECK RECEIPT LOG

DATE RECEIVED	WALK-IN	MAIL	NAME ON CHECK	DATE OF CHECK	CHECK/MONEY ORDER#	PROGRAM ACCOUNT CODE	AMOUNT OF CHECK	DATE DEPOSITED	DEPOSITED BY
12/08/2015		✓	Texas Certified Environmental Services	12/03/2015	1069		100.00		
TOTAL							100.00		

REVENUE TRANSMITTAL SHEET

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER	34100	Z32900		2329029000	

RECEIVED OCD

2015 DEC -8 A 11: 28

December 3, 2015

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South Francis Drive
Santa Fe, NM 87505

RE: Centurion Pipeline, LP Request for Renewal of Annual Temporary Permission to Discharge
Hydrostatic Test Water HBP - 032

Dear Mr. Jones,

Centurion Pipeline, LP (Centurion), a subsidiary of Occidental Petroleum Corporation, is requesting that its Annual Temporary Permission to Discharge Hydrostatic Test Water Permit HBP – 032 be renewed. Centurion apologizes for filing this request beyond 45 days prior to the effective date of HBP-032, as is specified in the permit granting process, and will make every effort to ensure that future correspondences are submitted in a timely manner.

As required by the annual permit, all discharges will occur within Centurion's rights-of-way and will be performed in a manner that controls erosion and prevents discharging sediment from the site. Methods of controlling sediment may include: filter bags, detention basins, utilizing water trucks to spray test waters for dust suppression on the rights-of-way, working the test water into trench spoils to aid in compaction, or placing water in a trench and allowing it to percolate into the soil or evaporate.

The annual temporary permission authorizes Centurion to discharge hydrostatic test waters throughout the state of New Mexico under the following conditions:

1. The volume does not exceed 25,000 gallons per hydrostatic test;
2. Only water from a public/municipal water supply or other approved sources will be used for each test;
3. Centurion will provide oral or written notification to the Oil Conservation Division (OCD) 72 hours prior to each hydrostatic discharge event;
4. Test water will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;

5. No discharge shall occur:
 - a. Where ground water is less than 10 feet below ground surface;
 - b. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;
 - c. Within an existing wellhead protection area;
 - d. Within 500 feet of a wetland; or
 - e. Within 500 feet from the nearest residence, school, hospital, institution, or church.
6. The discharge will not cause any fresh water supplies to be degraded and shall adhere to the standards as set forth in Subsections A, B, and C of New Mexico Administrative Code (NMAC) 20.6.2.3103 for maximum allowable concentration of contaminants in ground water unless existing conditions exceed the standard (New Mexico Water Quality Control Commission Regulation);
7. Best management practices will be implemented to contain the discharge onsite, ensure it does not impact adjacent property, and to control erosion;
8. The landowner(s) of each proposed discharge site and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event; and
9. Centurion will submit an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, to the OCD within 45 days following expiration of the Annual Temporary Permission to discharge. The report shall contain the following information:
 - a. Location of the hydrostatic test (Section, Township, Range or GPS coordinates);
 - b. Date of each test;
 - c. Volume of each discharge; and
 - d. Source and quality of test water (laboratory analysis, if necessary).

Enclosed is a filing fee of \$100 payable to the Water Quality Management Fund. Following receipt of the OCD approval of an Annual Temporary Permission to discharge, a permission fee of \$150 payable to the Water Quality Management Fund will be provided. Should you have any questions, please feel free to contact me at 713-215-7241 or dean_cox@oxy.com. Centurion appreciates your consideration and review of this application renewal.

Respectfully submitted,



Dean Cox
Environmental Specialist
Centurion Pipeline, LP

Enclosure: \$100 filing fee

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 144491 dated 11/5/14
or cash received on 11/19/14 in the amount of \$ 150.00
from SWCA, INC.
for HBP - 032 - CENTURION PIPELINE

Submitted by: BRAD JONES Date: 11/24/14

Submitted to ASD by: LUPE SHERMAN Date: 11/24/14

Received in ASD by: _____ Date: _____

Filing Fee _____ New Facility: _____ Renewal: _____

Modification _____ Other ☒ TEMP PERMISSION FEE

Organization Code 521.07 Applicable FY 15

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

NEW MEXICO ENVIRONMENT DEPARTMENT - ALBUQUERQUE FIELD OFFICE DAILY CHECK RECEIPT LOG

DATE RECEIVED	WALK IN	MAIL	NAME ON CHECK	DATE OF CHECK	CHECK/MONEY ORDER#	PROGRAM ACCOUNT CODE	AMOUNT OF CHECK	DATE DEPOSITED	DEPOSITED BY
11/19/14		✓	SWCA, INC.	11/5/14	144491		\$150.00		
TOTAL							\$150.00		

REVENUE TRANSMITTAL SHEET

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER	34100	Z32900		2329029000	

RECEIVED OGD



2014 NOV 19 P 3:40

LETTER OF TRANSMITTAL	
To: New Mexico Oil Conservation Division 1220 South Francis Drive Santa Fe, NM 87505 Attn: Brad Jones	SWCA Project No: 30641 Task: Date: 11/20/2014 Subject: annual temporary permission
Delivered Via: <input checked="" type="checkbox"/> Mail <input type="checkbox"/> Facsimile <input type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> Courier <input type="checkbox"/> Hand-Delivered <input type="checkbox"/> Pick-Up	
No. of Copies	Description:
1	\$150 check for temporary permission fee transmitted on behalf of Centurion Pipeline
The above items are submitted: <input checked="" type="checkbox"/> At your request <input type="checkbox"/> For your review <input type="checkbox"/> For your files <input type="checkbox"/> For your approval <input type="checkbox"/> For your action <input type="checkbox"/> For your information	
General Remarks: Happy Thanksgiving!	
<input type="checkbox"/> Enclosure:	
cc:	By: Jennifer Hyre

RECEIVED OOD

2014 NOV 22 A 10: 00

November 19, 2014

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South Francis Drive
Santa Fe, NM 87505

RE: Centurion Pipeline, LP Request for Annual Temporary Permission to Discharge Hydrostatic Test Water

Dear Mr. Jones,

Centurion Pipeline, LP (Centurion), a subsidiary of Occidental Petroleum Corporation, is requesting Annual Temporary Permission to discharge hydrostatic test water from new crude oil pipelines in New Mexico. Discharges will occur within Centurion's rights-of-way, and will be performed in a manner that controls erosion and prevents discharging sediment from the site. Methods of controlling sediment include: filter bags, detention basins, utilizing water trucks to spray test waters for dust suppression on the rights-of-way, working the test water into trench spoils to aid in compaction, or placing water in a trench and allowing it to percolate into the soil or evaporate.


The annual temporary permission authorizes Centurion to discharge hydrostatic test waters throughout the state of New Mexico under the following conditions:

1. The volume does not exceed 25,000 gallons per hydrostatic test;
2. Only water from a public/municipal water supply or other approved sources will be used for each test;
3. Centurion will provide oral or written notification to the Oil Conservation Division (OCD) 72 hours prior to each hydrostatic discharge event;
4. Test water will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. No discharge shall occur:
 - a. Where ground water is less than 10 feet below ground surface;
 - b. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;
 - c. Within an existing wellhead protection area;
 - d. Within 500 feet of a wetland; or
 - e. Within 500 feet from the nearest residence, school, hospital, institution, or church.

6. The discharge will not cause any fresh water supplies to be degraded and shall adhere to the standards as set forth in Subsections A, B, and C of New Mexico Administrative Code (NMAC) 20.6.2.3103 for maximum allowable concentration of contaminants in ground water unless existing conditions exceed the standard (New Mexico Water Quality Control Commission Regulation);
7. Best management practices will be implemented to contain the discharge onsite, ensure it does not impact adjacent property, and to control erosion;
8. The landowner(s) of each proposed discharge site and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event; and
9. Centurion will submit an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, to the OCD within 45 days following expiration of the Annual Temporary Permission to discharge. The report shall contain the following information:
 - a. Location of the hydrostatic test (Section, Township, Range or GPS coordinates);
 - b. Date of each test;
 - c. Volume of each discharge; and
 - d. Source and quality of test water (laboratory analysis, if necessary).

Enclosed is a filing fee of \$100 payable to the Water Quality Management Fund. Following receipt of the OCD approval of an Annual Temporary Permission to discharge, a permission fee of \$150 payable to the Water Quality Management Fund will be provided. Should you have any questions, please feel free to contact Jennifer Hyre (505-254-1115; jhyre@swca.com) or me (713-215-7241; dean_cox@oxy.com). Centurion appreciates your consideration and review of this application.

Sincerely,



Dean Cox
Environmental Specialist
Centurion Pipeline, LP

/jkh

Enclosure: \$100 filing fee

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 144490 dated 11/5/14

or cash received on 11/13/14 in the amount of \$ 100.00

from SUCA, Incorporated

for Filing Fee

Submitted by: Brad Jones Date: 11/20/14

Submitted to ASD by: Denise Gallegos Date: 11/20/14

Received in ASD by: _____ Date: _____

Filing Fee X New Facility: _____ Renewal: _____

Modification _____ Other _____

Organization Code 521.07 Applicable FY 15

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

NEW MEXICO ENVIRONMENT DEPARTMENT - ALBUQUERQUE FIELD OFFICE DAILY CHECK RECEIPT LOG

DATE RECEIVED	WALK IN	MAIL	NAME ON CHECK	DATE OF CHECK	CHECK/MONEY ORDER#	PROGRAM ACCOUNT CODE	AMOUNT OF CHECK	DATE DEPOSITED	DEPOSITED BY
11/13/14		X	SWCA, Incorporated	11/5/14	144490		\$100.00		
TOTAL							\$100.00		

REVENUE TRANSMITTAL SHEET

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER	34100	Z32900		2329029000	

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

EEE0004770

Date: 11/20/14

OFFICIAL RECEIPT

Received From: SWCA, Incorporated



Dollars

Center Code	Revenue Code	Amount	Work Order No.
071000000	99905	100.00	

Center Code	Revenue Code	Amount	Work Order No.

State Treasurer Deposit Number _____

Total \$ 100.00

Description: Filing Fee
Water Quality
CK# 144490

Signed: [Signature]

ASD-White Copy / Customer-Yellow Copy / Retained in Book-Pink Copy

Jones, Brad A., EMNRD

From: Jones, Brad A., EMNRD
Sent: Wednesday, November 19, 2014 5:09 PM
To: 'Dean_Cox@oxy.com'
Subject: RE: Revised Request for Annual Temporary Permission to Discharge Hydrostatic Test Water
Attachments: 2014 1119 HBP-032 approval.pdf

Dean,

Please see the attached approval letter. A hardcopy has been placed in the mail. If you have any questions regarding this matter, please do not hesitate to contact me.

Brad

Brad A. Jones
Environmental Engineer
EMNRD Oil Conservation Division
1220 S. Saint Francis Drive
Santa Fe, New Mexico 87505
E-mail: brad.a.jones@state.nm.us
Office: (505) 476-3487
Fax: (505) 476-3462

From: Dean_Cox@oxy.com [mailto:Dean_Cox@oxy.com]
Sent: Wednesday, November 19, 2014 2:32 PM
To: Jones, Brad A., EMNRD
Cc: JHyre@swca.com
Subject: Revised Request for Annual Temporary Permission to Discharge Hydrostatic Test Water

Brad:

I've attached the Request for Annual Temporary Permission to Discharge Hydrostatic Test Water letter with your requested revisions and will mail the hard copy to your office this afternoon.

Please feel free to contact me directly with any questions or if you need anything additional from my end.

Thank you,

Dean Cox
Environmental Specialist (TxCES, LLC)
5 Greenway Plaza, Suite 110 (Office 15.023)
Office: 713-215-7241
Mobile: 281-785-3024
Centurion Pipeline L.P.

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



November 19, 2014

Mr. Dean Cox
Centurion Pipeline, L.P.
5 Greenway Plaza, Suite 110
Houston, Texas 77046-0506

Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Centurion Pipeline, L.P.
Permit: HBP - 032

Dear Mr. Cox:

The Oil Conservation Division (OCD) has received Centurion Pipeline, L.P.'s (Centurion) request, initially received by OCD on November 13, 2014 and a revised submittal on November 19, 2014, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico. OCD acknowledges receipt of the filing fee (\$100.00) with the November 13, 2014 initial submittal. This approval will not become effective until OCD receives the temporary permission fee of \$150.00 pursuant to 20.6.2.3114 NMAC. Please make the check payable to the **Water Quality Management Fund**.

Based on the information provided in the request, annual temporary permission is hereby granted to Centurion for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;


6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Centurion shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the actual date of each discharge;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire November 19, 2015. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Centurion of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Centurion of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

Jones, Brad A., EMNRD

From: Dean_Cox@oxy.com
Sent: Wednesday, November 19, 2014 2:32 PM
To: Jones, Brad A., EMNRD
Cc: JHyre@swca.com
Subject: Revised Request for Annual Temporary Permission to Discharge Hydrostatic Test Water
Attachments: Revised Centurion_annual hydrostatic discharge permission request 11.19.14.pdf

Brad:


I've attached the Request for Annual Temporary Permission to Discharge Hydrostatic Test Water letter with your requested revisions and will mail the hard copy to your office this afternoon.

Please feel free to contact me directly with any questions or if you need anything additional from my end.

Thank you,

Dean Cox

Environmental Specialist (TxCES, LLC)
5 Greenway Plaza, Suite 110 (Office 15.023)
Office: 713-215-7241
Mobile: 281-785-3024

 Centurion Pipeline L.P.

November 19, 2014

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South Francis Drive
Santa Fe, NM 87505

RE: Centurion Pipeline, LP Request for Annual Temporary Permission to Discharge Hydrostatic Test Water

Dear Mr. Jones,

Centurion Pipeline, LP (Centurion), a subsidiary of Occidental Petroleum Corporation, is requesting Annual Temporary Permission to discharge hydrostatic test water from new crude oil pipelines in New Mexico. Discharges will occur within Centurion's rights-of-way, and will be performed in a manner that controls erosion and prevents discharging sediment from the site. Methods of controlling sediment include: filter bags, detention basins, utilizing water trucks to spray test waters for dust suppression on the rights-of-way, working the test water into trench spoils to aid in compaction, or placing water in a trench and allowing it to percolate into the soil or evaporate.

The annual temporary permission authorizes Centurion to discharge hydrostatic test waters throughout the state of New Mexico under the following conditions:

1. The volume does not exceed 25,000 gallons per hydrostatic test;
2. Only water from a public/municipal water supply or other approved sources will be used for each test;
3. Centurion will provide oral or written notification to the Oil Conservation Division (OCD) 72 hours prior to each hydrostatic discharge event;
4. Test water will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. No discharge shall occur:
 - a. Where ground water is less than 10 feet below ground surface;
 - b. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;
 - c. Within an existing wellhead protection area;
 - d. Within 500 feet of a wetland; or
 - e. Within 500 feet from the nearest residence, school, hospital, institution, or church.

6. The discharge will not cause any fresh water supplies to be degraded and shall adhere to the standards as set forth in Subsections A, B, and C of New Mexico Administrative Code (NMAC) 20.6.2.3103 for maximum allowable concentration of contaminants in ground water unless existing conditions exceed the standard (New Mexico Water Quality Control Commission Regulation);
7. Best management practices will be implemented to contain the discharge onsite, ensure it does not impact adjacent property, and to control erosion;
8. The landowner(s) of each proposed discharge site and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event; and
9. Centurion will submit an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, to the OCD within 45 days following expiration of the Annual Temporary Permission to discharge. The report shall contain the following information:
 - a. Location of the hydrostatic test (Section, Township, Range or GPS coordinates);
 - b. Date of each test;
 - c. Volume of each discharge; and
 - d. Source and quality of test water (laboratory analysis, if necessary).

Enclosed is a filing fee of \$100 payable to the Water Quality Management Fund. Following receipt of the OCD approval of an Annual Temporary Permission to discharge, a permission fee of \$150 payable to the Water Quality Management Fund will be provided. Should you have any questions, please feel free to contact Jennifer Hyre (505-254-1115; jhyre@swca.com) or me (713-215-7241; dean_cox@oxy.com). Centurion appreciates your consideration and review of this application.

Sincerely,



Dean Cox
Environmental Specialist
Centurion Pipeline, LP

/jkh

Enclosure: \$100 filing fee

RECEIVED
OCT 13 P 4 16

October 23, 2014

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South Francis Drive
Santa Fe, NM 87505

RE: Centurion Pipeline, LP Request for Annual Temporary Permission (HBP-22) to Discharge Hydrostatic Test Water

Dear Mr. Jones,

Centurion Pipeline, LP (Centurion), a subsidiary of Occidental Petroleum Corporation, is requesting Annual Temporary Permission (HBP-22) to discharge hydrostatic test water from new crude oil pipelines in Lea and Eddy Counties, New Mexico. Discharges will occur within Centurion's rights-of-way, and will be performed in a manner that controls erosion and prevents discharging sediment from the site. Methods of controlling sediment include: filter bags, detention basins, utilizing water trucks to spray test waters for dust suppression on the rights-of-way, working the test water into trench spoils to aid in compaction, or placing water in a trench and allowing it to percolate into the soil or evaporate.

The annual temporary permission authorizes Centurion to discharge hydrostatic test waters throughout the state of New Mexico under the following conditions:

1. The volume does not exceed 25,000 gallons per hydrostatic test;
2. Only water from a public/municipal water supply or other approved sources will be used for each test;
3. Centurion will provide oral or written notification to the Oil Conservation Division (OCD) 72 hours prior to each hydrostatic discharge event;
4. Test water will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. No discharge shall occur:
 - a. Where ground water is less than 10 feet below ground surface;
 - b. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;
 - c. Within an existing wellhead protection area;
 - d. Within 500 feet of a wetland; or
 - e. Within 500 feet from the nearest residence, school, hospital, institution, or church.

6. The discharge will not cause any fresh water supplies to be degraded and shall adhere to the standards as set forth in Subsections A, B, and C of New Mexico Administrative Code (NMAC) 20.6.2.3103 for maximum allowable concentration of contaminants in ground water unless existing conditions exceed the standard (New Mexico Water Quality Control Commission Regulation);
7. Best management practices will be implemented to contain the discharge onsite, ensure it does not impact adjacent property, and to control erosion;
8. The landowner(s) of each proposed discharge site and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event; and
9. Centurion will submit an annual report, summarizing all tests of new pipeline with less than 25,000 gallons per hydrostatic test event, to the OCD within 45 days following expiration of the Annual Temporary Permission (HBP-22) to discharge. The report shall contain the following information:
 - a. Location of the hydrostatic test (Section, Township, Range or GPS coordinates);
 - b. Date of each test;
 - c. Volume of each discharge; and
 - d. Source and quality of test water (laboratory analysis, if necessary).

Enclosed is a filing fee of \$100 payable to the Water Quality Management Fund. Following receipt of the OCD approval of an Annual Temporary Permission to discharge, a permission fee of \$150 payable to the Water Quality Management Fund will be provided. Should you have any questions, please feel free to contact Jennifer Hyre (505-254-1115; jhyre@swca.com) or me (713-215-7241; dean_cox@oxy.com). Centurion appreciates your consideration and review of this application.

Sincerely,



Dean Cox
Environmental Specialist
Centurion Pipeline, LP

/jkh

Enclosure: \$100 filing fee