

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011
Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	Oxy Permian	Contact	Tony Aguilar
Address	1017 W. Stanolind Road	Telephone No.	(575) 397-8251
Facility Name	NHU Satellite #24 Trunk Line	Facility Type	Satellite/Injection Trunk Line
Surface Owner	Mineral Owner	API No. 30-025-05488 (nearest well)	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
J	24	18S	37E					Lea County, NM

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release	Produced Water	Volume of Release	22 bbls	Volume Recovered	20 bbls
Source of Release	Corroded 4" steel injection line	Date and Hour of Occurrence	01/21/2014 @ 9:00 am	Date and Hour of Discovery	
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Geoffrey Leking, NMOCD		
By Whom?	Tony Aguilar	Date and Hour	01/21/2014 @ 11:57 am		
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*


Describe Cause of Problem and Remedial Action Taken.*

A corroded 4" steel injection line leaked 22 bbls of produced water onto the ground. 20 bbls of produced water were recovered via vacuum truck and the line was replaced or repaired.

Describe Area Affected and Cleanup Action Taken.*

The area affected was approximately 5' x 5' on location. Remediation will be completed in accordance with a plan approved by NMOCD.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contam or the environment. In addition, NMOCD acceptance of a C-141 report does not federal, state, or local laws and/or regulations.

Signature: 	Appr	APPROVED
Printed Name: Tony Aguilar		
Title: HES Specialist	Approval Date: 2/4/16	Expiration Date:
E-mail Address: Raymond_Aguilar@oxy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 1-09-14	Phone: (575) 397-8251	


* Attach Additional Sheets If Necessary

12P 4147



Oxy

NHU Satellite #24 Trunk Line



HOBBS OCD

APR 05 2014

RECEIVED

Oxy, NHU Satellite #24 Trunk Line

U/L J, Section 24, T18S, R37E at location

U/L N, Section 24, T18S, R37E at leak

Lea County, NM

GPS at stake: N 32.72866° W 103.20536°

approved
Jeffrey Sekins
Environmental Specialist
NMOC - DIST
4/7/14

BBC International, Inc.

Oxy

NHU Satellite #24 Trunk Line

Date: 02/25/2014 DRWG by: K. Purvis

NOT TO SCALE File: Oxy 2014

Oxy NHU Satellite #24 Trunk Line

County
Lea

Unit Letter

Section
24


Township
18S

Range
37E

Trend Map <50'

1

2



3

4

Location

OCD

USGS

SEO

All Databases

Laboratory Analytical Results Summary
NHU Sat #24

Analyte	Method	Sample		SP1 @ SURFACE	SP1 @ 2'	SP1 @ 4'
		Date		3/27/14	3/27/14	3/27/14
Chloride	SM4500Cl-B			mg/Kg	mg/Kg	mg/Kg
				320	256	32.0

Analyte	Method	Sample		SP2 @ SURFACE	SP @ 2'	SP2 @ 3'
		Date		3/27/14	3/27/14	3/27/14
Chloride	SM4500Cl-B			mg/Kg	mg/Kg	mg/Kg
				400	592	48.0



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

April 01, 2014

Cliff Brunson

BBC International, Inc.

P.O. Box 805

Hobbs, NM 88241

RE: NHU SAT #24

Enclosed are the results of analyses for samples received by the laboratory on 03/28/14 11:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

 Received: 03/28/2014
 Reported: 04/01/2014
 Project Name: NHU SAT #24
 Project Number: NONE GIVEN
 Project Location: HOBBS, NM

 Sampling Date: 03/27/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 1 @ SURFACE (H400928-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	04/01/2014	ND	400	100	400	0.00	

Sample ID: SP 1 @ 2 FT (H400928-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	04/01/2014	ND	400	100	400	0.00	

Sample ID: SP 1 @ 4 FT (H400928-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	04/01/2014	ND	400	100	400	0.00	

Sample ID: SP 2 @ SURFACE (H400928-04)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	04/01/2014	ND	400	100	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 BBC International, Inc.
 Cliff Brunson
 P.O. Box 805
 Hobbs NM, 88241
 Fax To: (575) 397-0397

 Received: 03/28/2014
 Reported: 04/01/2014
 Project Name: NHU SAT #24
 Project Number: NONE GIVEN
 Project Location: HOBBS, NM

 Sampling Date: 03/27/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 2 @ 2 FT (H400928-05)

Chloride, SM4500Cl-B			mg/kg							Analyzed By: AP	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
Chloride	592	16.0	04/01/2014	ND	400	100	400	0.00			

Sample ID: SP 2 @ 3 FT (H400928-06)

Chloride, SM4500Cl-B			mg/kg							Analyzed By: AP	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
Chloride	48.0	16.0	04/01/2014	ND	400	100	400	0.00			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



ARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240
(505) 393-2326 FAX (505) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: BBC International, Inc.		P.O. #:		ANALYSIS REQUEST											
Project Manager: Cliff Brunson		Company:													
Address: P.O. Box 805		Attn:													
City: Hobbs		Address:													
Phone #: 575-397-6388		State: NM Zip: 88241													
Fax #: 575-397-0397		City: <i>Save</i>													
Project #:		State:													
Project Name: NHU Sat # 24		Zip:													
Project Location: H63B5		Phone #:													
Sample Name: Gary Ray		Fax #:													
<small>FOR LAB USE ONLY</small>															
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX				PRESERV.	SAMPLING						
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :			
<i>H40928</i>	<i>SP2E Surface</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>CL-</i>		
<i>1</i>	<i>SP2E 2FT</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>✓</i>		
<i>2</i>	<i>SP2E 4FT</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>✓</i>		
<i>3</i>	<i>SP2E Surface</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>✓</i>		
<i>4</i>	<i>SP2E 2FT</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>✓</i>		
<i>5</i>	<i>SP2E 3FT</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>✓</i>		
<i>6</i>	<i>SP2E 3FT</i>	<i>Q1</i>	<i>1</i>	<i>X</i>						<i>X</i>			<i>✓</i>		
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising out of this contract or here shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of gain, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based on contract or tort or any other theory of liability.															
Relinquished By: <i>[Signature]</i>		Date: <i>3-27-14</i>	Time:	Received By: <i>[Signature]</i>		Date: <i>3-28-14</i>	Time: <i>11:00</i>	Sample Condition: <i>Good</i>		CHECKED BY: <i>[Signature]</i>					
Relinquished By:		Date:	Time:	Received By:		Date:	Time:	Sample Condition:		CHECKED BY:					
Delivered By: <i>[Signature]</i>		Date: <i>3-28-14</i>	Time: <i>11:00</i>	Received By: <i>[Signature]</i>		Date: <i>3-28-14</i>	Time: <i>11:00</i>	Sample Condition: <i>Good</i>		CHECKED BY: <i>[Signature]</i>					
Delivered By:		Date:	Time:	Received By:		Date:	Time:	Sample Condition:		CHECKED BY:					
Sampler - UPS - Bus - Other:		REMARKS:													

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#54