

RECEIVED

NOV 05 2010  
HOBBSOCD

1910 N. Big Spring St.  
Midland, Texas 79705  
432-686-8081



TETRA TECH, INC.

November 4, 2010

Messer's Justin Wright and John Gates  
ConocoPhillips  
29 Vacuum Complex Lane  
Lovington, NM 88260

RE: Request for Closure  
MCA 2A Header Fiberglass Trunk Line  
Lea County, New Mexico  
Unit G, Sec. 29, T17S, R32E  
1RP 2223

Dear Messer's Wright and Gates:

Tetra Tech submits this suggested request for closure for the soil remediation performed February 6, 2010 through October 29, 2010, at ConocoPhillips' MCA 2A Header 3-inch Trunk Line oil/produced water release site (Site). This work was in support of ConocoPhillips' efforts to remediate soil affected by a 1 barrel crude oil and 21 barrel produced water release reported to the New Mexico Oil Conservation Division (NMOCD; C141 attached). The Site is located below the Mescalero Ridge, approximately 1.4 miles southwest of the ConocoPhillips MCA Unit office in Lea County, New Mexico (32.807717°N, 103.784688°W). The U.S. Bureau of Land Management (USBLM) is the land administrator.

The Site is located in the Querecho Plains of eastern New Mexico. This area generally consists of a thin cover of Quaternary sand dunes overlying the undivided Triassic Upper Chinle Group<sup>1</sup>. The Pyote series soil at the Site is well drained, non-calcareous fine sands.<sup>2</sup>

The Site is heavily populated with oil field pipelines. Observations made by Tetra Tech during the initial site visit revealed at least 5 pipelines extending through the Site; two steel 4-inch pipelines, one 2-inch diameter steel pipeline, one 3-inch diameter fiberglass produced water trunk line and one 8-inch transite line. The two 4-inch steel lines were out-of-service and segments of these lines were removed in late July 2010, to allow unrestricted access to the affected area.

#### Exposure Pathway Analysis

Depth to water in the vicinity of the Site is estimated to be approximately 76 feet below ground surface (fbgs). This interpretation is based information gathered at monitoring well MW-20 that is described in ConocoPhillips' remediation project entitled "*Maljamar Gas Plant GW-020*" (log

<sup>1</sup> U.S. Department of Agriculture, Natural Resources Conservation Services. Web Soil Survey Database.

<sup>2</sup> Turner, M.T., D.N. Cox, B.C Mickelson, A.J. Roath, and C.D Wilson, 1973. Soil Survey Lea County, New Mexico. U.S. Dept of Agr Soil Conser Ser, 89p.

submitted in initial findings report dated October 6, 2009). The monitoring well is located approximately 2,160 feet northeast of the Site. The nearest playa is approximately 0.4 miles southeast of the Site.

Following the ranking criteria presented in "Guidelines for Remediation of Leaks, Spills, and Releases" promulgated on August 13, 1993 by the NMOCD, this Site has the following score:

<u>Criteria</u>		<u>Ranking Score</u>
Depth to groundwater	50 - 99 feet	10
Distance from water source	>1,000 feet	0
Distance from domestic water source	>200 feet	0
Distance from surface water body	>1,000 feet	<u>0</u>
<b>Total Ranking Score</b>		<b>10</b>

The recommended remediation action level for a ranking score of 10-19 is 10 parts per million (ppm) for benzene, 50 ppm for total benzene, toluene, ethylbenzene, and total xylenes (BTEX), and 1,000 ppm for total petroleum hydrocarbons (TPH).

### Summary of Work

A Site investigation was completed and the findings report was submitted to the NMOCD and the BLM in October 2009. The findings indicated TPH concentrations were either not present or below its remedial action level in samples collected from the affected areas. Benzene and BTEX concentrations were not present in any of the samples.

The initial excavation work plan, submitted October 6, 2009, was approved by both the NMOCD and BLM (October 26 and 27, respectfully) proposed the excavation of three areas (A, B, and C) affected by the oil/produced water release to a minimum depth of 6 feet below ground surface (fbgs). Adjacent sand dune material would be used to partially backfilled the excavation. Natural wind erosion would re-sculpture the affected area and restore the sand dune lizards, *Sceloporus arenicolus*, habitat.

On February 17, 2010, the NMOCD, BLM and Tetra Tech representatives met on-site to discuss a transite line hazard and possible work around strategies. The NMOCD and BLM agreed (February 19, 2010) that in Area A (or 1; 50-feet by 26-feet) the affected soil would be excavated to a depth of 4-feet and clay material would be returned to the site and compacted to a 1-foot thick barrier, and the area would be backfilled with borrowed sand. In Area C (or 2) the affected soil, under a hazardous transite line, would be hand excavated to a depth of 2-feet and borrowed clay material would be compacted to a 1-foot thick barrier (Figure 1). The excavation would be 3-feet by 35-feet and supported by a plywood retention wall. Confirmation samples would be collected from Area B (or 3; 10-feet by 6-feet) and the area backfilled with surrounding sand.



On July 21, 2010, ConocoPhillips removed segments of the two 4-inch steel lines that were out-of-service to allow unrestricted access to the affected Area A. Remediation of all affected areas resumed on August 3, 2010 and was completed October 29, 2010, with the closing of the access road.

### Scope of Work

Area A (50-feet by 26-feet) affected soil was excavated to a depth of 4-feet and hauled to a State approved disposal location. Clay material was returned to the excavation and compacted to a 1-foot thick barrier and the area backfilled with borrowed sand. In Area C, the affected soil under the transite line was hand excavated to a depth of 2-feet and borrowed clay material was compacted to form a 1-foot thick barrier. The excavation was approximately 3-feet by 35-feet. Confirmation samples were collected from Area B (10-feet by 6-feet) and left open to allow for windblown native soil to re-sculpture the area.

### Findings

Soil encountered at the Site was moist reddish yellow medium to very fine grained loose silty sands from the surface to varying depths. The dune sands overly red sandy clay, interbedded with caliche.

Because TPH and BTEX concentrations reported in the initial findings report, dated October 6, 2009, were either below the recommended remedial action levels or not detected, these constituents were not analyzed for excavation clean confirmation.

Chloride concentrations were detected in the south wall and the floor of the Area A excavation. A complete analytical report is presented in the Appendix.

Constituent	Units	Sampling Location (5 Sample Composite)				
		W-Wall	N-Wall	S-Wall	E-Wall	Floor
Chloride	(mg/Kg)	ND	ND	84.2	ND	45.3

mg/Kg = milligrams per kilogram

Excavation clean confirmation for the small oval Area B is presented below and in the Appendix. Chloride concentrations were detected in the wall samples but no in the floor of the Area B excavation.

Constituent	Units	Sampling Locations			
		E-Wall	W-Wall	N-Wall	Floor
Chloride	(mg/Kg)	48.6	51.1	5.88	ND

mg/Kg = milligrams per kilogram

### Conclusions

A laboratory analysis of the over-excavations indicates clean boundaries in Areas A and B were achieved (Photo Log). Clay barriers were placed in Area A and under the transite pipeline (Area C) to prevent potential downward migration of residual chloride in soil due to precipitation.

### Recommendations

Based on the work performed at this Site, Tetra Tech recommends no further action. Tetra Tech suggests that ConocoPhillips request closure from the NMOCD and the BLM for this mixed crude oil/produced water release location. If you have any questions or need additional information, please call me.

Sincerely,

**Tetra Tech**

Charles Durrett

Digitally signed by Charles Durrett  
DN: cn=Charles Durrett, o=Tetra Tech, Inc., ou,  
email=charles.durrett@tetratech.com, c=US  
Date: 2010.11.04 14:38:31 -0500

Charles Durrett  
Sr. Project Manager

Attachment








**EXCAVATION AREA A**



July 23, 2009



August 11, 2010  
4" Lines cut in  
July 2010



August 11, 2010  
Clay Barrier





August 12, 2010

**EXCAVATION AREA B (No Before Photo)**



November 3, 2010  
Native Soil Backfill

**EXCAVATION AREA C**



July 23, 2009



February 11, 2010



August 3, 2010





August 4, 2010  
Clay Barrier



August 6, 2010

**ACCESS ROAD**



October 29, 2010  
Before



October 29, 2010  
After



## **APPENDIX**

**Zenco Laboratories Report August 5, 2010**  
**Zenco Laboratories November 4, 2010**

# Analytical Report 384302

for

**Tetra Tech- Midland**

**Project Manager: Charles Durrett**

**MCA 2 A Flowline**

**05-AUG-10**



**12600 West I-20 East Odessa, Texas 79765**

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-TX), Arizona (AZ0738), Arkansas (08-039-0), Connecticut (PH-0102), Florida (E871002)  
Illinois (002082), Indiana (C-TX-02), Iowa (392), Kansas (E-10380), Kentucky (45), Louisiana (03054)  
New Hampshire (297408), New Jersey (TX007), New York (11763), Oklahoma (9218), Pennsylvania (68-03610)  
Rhode Island (LAO00312), USDA (S-44102)

Xenco-Atlanta (EPA Lab Code: GA00046):

Florida (E87429), North Carolina (483), South Carolina (98015), Utah (AALI1), West Virginia (362), Kentucky (85)  
Louisiana (04176), USDA (P330-07-00105)

Xenco-Miami (EPA Lab code: FL01152): Florida (E86678), Maryland (330)

Xenco-Tampa Mobile (EPA Lab code: FL01212): Florida (E84900)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-TX)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-TX)

Xenco-Corpus Christi (EPA Lab code: TX02613): Texas (T104704370)

Xenco-Boca Raton (EPA Lab Code: FL00449):

Florida(E86240),South Carolina(96031001), Louisiana(04154), Georgia(917)  
North Carolina(444), Texas(T104704468-TX), Illinois(002295), Florida(E86349)





05-AUG-10

Project Manager: **Charles Durrett**  
**Tetra Tech- Midland**  
1910 N. Big Spring  
Midland, TX 79705

Reference: XENCO Report No: **384302**  
**MCA 2 A Flowline**  
Project Address: Maljamar, NM

**Charles Durrett:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 384302. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 384302 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

---

**Brent Barron, II**  
Odessa Laboratory Manager

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

**Sample Cross Reference 384302****Tetra Tech- Midland, Midland, TX**

MCA 2 A Flowline

<b>Sample Id</b>	<b>Matrix</b>	<b>Date Collected</b>	<b>Sample Depth</b>	<b>Lab Sample Id</b>
W-Wall	S	Aug-04-10 10:00	1 - 4 ft	384302-001
N-Wall	S	Aug-04-10 10:15	1 - 4 ft	384302-002
Floor	S	Aug-04-10 10:30	1 - 4 ft	384302-003
S-Wall	S	Aug-04-10 10:45	1 - 4 ft	384302-004
E- Wall	S	Aug-04-10 11:00	1 - 4 ft	384302-005
RO-1 Surface	S	Aug-04-10 09:00	S - S	384302-006
RO-1 6"	S	Aug-04-10 09:05	6 - 6 In	384302-007
RO-2 Surface	S	Aug-04-10 09:15	S - S	384302-008
RO 2	S	Aug-04-10 09:20	6 - 6 In	384302-009





## CASE NARRATIVE

*Client Name: Tetra Tech- Midland*

*Project Name: MCA 2 A Flowline*



*Project ID:*

*Work Order Number: 384302*

*Report Date: 05-AUG-10*

*Date Received: 08/04/2010*

---

**Sample receipt non conformances and Comments:**

None

---

**Sample receipt Non Conformances and Comments per Sample:**

None

**Analytical Non Conformances and Comments:**

Batch: LBA-817540 Percent Moisture

None

Batch: LBA-817587 Anions by E300

None

# Certificate of Analysis Summary 384302 Tetra Tech- Midland, Midland, TX Project Name: MCA 2 A Flowline



Project Id:  
 Contact: Charles Durrett  
 Project Location: Maljamar, NM

Date Received in Lab: Wed Aug-04-10 02:15 pm  
 Report Date: 05-AUG-10  
 Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	Field Id:	Depth:	Matrix:	Sampled:	384302-001	384302-002	384302-003	384302-004	384302-005	384302-006
	Extracted:	Analyzed:	Units/RL:	Extracted:	Analyzed:	Units/RL:	Extracted:	Analyzed:	Units/RL:	Extracted:	Analyzed:
Chloride											
Anions by E300											
Percent Moisture											
Percent Moisture											

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Brent Barron, II  
 Odessa Laboratory Manager





# Certificate of Analysis Summary 395847

Tetra Tech- Midland, Midland, TX

Project Name: MCA 2A Trunkline

Project Id: 114.6400314

Contact: Charles Durrett

Project Location:

Date Received in Lab: Wed Nov-03-10 01:00 pm

Report Date: 04-NOV-10

Project Manager: Brent Barron, II



<i>Analysis Requested</i>		<i>Lab Id:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>395847-001</i>	<i>395847-002</i>	<i>395847-003</i>	<i>395847-004</i>
			East	3 ft	SOIL	Nov-03-10 09:30	Nov-03-10 09:40	Nov-03-10 09:50	Nov-03-10 10:00	Floor
<b>Anions by E300</b>		<i>Extracted:</i>								
		<i>Analyzed:</i>	Nov-03-10 16:28				Nov-03-10 16:28	Nov-03-10 16:28	Nov-03-10 16:28	Nov-03-10 16:28
		<i>Units/RL:</i>	mg/kg	RL			mg/kg	RL	mg/kg	RL
Chloride			48.6	4.27			51.1	4.34	ND	4.32
<b>Percent Moisture</b>		<i>Extracted:</i>								
		<i>Analyzed:</i>	Nov-04-10 08:15				Nov-04-10 08:15	Nov-04-10 08:15	Nov-04-10 08:15	Nov-04-10 08:15
		<i>Units/RL:</i>	%	RL			%	RL	%	RL
Percent Moisture			1.54	1.00			3.30	1.00	1.42	1.00
									2.77	1.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Brent Barron, II  
Odessa Laboratory Manager

## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the MQL and above the SQL.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- BRL** Below Reporting Limit.
- RL** Reporting Limit
- MDL** Method Detection Limit
- PQL** Practical Quantitation Limit
- \* Outside XENCO's scope of NELAC Accreditation.

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

***A Small Business and Minority Status Company that delivers SERVICE and QUALITY***

**Houston - Dallas - San Antonio - Corpus Christi - Midland/Odessa - Tampa - Miami - Latin America**

	Phone	Fax
4143 Greenbriar Dr, Stafford, Tx 77477	(281) 240-4200	(281) 240-4280
9701 Harry Hines Blvd, Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238	(210) 509-3334	(210) 509-3335
2505 North Falkenburg Rd, Tampa, FL 33619	(813) 620-2000	(813) 620-2033
5757 NW 158th St, Miami Lakes, FL 33014	(305) 823-8500	(305) 823-8555
12600 West I-20 East, Odessa, TX 79765	(432) 563-1800	(432) 563-1713
842 Cantwell Lane, Corpus Christi, TX 78408	(361) 884-0371	(361) 884-9116



**Project Name: MCA 2A Trunkline**

Work Order #: 395847

Analyst: LATCOR

Lab Batch ID: 830423

Sample: 830423-1-BKS

Date Prepared: 11/03/2010

Batch #: 1

Project ID: 114.6400314

Date Analyzed: 11/03/2010

Matrix: Solid

Units: mg/kg

**BLANK / BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY**

Anions by E300  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	ND	10.0	9.15	92	10	9.44	94	3	75-125	20	

Relative Percent Difference  $RPD = 200 * [(C-F) / (C+F)]$   
Blank Spike Recovery  $[D] = 100 * (C) / [B]$   
Blank Spike Duplicate Recovery  $[G] = 100 * (F) / [E]$   
All results are based on MDL and Validated for QC Purposes



## Form 3 - MS Recoveries



Project Name: MCA 2A Trunkline

Work Order #: 395847

Lab Batch #: 830423

Date Analyzed: 11/03/2010

Date Prepared: 11/03/2010

Project ID: 114.6400314

Analyst: LATCOR

QC- Sample ID: 395840-001 S

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

### MATRIX / MATRIX SPIKE RECOVERY STUDY

Inorganic Anions by EPA 300  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Chloride	5550	2060	7480	94	75-125	

Matrix Spike Percent Recovery [D] =  $100 \cdot (C-A)/B$   
Relative Percent Difference [E] =  $200 \cdot (C-A)/(C+B)$   
All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit



**Project Name:** MCA 2A Trunkline

**Work Order #:** 395847

**Lab Batch #:** 830423

**Date Analyzed:** 11/03/2010

**QC- Sample ID:** 395840-001 D

**Reporting Units:** mg/kg

**Date Prepared:** 11/03/2010

**Batch #:** 1

**Project ID:** 114.6400314

**Analyst:** LATCOR

**Matrix:** Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by E300	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	5550	5650	2	20	

**Lab Batch #:** 830422

**Date Analyzed:** 11/04/2010

**QC- Sample ID:** 395757-001 D

**Reporting Units:** %

**Date Prepared:** 11/04/2010

**Batch #:** 1

**Analyst:** JLG

**Matrix:** Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	17.2	17.7	3	20	

Spike Relative Difference RPD  $200 * |(B-A)/(B+A)|$   
 All Results are based on MDL and validated for QC purposes.  
 BRL - Below Reporting Limit





**XENCO Laboratories**

Atlanta, Boca Raton, Corpus Christi, Dallas  
Houston, Miami, Odessa, Philadelphia  
Phoenix, San Antonio, Tampa

Document Title: Sample Receipt Checklist

Document No.: SYS-SRC

Revision/Date: No. 01, 5/27/2010

Effective Date: 6/1/2010 Page 1 of 1

**Prelogin / Nonconformance Report - Sample Log-In**Client: Setra TechDate/Time: 11/3/10 1:00Lab ID #: 395847Initials: AS**Sample Receipt Checklist**AS 11/3/10

1. Samples on ice?	Blue	<u>Water</u>	<u>No</u>	
2. Shipping container in good condition?	<u>Yes</u>	No	None	
3. Custody seals intact on shipping container (cooler) and bottles?	Yes	No	<u>N/A</u>	
4. Chain of Custody present?	<u>Yes</u>	No		
5. Sample instructions complete on chain of custody?	<u>Yes</u>	No		
6. Any missing / extra samples?	Yes	<u>No</u>		
7. Chain of custody signed when relinquished / received?	<u>Yes</u>	No		
8. Chain of custody agrees with sample label(s)?	<u>Yes</u>	No		
9. Container labels legible and intact?	<u>Yes</u>	No		
10. Sample matrix / properties agree with chain of custody?	<u>Yes</u>	No		
11. Samples in proper container / bottle?	<u>Yes</u>	No		
12. Samples properly preserved?	<u>Yes</u>	No	N/A	
13. Sample container intact?	<u>Yes</u>	No		
14. Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No		
15. All samples received within sufficient hold time?	<u>Yes</u>	No		
16. Subcontract of sample(s)?	Yes	No	<u>N/A</u>	
17. VOC sample have zero head space?	Yes	No	<u>N/A</u>	
18. Cooler 1 No.	Cooler 2 No.	Cooler 3 No.	Cooler 4 No.	Cooler 5 No.
lbs <u>23.5</u>	lbs <u>24.2</u>	°C <u>23.5</u>	lbs <u>24.2</u>	°C <u>23.5</u>

**Nonconformance Documentation**

Contact: \_\_\_\_\_ Contacted by: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Regarding: \_\_\_\_\_

Corrective Action Taken: \_\_\_\_\_

- Check all that apply:
- ☐ Cooling process has begun shortly after sampling event and out of temperature condition acceptable by NELAC 5.5.8.3.1.a.1.
  - ☐ Initial and Backup Temperature confirm out of temperature conditions
  - ☐ Client understands and would like to proceed with analysis





# Certificate of Analysis Summary 384302

Tetra Tech- Midland, Midland, TX  
Project Name: MCA 2 A Flowline



Project Id:  
Contact: Charles Durrett  
Project Location: Majamar, NM

Date Received in Lab: Wed Aug-04-10 02:15 pm  
Report Date: 05-AUG-10  
Project Manager: Brent Barron, II

<b>Analysis Requested</b>	<b>Lab Id:</b>	384302-007	384302-008	384302-009	
	<b>Field Id:</b>	RO-1 6"	RO-2 Surface	RO 2	
	<b>Depth:</b>	6-6 In	S-S	6-6 In	
	<b>Matrix:</b>	SOIL	SOIL	SOIL	
	<b>Sampled:</b>	Aug-04-10 09:05	Aug-04-10 09:15	Aug-04-10 09:20	
<b>Anions by E300</b>	<b>Extracted:</b>				
	<b>Analyzed:</b>	Aug-04-10 14:24	Aug-04-10 14:24	Aug-04-10 14:24	
	<b>Units/RL:</b>	mg/kg RL	mg/kg RL	mg/kg RL	
<b>Percent Moisture</b>	<b>Extracted:</b>	ND	39.8	120	
	<b>Analyzed:</b>	Aug-05-10 08:53	Aug-05-10 08:53	Aug-05-10 08:53	
	<b>Units/RL:</b>	% RL	% RL	% RL	
<b>Percent Moisture</b>	<b>Extracted:</b>	2.75	4.26	10.1	
	<b>Analyzed:</b>	1.00	1.00	1.00	
	<b>Units/RL:</b>				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Brent Barron, II  
Odessa Laboratory Manager

## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
  - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
  - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
  - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
  - F** RPD exceeded lab control limits.
  - J** The target analyte was positively identified below the MQL and above the SQL.
  - U** Analyte was not detected.
  - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
  - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
  - K** Sample analyzed outside of recommended hold time.
  - JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- BRL** Below Reporting Limit.
- RL** Reporting Limit
- MDL** Method Detection Limit
- PQL** Practical Quantitation Limit
- \* Outside XENCO's scope of NELAC Accreditation.

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Corpus Christi - Midland/Odessa - Tampa - Miami - Latin America

	Phone	Fax
4143 Greenbriar Dr, Stafford, Tx 77477	(281) 240-4200	(281) 240-4280
9701 Harry Hines Blvd , Dallas, TX 75220	(214) 902 0300	(214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238	(210) 509-3334	(210) 509-3335
2505 North Falkenburg Rd, Tampa, FL 33619	(813) 620-2000	(813) 620-2033
5757 NW 158th St, Miami Lakes, FL 33014	(305) 823-8500	(305) 823-8555
12600 West I-20 East, Odessa, TX 79765	(432) 563-1800	(432) 563-1713
842 Cantwell Lane, Corpus Christi, TX 78408	(361) 884-0371	(361) 884-9116

**Project Name: MCA 2 A Flowline**

Work Order #: 384302

Analyst: LATCOR

Lab Batch ID: 817587

Sample: 817587-1-BKS

Units: mg/kg

Project ID:

Date Analyzed: 08/04/2010

Matrix: Solid

Date Prepared: 08/04/2010

Batch #: 1

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY											
Anions by E300	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	ND	10.0	9.42	94	10	9.47	95	1	75-125	20	

Relative Percent Difference RPD =  $200 * [(C-F) / (C+F)]$   
Blank Spike Recovery [D] =  $100 * (C) / [B]$   
Blank Spike Duplicate Recovery [G] =  $100 * (F) / [E]$   
All results are based on MDL and Validated for QC Purposes





## Form 3 - MS Recoveries

Project Name: MCA 2 A Flowline



Work Order #: 384302

Lab Batch #: 817587

Date Analyzed: 08/04/2010

Date Prepared: 08/04/2010

Project ID:

Analyst: LATCOR

QC- Sample ID: 383909-001 S

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

### MATRIX / MATRIX SPIKE RECOVERY STUDY

Inorganic Anions by EPA 300  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Chloride	ND	100	81.2	81	75-125	

Matrix Spike Percent Recovery [D] =  $100 \times (C-A)/B$   
Relative Percent Difference [E] =  $200 \times (C-A)/(C+B)$   
All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit

**Project Name: MCA 2 A Flowline**

**Work Order #: 384302**

**Lab Batch #: 817587**

**Date Analyzed: 08/04/2010**

**QC- Sample ID: 383909-001 D**

**Reporting Units: mg/kg**

**Date Prepared: 08/04/2010**

**Batch #: 1**

**Project ID:**

**Analyst: LATCOR**

**Matrix: Soil**

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by E300	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	ND	ND	NC	20	

**Lab Batch #: 817540**

**Date Analyzed: 08/05/2010**

**QC- Sample ID: 384149-001 D**

**Reporting Units: %**

**Date Prepared: 08/05/2010**

**Batch #: 1**

**Analyst: JLG**

**Matrix: Soil**

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	ND	ND	NC	20	

Spike Relative Difference RPD  $200 * |(B-A)/(B+A)|$   
 All Results are based on MDL and validated for QC purposes.  
 BRL - Below Reporting Limit





**XENCO Laboratories**

Atlanta, Boca Raton, Corpus Christi, Dallas

Houston, Miami, Odessa, Philadelphia

Phoenix, San Antonio, Tampa

Document Title: Sample Receipt Checklist

Document No.: SYS-SRC

Revision/Date: No. 01, 5/27/2010

Effective Date: 6/1/2010 Page 1 of 1

**Prelogin / Nonconformance Report - Sample Log-In**

Client: Tetra Tech  
Date/Time: 8.4.10 14:15  
Lab ID #: 384302  
Initials: AL

**Sample Receipt Checklist**

1. Samples on ice?	Blue	Water	<u>No</u>	
2. Shipping container in good condition?	<u>Yes</u>	No	None	
3. Custody seals intact on shipping container (cooler) and bottles?	Yes	No	<u>N/A</u>	
4. Chain of Custody present?	<u>Yes</u>	No		
5. Sample instructions complete on chain of custody?	<u>Yes</u>	No		
6. Any missing / extra samples?	Yes	<u>No</u>		
7. Chain of custody signed when relinquished / received?	<u>Yes</u>	No		
8. Chain of custody agrees with sample label(s)?	<u>Yes</u>	No		
9. Container labels legible and intact?	<u>Yes</u>	No		
10. Sample matrix / properties agree with chain of custody?	<u>Yes</u>	No		
11. Samples in proper container / bottle?	<u>Yes</u>	No		
12. Samples properly preserved?	<u>Yes</u>	No	N/A	
13. Sample container intact?	<u>Yes</u>	No		
14. Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No		
15. All samples received within sufficient hold time?	<u>Yes</u>	No		
16. Subcontract of sample(s)?	Yes	No	<u>N/A</u>	
17. VOC sample have zero head space?	Yes	No	<u>N/A</u>	
18. Cooler 1 No.	Cooler 2 No.	Cooler 3 No.	Cooler 4 No.	Cooler 5 No.
lbs <u>8.1</u> °C	lbs °C	lbs °C	lbs °C	lbs °C

**Nonconformance Documentation**

Contact: \_\_\_\_\_ Contacted by: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Regarding: \_\_\_\_\_

Corrective Action Taken: \_\_\_\_\_

- Check all that apply: ☐ Cooling process has begun shortly after sampling event and out of temperature condition acceptable by NELAC 5.5.8.3.1.a.1.  
☐ Initial and Backup Temperature confirm out of temperature conditions  
☐ Client understands and would like to proceed with analysis

# **Analytical Report 395847**

**for  
Tetra Tech- Midland**

**Project Manager: Charles Durrett**

**MCA 2A Trunkline**

**114.6400314**

**04-NOV-10**



**Celebrating 20 Years of commitment to excellence in Environmental Testing Services**



**12600 West I-20 East Odessa, Texas 79765**

**Xenco-Houston (EPA Lab code: TX00122):**

Texas (T104704215-10-6-TX), Arizona (AZ0738), Arkansas (08-039-0), Connecticut (PH-0102), Florida (E871002)  
Illinois (002082), Indiana (C-TX-02), Iowa (392), Kansas (E-10380), Kentucky (45), Louisiana (03054)  
New Hampshire (297408), New Jersey (TX007), New York (11763), Oklahoma (9218), Pennsylvania (68-03610)  
Rhode Island (LAO00312), USDA (S-44102)

**Xenco-Atlanta (EPA Lab Code: GA00046):**

Florida (E87429), North Carolina (483), South Carolina (98015), Utah (AALI1), West Virginia (362), Kentucky (85)  
Louisiana (04176), USDA (P330-07-00105)

**Xenco-Miami (EPA Lab code: FL01152):** Florida (E86678), Maryland (330)

**Xenco-Tampa Mobile (EPA Lab code: FL01212):** Florida (E84900)

**Xenco-Odessa (EPA Lab code: TX00158):** Texas (T104704400-TX)

**Xenco-Dallas (EPA Lab code: TX01468):** Texas (T104704295-TX)

**Xenco-Corpus Christi (EPA Lab code: TX02613):** Texas (T104704370)

**Xenco-Boca Raton (EPA Lab Code: FL01273):**

Florida(E86240),South Carolina(96031001), Louisiana(04154), Georgia(917)  
North Carolina(444), Texas(T104704468-TX), Illinois(002295), Florida(E86349)

**Xenco Phoenix (EPA Lab Code: AZ00901):**

Arizona(AZ0757), California(06244CA), Texas(104704435-10-2), Nevada(NAC-445A), DoD(65816)

**Xenco-Phoenix Mobile (EPA Lab code: AZ00901):** Arizona (AZM757)

**Xenco Tucson (EPA Lab code:AZ000989):** Arizona (AZ0758)





04-NOV-10

Project Manager: **Charles Durrett**  
**Tetra Tech- Midland**  
1910 N. Big Spring  
Midland, TX 79705

Reference: XENCO Report No: **395847**  
**MCA 2A Trunkline**  
Project Address:

**Charles Durrett:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 395847. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 395847 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

---

**Brent Barron, II**  
Odessa Laboratory Manager

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



**Sample Cross Reference 395847****Tetra Tech- Midland, Midland, TX**  
MCA 2A Trunkline

<b>Sample Id</b>	<b>Matrix</b>	<b>Date Collected</b>	<b>Sample Depth</b>	<b>Lab Sample Id</b>
East	S	Nov-03-10 09:30	3 ft	395847-001
West	S	Nov-03-10 09:40	3 ft	395847-002
North	S	Nov-03-10 09:50	3 ft	395847-003
Floor	S	Nov-03-10 10:00	3 ft	395847-004



## CASE NARRATIVE

**Client Name:** Tetra Tech- Midland

**Project Name:** MCA 2A Trunkline



**Project ID:** 114.6400314

**Work Order Number:** 395847

**Report Date:** 04-NOV-10

**Date Received:** 11/03/2010

---

**Sample receipt non conformances and Comments:**

None

---

**Sample receipt Non Conformances and Comments per Sample:**

None