



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q1	Q2	Q3	Q4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 03421	ED			1	2	2	16	18S	26E		557942	3624213*	665	130	535
RA 05241	ED			3	4	16	18S	26E			557644	3622903*	200	100	100
RA 11682 POD2	ED			4	2	2	16	18S	26E		558236	3623959	98		
RA 11682 POD5	ED			4	2	1	16	18S	26E		558214	3624632	66	51	15

Average Depth to Water: 93 feet

Minimum Depth: 51 feet

Maximum Depth: 130 feet


Record Count: 4

PLSS Search:

Section(s): 16

Township: 18S

Range: 26E



16-18s-26e GeoProjects Int'l Drilled 6/8/2011
Depth Well 66' Depth Water 51'

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/10/12 7:25 AM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64 Q16 Q4	Sec	Tws	Rng	X	Y
RA 11682 POD5	4 2 1	16	18S	26E	558214	3624632

Driller License: GEOPROJECTS INTERNATIONAL, INC

Driller Name:

Drill Start Date: 06/08/2011

Drill Finish Date: 06/09/2011

Plug Date:

Log File Date: 08/08/2011

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield: 2

Casing Size: 2.00

Depth Well: 66 feet

Depth Water: 51 feet

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	64	16	4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 01296 S3		ED		1	3	3	15	18S	26E	558351	3623003*	230	70	160
RA 01296 S5		ED		1	3	3	15	18S	26E	558351	3623003*	223	35	188
RA 01446		ED			1	3	15	18S	26E	558450	3623307*	175		
RA 01446 CLW		ED		1	3	3	15	18S	26E	558351	3623003*	165	42	123
RA 02389		ED		1	2	2	15	18S	26E	559551	3624221*	209		
RA 02800		ED		1	3	3	15	18S	26E	558351	3623003*	102	30	72
RA 03499		ED			3	2	15	18S	26E	559251	3623715*	616	40	576
RA 03499 CLW261762	O	ED			3	2	15	18S	26E	559251	3623715*	616	40	576
RA 03499 REPAR		ED			3	2	15	18S	26E	559251	3623715*	616	40	576

Average Depth to Water: 42 feet

Minimum Depth: 30 feet

Maximum Depth: 70 feet

Record Count: 9

PLSS Search:

Section(s): 15

Township: 18S

Range: 26E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 02013			ED	2	2	2	17	18S	26E	556527	3624212*	136		
RA 03181			ED	4	2	3	17	18S	26E	555726	3623199*	200		
RA 03181 CLW	O		ED		1		17	18S	26E	555422	3623902*	250	92	158
RA 03181 COMB	O		ED		2	3	17	18S	26E	555627	3623300*	229	55	174
RA 03181 REPAR-3	O		ED	1	1	4	17	18S	26E	555929	3623401*	309	100	209
RA 03181 SUP	O		ED	1	1	4	17	18S	26E	555929	3623401*	290	60	230
RA 09709			ED		2	2	17	18S	26E	556428	3624113*	235	110	125

Average Depth to Water: **83 feet**

Minimum Depth: **55 feet**

Maximum Depth: **110 feet**

Record Count: 7

PLSS Search:

Section(s): 17

Township: 18S

Range: 26E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed) (quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 01462				ED	1	3	09	18S	26E		556828	3624924*	163		
RA 01462 #3				ED	3	3	09	18S	26E		556830	3624520*	230		
RA 01462 CLW-2				ED	1	1	1	09	18S	26E	556723	3625830*	120	37	83
RA 01496				ED	1	3	1	09	18S	26E	556725	3625426*	300	60	240
RA 01496 CLW		O		ED	1	3	1	09	18S	26E	556725	3625426*	165		
RA 01496 SUP		O		ED	1	3	1	09	18S	26E	556725	3625426*	227	90	137
RA 02048				ED			09	18S	26E		557433	3625123*			
RA 02300				ED	3	1	09	18S	26E		556826	3625327*	203		
RA 03029				ED	1	1	2	09	18S	26E	557531	3625831*	147	35	112
RA 03326				ED	4	4	09	18S	26E		558041	3624518*	75	40	35
RA 03382				ED	1	3	3	09	18S	26E	556729	3624619*	129		
RA 05162				ED	3	1	3	09	18S	26E	556727	3624823*	220	120	100
RA 06131				ED	3	3	09	18S	26E		556830	3624520*	225	90	135
RA 11682 POD1				ED	4	4	4	09	18S	26E	557428	3625421	71	51	20
RA 11682 POD3				ED	3	4	2	09	18S	26E	557934	3625136	70	54	16
RA 11682 POD4				ED	1	3	2	09	18S	26E	557447	3625432	85	70	15

Average Depth to Water: 64 feet

Minimum Depth: 35 feet

Maximum Depth: 120 feet

Record Count: 16

PLSS Search:

Section(s): 9

Township: 18S

Range: 26E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	64	16	4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 01884	ED			1	1	3	21	18S	26E	556741	3621792*	127		
RA 04004	ED			3	2	2	21	18S	26E	557948	3622399*	140		
RA 04287	ED			1	2	4	21	18S	26E	557951	3621792*	170	140	30
RA 04309	ED				1		21	18S	26E	557041	3622297*	180		
RA 06029	ED			3	3		21	18S	26E	556844	3621290*	183	140	43
RA 06102	ED						21	18S	26E	557447	3621893*	202	136	66
RA 06828	CH				4		21	18S	26E	557851	3621491*	130	105	25
RA 07408	ED			2	4	4	21	18S	26E	558152	3621389*	155	85	70
RA 07654	ED				2	4	21	18S	26E	558052	3621693*	180	170	10
RA 08976	ED			2	3	3	21	18S	26E	556943	3621389*	225	120	105
RA 09763	ED			4	1	4	21	18S	26E	557748	3621592*	240	140	100
RA 11480 POD1	ED			2	1	3	21	18S	26E	556958	3621808	199	175	24

Average Depth to Water: **134 feet**

Minimum Depth: **85 feet**

Maximum Depth: **175 feet**

Record Count: 12

PLSS Search:

Section(s): 21

Township: 18S

Range: 26E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.