

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Enterprise Field Services, LLC	OGRID: 151618
Contact Name: Thomas Long	Contact Telephone: 505-599-2286
Contact email: tjlong@eprod.com	Incident # (assigned by OCD): NVF1825428620
Contact mailing address: 614 Reilly Ave, Farmington, NM 87401	FVF1831342066

Location of Release Source

Latitude **36.55201** Longitude **-107.74465** (NAD 83 in decimal degrees to 5 decimal places)

Site Name Lateral C-14 Pipeline	Site Type Natural Gas Gathering Pipeline
Date Release Discovered: 8/14/2018	Serial Number (if applicable):

Unit Letter	Section	Township	Range	County
D	25	27N	9W	San Juan

Surface Owner: ☐ State ☐ Federal ☒ Tribal ☐ Private (Name: **Navajo Nation**)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input checked="" type="checkbox"/> Condensate	Volume Released (bbls): Estimated 5-7 BBLs	Volume Recovered (bbls): None
<input checked="" type="checkbox"/> Natural Gas	Volume Released (Mcf): 32.01 MCF	Volume Recovered (Mcf): None
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units):	Volume/Weight Recovered (provide units)

Cause of Release Cause of Release: On August 14, 2018 an Enterprise technician discovered a release of natural gas on the Lateral C-14 pipeline. The pipeline was isolated, depressurized, locked out and tagged out. Enterprise determined this release reportable per NMOCD regulation on August 21, 2018, due the volume of impacted subsurface soil. Repairs and remediation were completed on August 24, 2018. The contaminant mass was removed by mechanical excavation. The final excavation dimensions measured approximately 17 feet long by 14 feet wide by 9.5 feet deep. Approximately 77 cubic yards of hydrocarbon impacted soil were excavated and transported to a New Mexico Oil Conservation Division approved land farm facility. A third party closure report is included with this "Final." C-141.

NMOCD

NOV 05 2018

DISTRICT III

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.


Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Jon E. Fields

Title: Director, Field Environmental


Signature: 

Date: 10/30/18

email: jefields@eprod.com

Telephone: (713) 381-6684

OCD Only

Received by: 

Date: 11/5/2018

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: 

Date: 11/9/2018

Printed Name: Vanessa Fields

Title: Environmental Specialist



CLOSURE REPORT

Property:

**Lateral C-14 Pipeline Release
NW 1/4, S25 T27N R9W
San Juan County, New Mexico**


October 12, 2018
Apex Project No. 725040112507

Prepared for:

**Enterprise Field Services, LLC
614 Reilly Avenue
Farmington, NM 87401
Attn: Mr. Thomas Long**

Prepared by:


Rancee Deechilly
Project Scientist


Kyle Summers, CPG
Branch Manager / Senior Geologist

NMOC

NOV 05 2018

DISTRICT III

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Site Description & Background.....	1
1.2	Project Objective.....	1
2.0	CLOSURE CRITERIA	1
3.0	RESPONSE ACTIONS.....	3
3.1	Soil Excavation Activities.....	3
3.2	Soil Sampling Program.....	3
3.3	Laboratory Analytical Methods.....	3
4.0	DATA EVALUATION	4
4.1	Soil Samples.....	4
5.0	RECLAMATION AND RE-VEGETATION	4
6.0	FINDINGS AND RECOMMENDATIONS.....	4
7.0	STANDARD OF CARE, LIMITATIONS, AND RELIANCE	5

LIST OF APPENDICES

Appendix A:	Figures
	Figure 1 – Topographic Map
	Figure 2 – Site Vicinity Map
	Figure 3 – Site Map with Soil Analytical Results
Appendix B:	Executed C-138 Solid Waste Acceptance Form
Appendix C:	Photographic Documentation
Appendix D:	Table
Appendix E:	Laboratory Data Sheets & Chain of Custody Documentation



CLOSURE REPORT

Lateral C-14 Pipeline Release

NW 1/4, S25 T27N R9W
San Juan County, New Mexico

Apex Project No. 725040112507

1.0 INTRODUCTION

1.1 Site Description & Background

The Lateral C-14 Pipeline Release site, referred to hereinafter as the "Site", is located within the Enterprise Field Services, LLC (Enterprise) pipeline right-of-way (ROW) in the northwest (NW) 1/4 of Section 25, Township 27 North, Range 9 West, in San Juan County, New Mexico (36.55201N, 107.74465W). The Site is located on Navajo Nation allotted lands. The surrounding area is predominately rangeland that is periodically interrupted by oil and gas production and gathering facilities and occasional private residences. The closest residence is located approximately 274 feet north of the Site. The Enterprise Lateral C-14 natural gas gathering pipeline transects the area from approximately east to west.

On August 13, 2018, a release of natural gas occurred on the Lateral C-14 pipeline. Enterprise subsequently isolated and locked the line out of service. The surface expression of the release was characterized by soil discoloration of the ground surface at the release point and a flow path extending south of the release point approximately 50 feet. On August 20, 2018, Enterprise initiated excavation activities to facilitate the repair of the pipeline, and to remediate potential petroleum hydrocarbon impact resulting from the release. The pipeline was subsequently repaired and placed back in service.

A **Topographic Map** depicting the location of the Site is included as **Figure 1**, and a **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

1.2 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the on-Site soils to below the New Mexico Energy, Minerals, and Natural Resources Department (EMNRD), Oil Conservation Division (OCD) closure criteria using the New Mexico EMNRD OCD's New Mexico Administrative Code (NMAC) 19.15.29 *Releases* as guidance.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the Navajo Nation Environmental Protection Agency (NNEPA) and the New Mexico EMNRD OCD. In absence of published NNEPA regulatory guidance, Apex TITAN, Inc. (Apex) referenced the New Mexico EMNRD OCD's NMAC 19.15.29 *Releases*. Apex utilized the general site characteristics obtained during the implementation of corrective action activities and information available from the New Mexico Office of the State Engineer (OSE) and the New Mexico EMNRD OCD Imaging database to determine the appropriate closure criteria for the Site.

- No water wells were identified within a mile of the Site on the OSE Water Rights Reporting System (WRSS) database. However, based on the proximity to an unnamed ephemeral wash depth to groundwater at the Site is anticipated to be less than 50 feet below grade surface (bgs).
- The Site is located within 300 feet of a New Mexico ENMRD OCD-defined continuously flowing watercourse or significant. The Site is located approximately 63 feet north of an ephemeral wash that is identified as a "blue line" on the United States Geological Survey (USGS) topographic map.
- The Site is not located within 200 feet of a lakebed, sinkhole or playa lake.
- The Site is located within 300 feet from an occupied permanent residence, school, hospital, institution or church. The closest residence is located approximately 274 feet north of the Site.
- No springs or private, domestic fresh water wells used by less than five (5) households from domestic or stock water purposes were identified within 500 feet of the Site.
- No fresh water wells or springs were identified within 1,000 feet of the Site.
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3.
- The Site is not located within 300 feet of a wetland.
- Based on information identified on the New Mexico Mining and Minerals Division's GIS, Maps and Mine Data database, the Site is not located within an area overlying a subsurface mine.
- The Site is not located within an unstable area.
- The Site is not located within a 100-year floodplain.

Based on the evaluation of the site characterization, closure criteria for soils remaining in place at the Site include:

Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Method	Limit
≤ 50 feet	Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

3.0 RESPONSE ACTIONS

3.1 Soil Excavation Activities

On August 20, 2018, Enterprise initiated excavation activities to facilitate the repair of the pipeline, and to remediate potential petroleum hydrocarbon impact resulting from the release. The pipeline was subsequently repaired and placed back in service. During the pipeline repair and earthwork activities, West States Energy Contractors Inc., provided heavy equipment and labor support, and Apex provided environmental consulting support.

The southern-most portion of the flow path was remediated by hand shoveling (outside of ROW) and heavy equipment (within ROW).

The final remediation excavation measured approximately 17 feet long by 14 feet wide. The maximum depth of the excavation measured approximately 9.5 feet bgs. The flow path measured approximately 50 feet in length.

The lithology encountered during the completion of corrective action activities consisted primarily of unconsolidated to semi-consolidated silty sand.

A total of approximately 77 cubic yards of petroleum hydrocarbon affected soils were transported to the Envirotech, Inc. (Envirotech) landfarm near Hilltop, New Mexico for disposal/remediation. The executed C-138 solid waste acceptance form is provided in **Appendix B**. The excavation was backfilled with imported fill and contoured to surrounding grade.

Figure 3 is a map with soil sample locations that depicts the approximate dimensions of the excavation with respect to the pipeline (**Appendix A**). Photographic documentation of the field activities is included in **Appendix C**.

3.2 Soil Sampling Program

Apex field screened soil samples from the excavation utilizing a photoionization detector (PID) fitted with a 10.6 eV lamp and a calibrated Dexsil PetroFLAG[®] hydrocarbon analyzer system to guide excavation extents.

On August 20, 2018, two (2) composite soil samples (CS-1 and CS-2) were collected from the end walls of the pipe chase, prior to the planned extension of the excavation to accommodate a longer section of new pipe. On August 24, 2018, three (3) composite soil samples (CS-3 through CS-5) were collected from the remaining sidewalls and the base of the final excavation for laboratory analysis. In addition, one (1) composite soil sample (FP-1) was collected from the flow path.

A New Mexico EMNRD OCD representative was on-Site during the August 24, 2018 sampling event.

The samples were collected and placed in laboratory prepared glassware, labeled/sealed using the laboratory supplied labels and custody seals, and stored on ice in a cooler. The samples were relinquished to the courier for Hall Environmental Analysis Laboratory of Albuquerque, New Mexico, under proper chain-of-custody procedures.

3.3 Laboratory Analytical Methods

The composite soil samples were analyzed for benzene, toluene, ethylbenzene and total xylenes (BTEX) using Environmental Protection Agency (EPA) SW-846 Method #8021/8260, total

petroleum hydrocarbon (TPH) gasoline range organics (GRO), diesel range organics (DRO), and motor oil/lube oil range organics (MRO) using EPA SW-846 Method #8015, and chlorides using EPA Method #300.0.

Laboratory analytical results are summarized in **Table 1**, included in **Appendix D**. The executed chain-of-custody form and laboratory data sheets are provided in **Appendix E**.

4.0 DATA EVALUATION

The Site is subject to regulatory oversight by the NNEPA and the New Mexico EMNRD OCD. In the absence of published NNEPA regulatory guidance, Apex referenced the New Mexico EMNRD OCD's NMAC 19.15.29 *Releases*. This guidance document establishes investigation and abatement action requirements for sites subject to reporting and/or corrective action.

4.1 Soil Samples

Apex compared the BTEX and TPH concentrations or laboratory practical quantitation limits (PQLs) associated with the composite soil samples (CS-1 through CS-5 and FP-1) to the New Mexico EMNRD OCD closure criteria.

- The laboratory analyses of the composite soil samples collected from soils remaining in place do not indicate benzene concentrations above the laboratory PQLs, which are below the New Mexico EMNRD OCD closure criteria of 10 milligrams per kilogram (mg/kg).
- The laboratory analyses of the composite soil samples collected from soils remaining in place do not indicate total BTEX concentrations above the laboratory PQLs, which are below the New Mexico EMNRD OCD closure criteria of 50 mg/kg.
- The laboratory analyses of the composite soil samples collected from soils remaining in place do not indicate combined TPH GRO/DRO/MRO concentrations above the laboratory PQLs, which are below the New Mexico EMNRD OCD closure criteria of 100 mg/kg.
- The laboratory analyses of the composite soil samples collected from soils remaining in place indicate chloride concentrations ranging from below the laboratory PQLs to 300 mg/kg (FP-1), which are below the New Mexico OCD closure criteria of 600 mg/kg.

Laboratory analytical results are summarized in **Table 1** in **Appendix D**.

5.0 RECLAMATION AND RE-VEGETATION

The excavation was backfilled with imported fill and contoured to the surrounding grade. The site will be re-seeded with a BLM Farmington Field Office approved seeding mixture at the beginning of the next favorable growing season.

6.0 FINDINGS AND RECOMMENDATIONS

The Lateral C-14 Pipeline Release Site is located within the Enterprise pipeline ROW in the NW ¼ of Section 25, Township 27 North, Range 9 West, in San Juan County, New Mexico. The Site

is located on Navajo Nation allotted lands. The surrounding area is predominately rangeland that is periodically interrupted by oil and gas production and gathering facilities and occasional private residences. The closest residence is located approximately 274 feet north of the Site. The Enterprise Lateral C-14 natural gas gathering pipeline transects the area from approximately east to west.

On August 13, 2018, a release of natural gas occurred on the Lateral C-14 pipeline. Enterprise subsequently isolated and locked the line out of service. The surface expression of the release was characterized by soil discoloration of the ground surface at the release point and a flow path extending south of the release point approximately 50 feet. On August 20, 2018, Enterprise initiated excavation activities to facilitate the repair of the pipeline, and to remediate potential petroleum hydrocarbon impact resulting from the release. The pipeline was subsequently repaired and placed back in service.

- The primary objective of the closure activities was to reduce COC concentrations in the on-Site soils to below the New Mexico EMNRD OCD closure criteria using the New Mexico EMNRD OCD's NMAC 19.15.29 *Releases* as guidance.
- The lithology encountered during the completion of corrective action activities consisted unconsolidated to semi-consolidated silty.
- The final primary excavation measured approximately 17 feet long by 14 feet wide. The maximum depth of the excavation measured approximately 9.5 feet bgs, with a flow path extending approximately 50 feet south of the release point.
- Prior to backfilling, five (5) composite soil samples were collected from the excavation and one (1) composite soil sample was collected from the flow path. Based on soil analytical results, soils remaining in place do not exhibit COC concentrations above the New Mexico EMNRD OCD closure criteria.
- A total of approximately 77 cubic yards of petroleum hydrocarbon affected soils were transported to the Envirotech landfarm near Hilltop, New Mexico for disposal/remediation. The excavation was backfilled with imported fill and contoured to surrounding grade.

Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.

7.0 STANDARD OF CARE, LIMITATIONS, AND RELIANCE

Apex's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Apex makes no warranties, expressed or implied, as to the services performed hereunder. Additionally, Apex does not warrant the work of third parties supplying information used in the report (e.g. laboratories, regulatory agencies, or other third parties). This scope of services was performed in accordance with the scope of work agreed with the client.

Findings, conclusions and recommendations resulting from these services are based upon information derived from the on-Site activities and other services performed under this scope of work and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Apex cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during this scope of services. Environmental



conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Apex's findings and recommendations are based solely upon data available to Apex at the time of these services.

This report has been prepared for the exclusive use of Enterprise, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the expressed written authorization of Enterprise and Apex. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the proposal, the report, and Apex's Agreement. The limitation of liability defined in the agreement is the aggregate limit of Apex's liability to the client.

APPENDIX A

Figures



Lateral C-14
NW 1/4, S25 T27N R9W
San Juan County, New Mexico
36.55201 N, 107.74465 W



Apex TITAN, Inc.

606 South Rio Grande, Suite A

Aztec, New Mexico 87410

Phone: (505) 334-5200

A Subsidiary of Apex Companies, LLC


FIGURE 1

Topographic Map

Service Layer Credits:

Copyright: © 2013 National Geographic Society, i-cubed, Fresno Canyon and Huerfanito Peak New Mexico 7.5-Minute Quadrangles 1985 . .

Project No. 725040112507



Lateral C-14
 NW 1/4, S25 T27N R9W
 San Juan County, New Mexico
 36.55201 N, 107.74465 W



Apex TITAN, Inc.
 606 South Rio Grande, Suite A
 Aztec, New Mexico 87410
 Phone: (505) 334-5200
 www.apexcos.com
 A Subsidiary of Apex Companies, LLC






FIGURE 2

Site Vicinity Map

Service Layer Credits:
 Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, © OpenStreetMap contributors, and the GIS User Community. Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community. Aerial Photograph March 2016

Project No. 725040112507

LEGEND:

-  Release Point
-  Excavation/Flow Path Composite Soil Sample Location
-  Enterprise Pipeline Location
-  Extent of Flow Path
-  Extent of Excavation

CS-4
8/24/2018
(0-9.5')
Benzene...<0.088
Toluene...<0.18
Ethylbenzene...<0.18
Xylenes...<0.35
Total BTEX...ND
TPH GRO...<18
TPH DRO...<10
TPH MRO...<50
Total TPH...ND
Chloride...<30

CS-2
8/20/2018
(0-7')
Benzene...<0.093
Toluene...<0.19
Ethylbenzene...<0.19
Xylenes...<0.37
Total BTEX...ND
TPH GRO...<19
TPH DRO...<10
TPH MRO...<50
Total TPH...ND
Chloride...260

CS-5
8/24/2018
(0-9.5')
Benzene...<0.019
Toluene...<0.039
Ethylbenzene...<0.039
Xylenes...<0.077
Total BTEX...ND
TPH GRO...<3.9
TPH DRO...<10
TPH MRO...<50
Total TPH...ND
Chloride...32

CS-1
8/20/2018
(0-7')
Benzene...<0.092
Toluene...<0.18
Ethylbenzene...<0.18
Xylenes...<0.37
Total BTEX...ND
TPH GRO...<18
TPH DRO...<9.9
TPH MRO...<49
Total TPH...ND
Chloride...<30

CS-3
8/24/2018
(9.5')
Benzene...<0.085
Toluene...<0.17
Ethylbenzene...<0.17
Xylenes...<0.34
Total BTEX...ND
TPH GRO...<17
TPH DRO...<9.8
TPH MRO...<49
Total TPH...ND
Chloride...280


FP-1
8/24/2018
(0.25-0.5')
Benzene...<0.019
Toluene...<0.038
Ethylbenzene...<0.038
Xylenes...<0.075
Total BTEX...ND
TPH GRO...<3.8
TPH DRO...<9.7
TPH MRO...<49
Total TPH...ND
Chloride...300

NOTE:

All Concentrations Are Listed in mg/Kg.

All Depths Are Listed in Feet BGS.

ND - Not Detected



Lateral C-14
NW 1/4, S25 T27N R9W
San Juan County, New Mexico
36.55201 N, 107.74465 W

**Apex TITAN, Inc.**

606 South Rio Grande, Suite A
Aztec, New Mexico 87410
Phone: (505) 334-5200
www.apexcos.com
A Subsidiary of Apex Companies, LLC

FIGURE 3

Site Map with Soil Analytical Results

Project No. 725040112507

APPENDIX B

Executed C-138 Solid Waste Acceptance Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

97057-0940

Form C-138
Revised 08/01/11

*Surface Waste Management Facility Operator
and Generator shall maintain and make this
documentation available for Division inspection.

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

1. Generator Name and Address: Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401	
2. Originating Site: Lateral C-14 Pipeline	Invoice Information: PM: Aaron Lucero Non AFE: Pending Pay Key: CM22355
3. Location of Material (Street Address, City, State or ULSTR): UL D Section 25 T27N R9W; 36.552006, -107.745027	
4. Source and Description of Waste: Source: Overtopping of a storage tank Description: Hydrocarbon/Condensate impacted soil associated with the remediation of a natural gas pipeline leak. Estimated Volume <u>50</u> (yd ³) bbls Known Volume (to be entered by the operator at the end of the haul) <u>77</u> (yd ³) bbls	

August

5. **GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS**

I, Thomas Long *Thomas Long*, representative or authorized agent for Enterprise Products Operating do hereby
Generator Signature
certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988
regulatory determination, the above described waste is: (Check the appropriate classification)

☒ RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. Operator Use Only: Waste Acceptance Frequency ☐ Monthly ☐ Weekly ☐ Per Load

☐ RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)

☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☒ Process Knowledge ☐ Other (Provide description in Box 4)

GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS

I, Thomas Long *Thomas Long* 8-14-18, representative for Enterprise Products Operating authorizes Envirotech, Inc to complete
Generator Signature
the required testing/sign the Generator Waste Testing Certification.

I, *[Signature]*, representative for Envirotech, Inc. do hereby certify that
representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples
have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results
of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of
19.15.36 NMAC.

5. Transporter: West State Energy Contractors Prado Farms, DeHerrera,
OCD Permitted Surface Waste Management Facility

Name and Facility Permit #: Envirotech Inc. Soil Remediation Facility * Permit #: NM 01-0011

Address of Facility: Hiltop, NM

Method of Treatment and/or Disposal:

☐ Evaporation ☐ Injection ☐ Treating Plant ☒ Landfarm ☐ Landfill ☐ Other

Waste Acceptance Status:

☒ APPROVED

☐ DENIED (Must Be Maintained As Permanent Record)

PRINT NAME: Greg Crabtree
SIGNATURE: *[Signature]*
Surface Waste Management Facility Authorized Agent


TITLE: Environmental Manager DATE: 8/14/18
TELEPHONE NO.: 505-632-0615

APPENDIX C

Photographic Documentation


Photograph 1

View of the release area, facing northeast.



Photograph 2

View of the release area and flow path, facing east.




Photograph 3

View of the initial excavation, facing southwest.




Photograph 4

View of in process excavation activities, facing southwest.




Photograph 5

View of the final excavation, facing northeast.



Photograph 6

View of the remediated flow path, facing northwest.



Photograph 7

View of the final excavation after initial restoration.



APPENDIX D

Table

TABLE 1
Lateral C-14
SOIL ANALYTICAL SUMMARY

Sample I.D.	Date	Sample Type C- Composite G - Grab	Sample Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total Combined TPH (mg/kg)	Chloride (mg/kg)
New Mexico Energy, Mineral & Natural Resources Department, Oil Conservation Division, Closure Criteria				10	NE	NE	NE	50				100	600
Composite Soil Samples Collected from Flow Path													
FP-1	08.24.18	C	0.25 to 0.5	<0.019	<0.038	<0.038	<0.075	ND	<3.8	<9.7	<49	ND	300
Excavation Composite Soil Samples													
CS-1	08.20.18	C	0 to 7	<0.092	<0.18	<0.18	<0.37	ND	<18	<9.9	<49	ND	<30
CS-2	08.20.18	C	0 to 7	<0.093	<0.19	<0.19	<0.37	ND	<19	<10	<50	ND	260
CS-3	08.24.18	C	9.5	<0.085	<0.17	<0.17	<0.34	ND	<17	<9.8	<49	ND	280
CS-4	08.24.18	C	0 to 9.5	<0.088	<0.18	<0.18	<0.35	ND	<18	<10	<50	ND	<30
CS-5	08.24.18	C	0 to 9.5	<0.019	<0.039	<0.039	<0.077	ND	<3.9	<10	<50	ND	32

ND = Not Detected above the Practical Quantitation Limits

NE = Not established

mg/kg = milligram per kilogram

BTEX = benzene, toluene, ethylbenzene, and total xylenes

GRO = Gasoline Range Organics


DRO = Diesel Range Organics

MRO = Motor Oil/Lube Oil Range Organics

TPH = Total Petroleum Hydrocarbon

Appendix E

Laboratory Analytical Reports & Chain of Custody Documentation



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

August 23, 2018

Kyle Summers

APEX TITAN

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (903) 821-5603

FAX

RE: Lateral C-14

OrderNo.: 1808C19

Dear Kyle Summers:

Hall Environmental Analysis Laboratory received 2 sample(s) on 8/21/2018 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1808C19

Date Reported: 8/23/2018

CLIENT: APEX TITAN

Client Sample ID: CS-1

Project: Lateral C-14

Collection Date: 8/20/2018 3:30:00 PM

Lab ID: 1808C19-001

Matrix: SOIL

Received Date: 8/21/2018 7:00:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	30		mg/Kg	20	8/21/2018 9:50:40 AM	39907
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: AG
Gasoline Range Organics (GRO)	ND	18		mg/Kg	5	8/21/2018 10:20:07 AM	A53589
Surr: BFB	106	70-130		%Rec	5	8/21/2018 10:20:07 AM	A53589
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: Irm
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	8/21/2018 10:55:17 AM	39897
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	8/21/2018 10:55:17 AM	39897
Surr: DNOP	82.9	50.6-138		%Rec	1	8/21/2018 10:55:17 AM	39897
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: AG
Benzene	ND	0.092		mg/Kg	5	8/21/2018 10:20:07 AM	C53589
Toluene	ND	0.18		mg/Kg	5	8/21/2018 10:20:07 AM	C53589
Ethylbenzene	ND	0.18		mg/Kg	5	8/21/2018 10:20:07 AM	C53589
Xylenes, Total	ND	0.37		mg/Kg	5	8/21/2018 10:20:07 AM	C53589
Surr: 4-Bromofluorobenzene	119	70-130		%Rec	5	8/21/2018 10:20:07 AM	C53589
Surr: Toluene-d8	94.5	70-130		%Rec	5	8/21/2018 10:20:07 AM	C53589

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.**Analytical Report**Lab Order **1808C19**Date Reported: **8/23/2018****CLIENT: APEX TITAN****Client Sample ID: CS-2****Project: Lateral C-14****Collection Date: 8/20/2018 3:40:00 PM****Lab ID: 1808C19-002****Matrix: SOIL****Received Date: 8/21/2018 7:00:00 AM**

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	260	30		mg/Kg	20	8/21/2018 10:03:05 AM	39907
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: AG
Gasoline Range Organics (GRO)	ND	19		mg/Kg	5	8/21/2018 10:43:14 AM	A53589
Surr: BFB	108	70-130		%Rec	5	8/21/2018 10:43:14 AM	A53589
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: Irm
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	8/21/2018 11:24:36 AM	39897
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	8/21/2018 11:24:36 AM	39897
Surr: DNOP	84.4	50.6-138		%Rec	1	8/21/2018 11:24:36 AM	39897
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: AG
Benzene	ND	0.093		mg/Kg	5	8/21/2018 10:43:14 AM	C53589
Toluene	ND	0.19		mg/Kg	5	8/21/2018 10:43:14 AM	C53589
Ethylbenzene	ND	0.19		mg/Kg	5	8/21/2018 10:43:14 AM	C53589
Xylenes, Total	ND	0.37		mg/Kg	5	8/21/2018 10:43:14 AM	C53589
Surr: 4-Bromofluorobenzene	121	70-130		%Rec	5	8/21/2018 10:43:14 AM	C53589
Surr: Toluene-d8	93.7	70-130		%Rec	5	8/21/2018 10:43:14 AM	C53589

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808C19

23-Aug-18

Client: APEX TITAN

Project: Lateral C-14

Sample ID: MB-39907	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 39907	RunNo: 53581								
Prep Date: 8/21/2018	Analysis Date: 8/21/2018	SeqNo: 1768275 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-39907		SampType:	ics		TestCode:	EPA Method 300.0: Anions				
Client ID	LCSS		Batch ID:	39907		RunNo:	53581				
Prep Date	8/21/2018		Analysis Date:	8/21/2018		SeqNo:	1768276		Units: mg/Kg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Chloride	14	1.5	15.00	0	93.6	90	110				

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808C19

23-Aug-18

Client: APEX TITAN

Project: Lateral C-14

Sample ID	MB-39897	SampType	MBLK	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	PBS	Batch ID	39897	RunNo	53552					
Prep Date	8/21/2018	Analysis Date	8/21/2018	SeqNo	1766570	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.9		10.00		89.3	50.6	138			

Sample ID	LCS-39897	SampType	LCS	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	LCSS	Batch ID	39897	RunNo	53552					
Prep Date	8/21/2018	Analysis Date	8/21/2018	SeqNo	1766571	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	45	10	50.00	0	90.7	70	130			
Surr: DNOP	3.6		5.000		72.2	50.6	138			

Sample ID	MB-39889	SampType	MBLK	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	PBS	Batch ID	39889	RunNo	53591					
Prep Date	8/20/2018	Analysis Date	8/21/2018	SeqNo	1768073	Units	%Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	10		10.00		102	50.6	138			

Sample ID	LCS-39889	SampType	LCS	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	LCSS	Batch ID	39889	RunNo	53591					
Prep Date	8/20/2018	Analysis Date	8/21/2018	SeqNo	1768074	Units	%Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.6		5.000		91.5	50.6	138			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808C19

23-Aug-18

Client: APEX TITAN

Project: Lateral C-14

Sample ID	100ng lcs	SampType:	LCS4	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	BatchQC	Batch ID:	C53589	RunNo:	53589					
Prep Date:		Analysis Date:	8/21/2018	SeqNo:	1766968	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	1.000	0	98.4	80	120			
Toluene	1.1	0.050	1.000	0	107	80	120			
Ethylbenzene	1.1	0.050	1.000	0	107	80	120			
Xylenes, Total	3.1	0.10	3.000	0	102	80	120			
Surr: 4-Bromofluorobenzene	0.53		0.5000		107	70	130			
Surr: Toluene-d8	0.48		0.5000		96.6	70	130			

Sample ID	rb	SampType:	MBLK	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	PBS	Batch ID:	C53589	RunNo:	53589					
Prep Date:		Analysis Date:	8/21/2018	SeqNo:	1766978	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.57		0.5000		114	70	130			
Surr: Toluene-d8	0.48		0.5000		95.1	70	130			

Sample ID	1808c19-002ams	SampType:	MS4	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	CS-2	Batch ID:	C53589	RunNo:	53589					
Prep Date:		Analysis Date:	8/21/2018	SeqNo:	1767888	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	3.8	0.093	3.701	0	102	80	120			
Toluene	3.9	0.19	3.701	0	105	80	120			
Ethylbenzene	3.9	0.19	3.701	0	106	82	121			
Xylenes, Total	12	0.37	11.10	0.07798	106	80.2	120			
Surr: 4-Bromofluorobenzene	2.0		1.851		110	70	130			
Surr: Toluene-d8	1.8		1.851		98.8	70	130			

Sample ID	1808c19-002amsd	SampType:	MSD4	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	CS-2	Batch ID:	C53589	RunNo:	53589					
Prep Date:		Analysis Date:	8/21/2018	SeqNo:	1767889	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	3.5	0.093	3.701	0	93.8	80	120	7.98	20	
Toluene	3.7	0.19	3.701	0	99.6	80	120	5.43	20	
Ethylbenzene	3.7	0.19	3.701	0	100	82	121	5.74	20	
Xylenes, Total	11	0.37	11.10	0.07798	101	80.2	120	5.39	20	

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808C19

23-Aug-18

Client: APEX TITAN

Project: Lateral C-14

Sample ID	1808c19-002amsd	SampType:	MSD4	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	CS-2	Batch ID:	C53589	RunNo:	53589					
Prep Date:		Analysis Date:	8/21/2018	SeqNo:	1767889	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.9		1.851		105	70	130	0	0	
Surr: Toluene-d8	1.7		1.851		91.5	70	130	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808C19

23-Aug-18

Client: APEX TITAN

Project: Lateral C-14

Sample ID: 2.5ug gro lcs	SampType: LCS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: LCSS	Batch ID: A53589	RunNo: 53589								
Prep Date:	Analysis Date: 8/21/2018	SeqNo: 1766965 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	5.0	25.00	0	101	70	130			
Surr: BFB	480		500.0		95.3	70	130			

Sample ID: rb	SampType: MBLK	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: PBS	Batch ID: A53589	RunNo: 53589								
Prep Date:	Analysis Date: 8/21/2018	SeqNo: 1766966 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	510		500.0		101	70	130			

Sample ID: 1808c19-001ams	SampType: MS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: CS-1	Batch ID: A53589	RunNo: 53589								
Prep Date:	Analysis Date: 8/21/2018	SeqNo: 1767658 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	91	18	91.58	5.128	93.4	64.7	142			
Surr: BFB	1900		1832		104	70	130			

Sample ID	1808c19-001amsd		SampType:	MSD		TestCode:	EPA Method 8015D Mod: Gasoline Range				
Client ID:	CS-1		Batch ID:	A53589		RunNo:	53589				
Prep Date:			Analysis Date:	8/21/2018		SeqNo:	1767659		Units:	mg/Kg	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	89	18	91.58	5.128	91.1	64.7	142	2.29	20		
Surr: BFB	2000		1832		107	70	130	0	0		

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: APEX AZTEC

Work Order Number: 1808C19

RcptNo: 1

Received By: Anne Thorne 8/21/2018 7:00:00 AM

Completed By: Anne Thorne 8/21/2018 7:21:47 AM

Reviewed By:

Labeled by AT 8/21/18

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved bottles checked for pH: _____
(<2 or >12 unless noted)
Adjusted? _____
Checked by: _____

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:			
Client Instructions:			


16. Additional remarks:

CUSTODY SEALS INTACT ON SOIL JARS/at 8/21/18

17. Cooler Information

Cooler No.	Temp °C	Condition	Seal Intact	Seal No.	Seal Date	Signed By
1	1.4	Good	Yes			

CHAIN OF CUSTODY RECORD

 APEX Office Location: <u>606 S Rio Grande Suite A</u> <u>Aztec, NM 87410</u> Project Manager: <u>K Summers</u>		Laboratory: <u>Hall Environmental Analysis Laboratory</u> Address: <u>4901 Hawkins NE</u> <u>Albuquerque, NM 87109</u> Contact: <u>A. Freeman</u> Phone: <u>505-345-3995</u> PO/SO #: <u>See notes</u>		ANALYSIS REQUESTED <div style="border: 1px solid black; padding: 5px; transform: rotate(-45deg); display: inline-block;"> BTEX 8021 TPH GRO/DEO/MEO 8015 Chlordes </div>										Lab use only Due Date: _____ Temp. of coolers when received (C°): <u>1.4</u> <div style="border: 1px solid black; display: inline-block; padding: 2px;"> 1 2 3 4 5 </div> Page <u>1</u> of <u>1</u>											
		Sampler's Name: <u>Ranee Deekilly</u> Sampler's Signature: <u>[Signature]</u>																							
Proj. No. <u>725040112507</u>		Project Name <u>Lateral C-14</u>				No/Type of Containers																			
Matrix	Date	Time	Comp	Grab	Identifying Marks of Sample(s)	Start Depth	End Depth	VOA	A/G 1 L	250 ml	Glass Jar	P/O	Lab Sample ID (Lab Use Only)												
S	8/20/18	1530	X		CS-1						1		X	X	X	1508C19-001									
S	8/20/18	1540	X		CS-2						1		X	X	X	202									
<div style="border: 1px solid black; padding: 10px; transform: rotate(-30deg); display: inline-block;"> YES </div>																									
Turn around time <input type="checkbox"/> Normal <input type="checkbox"/> 25% Rush <input type="checkbox"/> 50% Rush <input checked="" type="checkbox"/> 100% Rush <u>SAME DAY</u>																									
Relinquished by (Signature): <u>[Signature]</u>			Date: <u>8/20/18</u> Time: <u>1745</u>		Received by (Signature): <u>[Signature]</u>			Date: <u>8/20/18</u> Time: <u>1745</u>		NOTES: PM - Tam Long Pay Key - CM 22355 Non AFE - N37795 <u>SAME DAY</u>															
Relinquished by (Signature): <u>[Signature]</u>			Date: <u>8/20/18</u> Time: <u>1824</u>		Received by (Signature): <u>[Signature]</u>			Date: <u>8/21/18</u> Time: <u>6700</u>																	
Relinquished by (Signature): _____			Date: _____ Time: _____		Received by (Signature): _____			Date: _____ Time: _____																	
Relinquished by (Signature): _____			Date: _____ Time: _____		Received by (Signature): _____			Date: _____ Time: _____																	
Matrix Container: WW - Wastewater VOA - 40 ml vial W - Water A/G - Amber / Or Glass 1 Liter S - Soil SD - Solid L - Liquid A - Air Bag 250 ml - Glass wide mouth C - Charcoal tube P/O - Plastic or other SL - sludge O - Oil																									



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

August 28, 2018

Kyle Summers

APEX TITAN

606 S. Rio Grande Unit A

Aztec, NM 87410

TEL: (903) 821-5603

FAX

RE: Lateral C 14

OrderNo.: 1808F83

Dear Kyle Summers:

Hall Environmental Analysis Laboratory received 3 sample(s) on 8/25/2018 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1808F83

Date Reported: 8/28/2018

CLIENT: APEX TITAN

Client Sample ID: CS-3

Project: Lateral C 14

Collection Date: 8/24/2018 10:30:00 AM

Lab ID: 1808F83-001

Matrix: MEOH (SOIL) Received Date: 8/25/2018 9:45:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	280	30		mg/Kg	20	8/27/2018 12:59:36 PM	40002
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: AG
Gasoline Range Organics (GRO)	ND	17		mg/Kg	5	8/27/2018 12:43:39 PM	A53722
Surr: BFB	100	70-130		%Rec	5	8/27/2018 12:43:39 PM	A53722
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: lrm
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	8/27/2018 10:22:32 AM	39995
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	8/27/2018 10:22:32 AM	39995
Surr: DNOP	106	50.6-138		%Rec	1	8/27/2018 10:22:32 AM	39995
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: AG
Benzene	ND	0.085		mg/Kg	5	8/27/2018 12:43:39 PM	B53722
Toluene	ND	0.17		mg/Kg	5	8/27/2018 12:43:39 PM	B53722
Ethylbenzene	ND	0.17		mg/Kg	5	8/27/2018 12:43:39 PM	B53722
Xylenes, Total	ND	0.34		mg/Kg	5	8/27/2018 12:43:39 PM	B53722
Surr: 4-Bromofluorobenzene	112	70-130		%Rec	5	8/27/2018 12:43:39 PM	B53722
Surr: Toluene-d8	104	70-130		%Rec	5	8/27/2018 12:43:39 PM	B53722

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	* Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D Sample Diluted Due to Matrix	E	Value above quantitation range
	H Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL Practical Quantitative Limit	RL	Reporting Detection Limit
	S % Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.**Analytical Report**

Lab Order 1808F83

Date Reported: 8/28/2018

CLIENT: APEX TITAN**Client Sample ID:** CS-4**Project:** Lateral C 14**Collection Date:** 8/24/2018 10:35:00 AM**Lab ID:** 1808F83-002**Matrix:** MEOH (SOIL) **Received Date:** 8/25/2018 9:45:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	ND	30		mg/Kg	20	8/27/2018 1:12:01 PM	40002
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: AG
Gasoline Range Organics (GRO)	ND	18		mg/Kg	5	8/27/2018 1:06:44 PM	A53722
Surr: BFB	99.7	70-130		%Rec	5	8/27/2018 1:06:44 PM	A53722
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: lrm
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	8/27/2018 10:52:13 AM	39995
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	8/27/2018 10:52:13 AM	39995
Surr: DNOP	108	50.6-138		%Rec	1	8/27/2018 10:52:13 AM	39995
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: AG
Benzene	ND	0.088		mg/Kg	5	8/27/2018 1:06:44 PM	B53722
Toluene	ND	0.18		mg/Kg	5	8/27/2018 1:06:44 PM	B53722
Ethylbenzene	ND	0.18		mg/Kg	5	8/27/2018 1:06:44 PM	B53722
Xylenes, Total	ND	0.35		mg/Kg	5	8/27/2018 1:06:44 PM	B53722
Surr: 4-Bromofluorobenzene	112	70-130		%Rec	5	8/27/2018 1:06:44 PM	B53722
Surr: Toluene-d8	101	70-130		%Rec	5	8/27/2018 1:06:44 PM	B53722

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
D Sample Diluted Due to Matrix		E Value above quantitation range
H Holding times for preparation or analysis exceeded		J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit		P Sample pH Not In Range
PQL Practical Quantitative Limit		RL Reporting Detection Limit
S % Recovery outside of range due to dilution or matrix		W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1808F83

Date Reported: 8/28/2018

CLIENT: APEX TITAN

Client Sample ID: CS-5

Project: Lateral C 14

Collection Date: 8/24/2018 10:40:00 AM

Lab ID: 1808F83-003

Matrix: MEOH (SOIL)

Received Date: 8/25/2018 9:45:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	32	30		mg/Kg	20	8/27/2018 1:24:25 PM	40002
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: AG
Gasoline Range Organics (GRO)	ND	3.9		mg/Kg	1	8/27/2018 2:16:13 PM	A53722
Surr: BFB	107	70-130		%Rec	1	8/27/2018 2:16:13 PM	A53722
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: lrm
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	8/27/2018 11:17:24 AM	39995
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	8/27/2018 11:17:24 AM	39995
Surr: DNOP	105	50.6-138		%Rec	1	8/27/2018 11:17:24 AM	39995
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: AG
Benzene	ND	0.019		mg/Kg	1	8/27/2018 2:16:13 PM	B53722
Toluene	ND	0.039		mg/Kg	1	8/27/2018 2:16:13 PM	B53722
Ethylbenzene	ND	0.039		mg/Kg	1	8/27/2018 2:16:13 PM	B53722
Xylenes, Total	ND	0.077		mg/Kg	1	8/27/2018 2:16:13 PM	B53722
Surr: 4-Bromofluorobenzene	120	70-130		%Rec	1	8/27/2018 2:16:13 PM	B53722
Surr: Toluene-d8	97.0	70-130		%Rec	1	8/27/2018 2:16:13 PM	B53722

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E Value above quantitation range
H	Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P Sample pH Not In Range
PQL	Practical Quantitative Limit	RL Reporting Detection Limit
S	% Recovery outside of range due to dilution or matrix	W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F83

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	MB-40002	SampType	mblk	TestCode	EPA Method 300.0: Anions					
Client ID	PBS	Batch ID	40002	RunNo	53720					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1773219	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-40002	SampType	lcs	TestCode	EPA Method 300.0: Anions					
Client ID	LCSS	Batch ID	40002	RunNo	53720					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1773220	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.0	90	110			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F83

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	MB-39995	SampType	MBLK	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	PBS	Batch ID	39995	RunNo	53721					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1772205	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		115	50.6	138			

Sample ID	LCS-39995	SampType	LCS	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	LCSS	Batch ID	39995	RunNo	53721					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1772206	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	51	10	50.00	0	102	70	130			
Surr: DNOP	5.4		5.000		108	50.6	138			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F83

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	100ng lcs	SampType:	LCS4	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	BatchQC	Batch ID:	B53722	RunNo:	53722					
Prep Date:		Analysis Date:	8/27/2018	SeqNo:	1772225	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	102	80	120			
Toluene	1.1	0.050	1.000	0	112	80	120			
Ethylbenzene	1.1	0.050	1.000	0	111	80	120			
Xylenes, Total	3.2	0.10	3.000	0	106	80	120			
Surr: 4-Bromofluorobenzene	0.51		0.5000		103	70	130			
Surr: Toluene-d8	0.52		0.5000		104	70	130			

Sample ID	rb	SampType:	MBLK	TestCode:	EPA Method 8260B: Volatiles Short List					
Client ID:	PBS	Batch ID:	B53722	RunNo:	53722					
Prep Date:		Analysis Date:	8/27/2018	SeqNo:	1772235	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.56		0.5000		112	70	130			
Surr: Toluene-d8	0.51		0.5000		101	70	130			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F83

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	2.5ug gro lcs	SampType:	LCS	TestCode:	EPA Method 8015D Mod: Gasoline Range					
Client ID:	LCSS	Batch ID:	A53722	RunNo:	53722					
Prep Date:		Analysis Date:	8/27/2018	SeqNo:	1772222	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	25	5.0	25.00	0	98.0	70	130			
Surr: BFB	460		500.0		91.4	70	130			

Sample ID	rb	SampType:	MBLK		TestCode:	EPA Method 8015D Mod: Gasoline Range				
Client ID:	PBS	Batch ID:	A53722		RunNo:	53722				
Prep Date:		Analysis Date:	8/27/2018		SeqNo:	1772223	Units:	mg/Kg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	500		500.0		99.2	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: APEX AZTEC

Work Order Number: 1808F83

RcptNo: 1

Received By: Jazzmine Burkhead

8/25/2018 9:45:00 AM

Completed By: Ashley Gallegos

8/27/2018 8:55:14 AM

Reviewed By: ENM

8/27/18 Labeled by: JAB 08/27/18

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved bottles checked for pH: 2
(<2 or >12 unless noted)
Adjusted? Yes
Checked by: JAB 08/27/18

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:		Date:	
By Whom:		Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:			
Client Instructions:			

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.1	Good	Yes			

CHAIN OF CUSTODY RECORD



Office Location

606 S Rio Grande Suite A

Aztec, NM 87410

Project Manager K. Summers

Hall Environmental
Laboratory: Analysis Laboratory

Address: 4901 Hawkins NE

Albuquerque, NM 87109

Contact: A. Freeman

Phone: 505-345-3977

PO/SO #: See notes

ANALYSIS
REQUESTEDLab use only
Due Date: -Temp. of coolers
when received (C°): 5.1

1 2 3 4 5

Page 1 of 1

Sampler's Name

Ranee Deechilly

Sampler's Signature

R. Deechilly

Proj. No.

72504012507

Project Name

Lateral C-14

No/Type of Containers

Matrix	Date	Time	CO OP	Gr ab	Identifying Marks of Sample(s)	Start Depth	End Depth	VOA	AG 1 L	250 ml	Glass Jar	P/O	Lab Sample ID (Lab Use Only)											
S	8/24/18	1030	X		CS-3						1		X	X	X									1808F83 -001
S	8/24/18	1035	X		CS-4						1		X	X	X									-002
S	8/24/18	1040	X		CS-5						1		X	X	X									-003
NFS																								

Turn around time ☐ Normal ☐ 25% Rush ☐ 50% Rush ☒ 100% Rush

SAME DAY

Relinquished by (Signature)

Date:

Time:

Received by (Signature)

Date:

Time:

NOTES:

Relinquished by (Signature)

Date:

Time:

Received by (Signature)

Date:

Time:

Relinquished by (Signature)

Date:

Time:

Received by (Signature)

Date:

Time:

Relinquished by (Signature)

Date:

Time:

Received by (Signature)

Date:

Time:

SAME DAY


PM-Tom Long
Pay Key - CM 22355
N/A FE - N37795Matrix
ContainerWW - Wastewater
VOA - 40 ml vialW - Water
A/G - Amber / Or Glass 1 Liter

S - Soil SD - Solid

L - Liquid A - Air Bag
250 ml - Glass wide mouthC - Charcoal tube
P/O - Plastic or other

SL - sludge

O - Oil



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

August 28, 2018

Kyle Summers
APEX TITAN
606 S. Rio Grande Unit A
Aztec, NM 87410
TEL: (903) 821-5603
FAX

RE: Lateral C 14

OrderNo.: 1808F84

Dear Kyle Summers:

Hall Environmental Analysis Laboratory received 1 sample(s) on 8/25/2018 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1808F84

Date Reported: 8/28/2018

CLIENT: APEX TITAN

Client Sample ID: FP-1

Project: Lateral C 14

Collection Date: 8/24/2018 11:30:00 AM

Lab ID: 1808F84-001

Matrix: MEOH (SOIL)

Received Date: 8/25/2018 9:45:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: MRA
Chloride	300	30		mg/Kg	20	8/27/2018 1:36:49 PM	40002
EPA METHOD 8015D MOD: GASOLINE RANGE							Analyst: AG
Gasoline Range Organics (GRO)	ND	3.8		mg/Kg	1	8/27/2018 1:52:59 PM	A53722
Surr: BFB	105	70-130		%Rec	1	8/27/2018 1:52:59 PM	A53722
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: lrm
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	8/27/2018 11:49:46 AM	39995
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	8/27/2018 11:49:46 AM	39995
Surr: DNOP	98.7	50.6-138		%Rec	1	8/27/2018 11:49:46 AM	39995
EPA METHOD 8260B: VOLATILES SHORT LIST							Analyst: AG
Benzene	ND	0.019		mg/Kg	1	8/27/2018 1:52:59 PM	B53722
Toluene	ND	0.038		mg/Kg	1	8/27/2018 1:52:59 PM	B53722
Ethylbenzene	ND	0.038		mg/Kg	1	8/27/2018 1:52:59 PM	B53722
Xylenes, Total	ND	0.075		mg/Kg	1	8/27/2018 1:52:59 PM	B53722
Surr: 4-Bromofluorobenzene	118	70-130		%Rec	1	8/27/2018 1:52:59 PM	B53722
Surr: Toluene-d8	96.8	70-130		%Rec	1	8/27/2018 1:52:59 PM	B53722

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F84

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	MB-40002	SampType	mblk	TestCode	EPA Method 300.0: Anions					
Client ID	PBS	Batch ID	40002	RunNo	53720					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1773219	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-40002	SampType	lcs	TestCode	EPA Method 300.0: Anions					
Client ID	LCSS	Batch ID	40002	RunNo	53720					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1773220	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.0	90	110			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F84

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	MB-39995	SampType	MBLK	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	PBS	Batch ID	39995	RunNo	53721					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1772205	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		115	50.6	138			

Sample ID	LCS-39995	SampType	LCS	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	LCSS	Batch ID	39995	RunNo	53721					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1772206	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	51	10	50.00	0	102	70	130			
Surr: DNOP	5.4		5.000		108	50.6	138			

Sample ID	1808F84-001AMS	SampType	MS	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	FP-1	Batch ID	39995	RunNo	53723					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1772265	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	93.1	53.5	126			
Surr: DNOP	4.9		5.000		98.0	50.6	138			

Sample ID	1808F84-001AMSD	SampType	MSD	TestCode	EPA Method 8015M/D: Diesel Range Organics					
Client ID	FP-1	Batch ID	39995	RunNo	53723					
Prep Date	8/27/2018	Analysis Date	8/27/2018	SeqNo	1772266	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	49	10	49.95	0	97.1	53.5	126	4.08	21.7	
Surr: DNOP	5.1		4.995		102	50.6	138	0	0	

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F84

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	100ng lcs	SampType	LCS4	TestCode	EPA Method 8260B: Volatiles Short List					
Client ID	BatchQC	Batch ID	B53722	RunNo	53722					
Prep Date:		Analysis Date	8/27/2018	SeqNo	1772225	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	102	80	120			
Toluene	1.1	0.050	1.000	0	112	80	120			
Ethylbenzene	1.1	0.050	1.000	0	111	80	120			
Xylenes, Total	3.2	0.10	3.000	0	106	80	120			
Surr: 4-Bromofluorobenzene	0.51		0.5000		103	70	130			
Surr: Toluene-d8	0.52		0.5000		104	70	130			

Sample ID	rb	SampType	MBLK	TestCode	EPA Method 8260B: Volatiles Short List					
Client ID	PBS	Batch ID	B53722	RunNo	53722					
Prep Date:		Analysis Date	8/27/2018	SeqNo	1772235	Units	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.56		0.5000		112	70	130			
Surr: Toluene-d8	0.51		0.5000		101	70	130			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1808F84

28-Aug-18

Client: APEX TITAN

Project: Lateral C 14

Sample ID	2.5ug gro lcs	SampType	LCS	TestCode	EPA Method 8015D Mod: Gasoline Range					
Client ID	LCSS	Batch ID	A53722	RunNo	53722					
Prep Date:		Analysis Date:	8/27/2018	SeqNo	1772222	Units	mg/Kg			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit
Gasoline Range Organics (GRO)		25	5.0	25.00	0	98.0	70	130		
Surr: BFB		460		500.0		91.4	70	130		

Sample ID	rb	SampType	MBLK	TestCode	EPA Method 8015D Mod: Gasoline Range					
Client ID	PBS	Batch ID	A53722	RunNo	53722					
Prep Date:		Analysis Date:	8/27/2018	SeqNo	1772223	Units	mg/Kg			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit
Gasoline Range Organics (GRO)		ND	5.0							
Surr: BFB		500		500.0		99.2	70	130		

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: APEX AZTEC

Work Order Number: 1808F84

ReptNo: 1

Received By: Jazzmine Burkhead

8/25/2018 9:45:00 AM

Completed By: Ashley Gallegos

8/27/2018 8:59:38 AM

Reviewed By: ENM

8/27/18

labeled by: JAB 08/27/18

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by: JAB

08/27/18

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒







Person Notified:		Date:	
By Whom:		Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:			
Client Instructions:			

16. Additional remarks:

17. Cooler Information

Cooler No.	Temp °C	Condition	Seal Intact	Seal No.	Seal Date	Signed By
1	5.1	Good	Yes			

CHAIN OF CUSTODY RECORD

 APEX Office Location 606 S. Rio Grande Suite A Aztec, NM 87410 Project Manager <u>K. Summers</u>		Hall Environmental Laboratory: <u>Analysis Laboratory</u> Address: <u>4901 Hawkins Ave</u> <u>Albuquerque, NM 87109</u> Contact: <u>A. Freeman</u> Phone: <u>505-343-3975</u> PO/SO #: <u>see notes</u>		ANALYSIS REQUESTED <div style="transform: rotate(-45deg); transform-origin: center;"> BTEX 8021 TPH 609/100/MRO 501 chlorides </div>		Lab use only Due Date:								
		Temp. of coolers when received (C°): <u>5.1</u> <div style="display: flex; justify-content: space-between;"> 12345 </div> Page <u>1</u> of <u>1</u>												
Sampler's Name <u>Ranee Deechilly</u>		Sampler's Signature 												
Proj. No. <u>725040112507</u>		Project Name <u>Lateral C-14</u>						No/Type of Containers						
Matrix	Date	Time	Cold	Grab	Identifying Marks of Sample(s)	Start Depth	End Depth	VOA	AG 1 L	250 ml	Glass Jar	P/O	Lab Sample ID (Lab Use Only)	
S	8/24/18	1130	X		FP-1									
<div style="transform: rotate(-45deg); transform-origin: center; opacity: 0.5;"> N/A </div>														
Turn around time <input type="checkbox"/> Normal <input type="checkbox"/> 25% Rush <input type="checkbox"/> 50% Rush <input checked="" type="checkbox"/> 100% Rush <u>SAME DAY</u>														
Relinquished by (Signature)			Date:	Time:	Received by (Signature)			Date:	Time:	NOTES: <u>PM - Tom Long</u> <u>Carrier Day Key - cm 22355</u> <u>On AFE - N37795</u> <u>SAME DAY</u>				
			8/24/18	1319				8/24/18	1319					
Relinquished by (Signature)			Date:	Time:	Received by (Signature)			Date:	Time:					
			8/24/18	1820				8/24/18	09:45					
Relinquished by (Signature)			Date:	Time:	Received by (Signature)			Date:	Time:					
Relinquished by (Signature)			Date:	Time:	Received by (Signature)			Date:	Time:					

Matrix Container

WW - Wastewater
VOA - 40 ml vialW - Water
A/G - Amber / Or Glass 1 Liter

S - Soil

SD - Solid

L - Liquid
250 ml - Glass wide mouth

A - Air Bag

C - Charcoal tube
P/O - Plastic or other

SL - sludge

O - Oil