

ONGARD
INQUIRE LAND BY SECTION

Sec : 28 Twp : 20S Rng : 37E Section Type : NORMAL

| | | | |
|---|--------------------------------------|---------------------------------|----------------------------------|
| D 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 | C 40.00 Federal owned A | B 40.00 Federal owned | A 40.00 Federal owned |
| E 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 | F 40.00 Federal owned A | G 40.00 Federal owned | H 40.00 Federal owned |
| L 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 A | K 40.00 Federal owned | J 40.00 Federal owned | I 40.00 Fee owned A |
| M 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 | N 40.00 Federal owned | O 40.00 Federal owned | P 40.00 Federal owned |

CMD :
OG5SECT

ONGARD
INQUIRE LAND BY SECTION

06/15/06 15:51:58
OGOMES -TP8S
PAGE NO: 1

Sec : 33 Twp : 20S Rng : 37E Section Type : NORMAL

| | | | |
|---|--------------------------------------|---------------------------------|--------------------------------------|
| D 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 | C 40.00 Federal owned A | B 40.00 Federal owned | A 40.00 Federal owned |
| E 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 | F 40.00 Federal owned A | G 40.00 Federal owned | H 40.00 Federal owned A |
| L 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 | K 40.00 Federal owned | J 40.00 Federal owned | I 40.00 Federal owned |
| M 40.00 CS B00230 0001 CHEVRON U S A INC 02/28/38 A A | N 40.00 Federal owned A | O 40.00 Federal owned | P 40.00 Federal owned A |

CMD : ONGARD 06/15/06 15:50:42
OG6C101 C101-APPLICATION FOR PERMIT TO DRILL OGOMES -TP8S

OGRID Idn : 214263 API Well No: 30 25 6275 APD Status(A/C/P): A
Opr Name, Addr: PRE-ONGARD WELL OPERATOR Aprvl/Cncl Date : 01-01-1900
1220 S ST FRANCIS
SANTA FE,NM BADADDR

Prop Idn: 30041 PRE-ONGARD WELL Well No: 1

| | U/L | Sec | Township | Range | Lot Idn | North/South | East/West |
|----------------|-----|-----|--------------|-------|---------|--------------|-------------|
| | --- | --- | ----- | ----- | ----- | ----- | ----- |
| Surface Locn : | I | 28 | 20S | 37E | | FTG 1980 F S | FTG 660 F E |
| OCD U/L : | I | | API County : | 25 | | | |

Work typ(N/E/D/P/A) : N Well typ(O/G/M/I/S/W/C): O Cable/Rotary (C/R) :
Lease typ(F/S/P/N/J/U/I): Ground Level Elevation :

State Lease No: Multiple Comp (S/M/C) :
Prpsd Depth : Prpsd Frmtn : NOLEN & BYROM /TURLAND

E0009: Enter data to modify record

| | | | | | |
|-----------|------|------------|-----------|--------------|--------------|
| PF01 HELP | PF02 | PF03 EXIT | PF04 GoTo | PF05 | PF06 CONFIRM |
| PF07 | PF08 | PF09 PRINT | PF10 C102 | PF11 HISTORY | PF12 |

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

March 6, 1948

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

PLACE

DATE

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Nolen & Byron

Turland #1

Well No. 1

N.E. 1/4 - S.E. 1/4

COMPANY OR OPERATOR
of Sec. 28, T. 20, R. 37

LEASE

Monument

Field,

Lea

County.

The well is 1980 feet (N.) of the South line and 660 feet (E.) of the East line of Sec. 28.

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is Mrs. Della Turland

Address Hobbs, New Mexico

If government land the permittee is

Address

The lessee is

Address

We propose to drill well with drilling equipment as follows:

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Drilling Bond

We propose to use the following strings of casing and to land or cement them as indicated:

| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER FOOT | NEW OR SECOND HAND | DEPTH | LANDED OR CEMENTED | SACKS CEMENT |
|----------------------|----------------|-----------------|--------------------|-------|--------------------|--------------|
| 1 1/2 in. | 3 1/2 in. | 32 lb. per | Second Hand | 1300 | Cemented | 200 |
| 2nd String 7 7/8 in. | 8 in. | 17 lb. per | Second Hand | 3450 | Cemented | 500 |

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3500 feet.

Additional information:

Approved _____ 19____

Except as follows:

Planned for completion by _____
Completed on _____

Sincerely yours,

Nolen & Byron

COMPANY OR OPERATOR

By _____

Position Co-Owner

Send communications regarding well to

Name B. H. Nolen

Address Box 326, Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By _____

Title _____

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

| | | | |
|--|-------------------------------------|--|--|
| REPORT ON BEGINNING DRILLING OPERATIONS | | REPORT ON REPAIRING WELL | |
| REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL | | REPORT ON PULLING OR OTHERWISE ALTERING CASING | |
| REPORT ON RESULT OF TEST OF CASING SHUT-OFF | <input checked="" type="checkbox"/> | REPORT ON DEEPENING WELL | |
| REPORT ON RESULT OF PLUGGING OF WELL | | | |

Hobbs, New Mexico

April 6, 1948

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Nolen & Byrom, Hobbs, New Mexico, Well No. 1 in the
NE/SE of Sec. 26, T. 20, R. 37, N. M. P. M.,
Monument Field, Lea County.

The dates of this work were as follows: March 21, 1948 to March 24, 1948

Notice of intention to do the work was (was not) submitted on Form C-102 on 19
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran 1300' of 8 5/8" Casing and Cemented with 450 sacks Cement.
Let set 72 hours, drilled plug, let set 2 hours, and no water appeared.
Drilling resumed. Work done by Talliburton.

Witnessed by Mrs. Reed & Elliot, Reed & Elliot Drilling Co. Owners
Name Company Title

Subscribed and sworn before me this

day of April, 1948

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name

Position

Representing

Company or Operator

My commission expires

Address

Hobbs, New Mexico

Remarks:

Name

Title

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

| | | | |
|---|--|---|---|
| NOTICE OF INTENTION TO TEST CASING SHUT-OFF | | NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL | |
| NOTICE OF INTENTION TO CHANGE PLANS | | NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING | |
| NOTICE OF INTENTION TO REPAIR WELL | | NOTICE OF INTENTION TO PLUG WELL | ✓ |
| NOTICE OF INTENTION TO DEEPEN WELL | | | |

Hobbs, New Mexico

Place

4-20-40

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

NOLEN & SYRO TURLAND Well No. 1 in NE/SE
Company or Operator Lease
of Sec. 28, T. 20, R. 37, N. M. P. M., Monument Field
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Pumped 30 sacks cement on bottom with tubing. Filled with mud to 1350 feet from surface. Pumped in 40 sacks cement. Put in seven hundred feet of mud. Then filled to top with cement. Pipe left in hole was 1325 feet. Total depth 3905 feet. Cement riser, and cleaned up grounds.

Approved _____, 19____
except as follows:

OIL CONSERVATION COMMISSION,


By _____
Title _____

Nolen & Syro
Company or Operator
By P. H. Nolen
Position owner
Send communications regarding well to
Name P. H. Nolen
Address Box 326 Hobbs N. M.

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

| | | | |
|--|---|--|--|
| REPORT ON BEGINNING DRILLING OPERATIONS | | REPORT ON REPAIRING WELL | |
| REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL | | REPORT ON PULLING OR OTHERWISE ALTERING CASING | |
| REPORT ON RESULT OF TEST OF CASING SHUT-OFF | | REPORT ON DEEPENING WELL | |
| REPORT ON RESULT OF PLUGGING OF WELL | X | | |

April 23, 1948

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Helen A. Byron

Tarland

Well No. 1

in the

Company or Operator

Lease

H.E. S.E.

of Sec. 28

T. 20S.

R. 37 E.

N. M. P. M.,

Monument

Field,

Lea

County.

The dates of this work were as follows: April 22, 1948

Notice of intention to do the work was (was) submitted on Form C-102 on April 20 19 48

and approval of the proposed plan was (was) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

30 sacks of cement was pumped on bottom filled with mud to 1350. pumped in 40 sacks of cement let cement set then pumped in 700 feet of mud then cemented to top and set riser and cleaned up grounds. total depth 3905

Witnessed by Reed and Elliott Drilling Company Owners
Name Company Title

Subscribed and sworn before me this 23rd

I hereby swear or affirm that the information given above is true and correct.

day of April 1948

Name B. H. GalenPosition Co-owner

Notary Public

Representing

Company or Operator


My commission expires Jan. 19, 1952

Address Box 226 Hobbs N. M.

Remarks:

APPROVED
APR 27 1948

W. J. [Signature]
Name
OIL & GAS INSPECTOR
Title



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM O-110 WILL NOT BE APPROVED UNTIL FORM O-105 IS PROPERLY FILLED OUT.

HOLLEN & BYRON, BOBBS, NEW MEXICO
Company or Operator Address
TOWNSHIP Well No. 2 IN N.E. 2. E. 2. of Sec. 20 T20 S
37 E. N. M. P. M. Monument Field, 100 County.
Well is 1880 feet South of the North line and 680 feet East of the East line of Section 20
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is Della Tarland Address Bobbs, New Mexico
If Government land the permittee is Address
The Lessee is Address
Drilling commenced Feb. 20, 1948 Drilling was completed April 9, 1948
Name of drilling contractor Reed and Elliott Address Bobbs, New Mexico
Elevation above sea level at top of casing 3705 feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 0 to 3905 No shows of oil. No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from No Water to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED FROM TO | PURPOSE |
|-------|-----------------|------------------|--------------|-----------|--------------|-------------------|--------------------|---------|
| 8 5/8 | 32 lb | 8 R. | Smiths, 1325 | Tex. Pat. | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. BAGS OF CEMENT | METHODS USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|--------------------|--------------|-------------|--------------------|
| 11 in | 8 5/8 | 1325 | 480 | Salibarton | | 800 sacks |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

PLUGS AND ADAPTERS

Heaving plug—Material None Length Depth Set
Adapters—Material None Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|----------|------|-----------------------|-------------------|
| | | None | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3905 feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing No Production 19.
The production of the first 24 hours was none barrels of fluid of which None % was oil: None %
emulsion: None % water; and None % sediment. Gravity, Be.
If gas well, cu. ft. per 24 hours None Gallons gasoline per 1,000 cu. ft. of gas None
Rock pressure, lbs. per sq. in.

EMPLOYEES

G. S. Ellis Driller C. B. Erwin Driller
J. L. Bunking Driller Raymond Smith Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this

Hatto 7/27 + 1/28 - 48
Date

FORMATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION |
|-----------|------|----------------------|-------------------|
| 0 | 25 | | sand and Caliche |
| 25 | 75 | | shale and sand |
| 75 | 280 | | red bed |
| 280 | 675 | | red bed |
| 675 | 1150 | | shale and red bed |
| 1150 | 1250 | | red shale |
| 1250 | 1325 | | anhy. |
| 1325 | 1850 | | salt |
| 1850 | 2500 | | salt & anhy |
| 2500 | 2600 | | salt & anhy |
| 2600 | 2800 | | anhy |
| 2800 | 3300 | | anhy |
| 3300 | 3420 | | anhy |
| 3420 | 3560 | | lime and anhy. |
| 3560 | 3700 | | lime |
| 3700 | 3880 | | lime gray |
| 3880 | 3905 | | lime gray |
| 3905 | | | |
| T.D. 3905 | | | |