El Paso Natural Gas Company

MELLIN (17 M 7 53 El Paso, Texas

June 23, 1961

NSL-262

ADDRESS REPLY TO: POST OFFICE BOX 997 FARMINGTON, NEW MEXICO

Mr. A. L. Porter, Secretary & Director Oil Conservation Commission Box 871 Santa Fe, New Mexico

Dear Mr. Porter:

This is a request for <u>administrative</u> approval for an unorthodox gas well location in the Basin Dakota Pool.

It is intended to locate the well, El Paso Natural Gas Company Florance "C" No. 10, 2172 feet from the North line and 330 feet from the East line of Section 30, Township 28 North, Range 8 West, N.M.P.M., San Juan County, New Mexico. The E/2 of Section 30 is dedicated to this well.

As shown on the enclosed plat, the NE/4 of Section 30 consists of rock ledges. The only accessible land for a well in the NE/4 is that which makes the location unorthodox. It is, therefore planned to make the location unorthodox in order that the extremely high cost of constructing an orthodox location be avoided.

Since El Paso Natural Gas Co. holds all offset leases, the consent to said location has not been sought from any other operators.

I am enclosing two copies of the certified well location plat, and two copies of the intention to drill.

Yours very truly

E. S. Oberly, Division Petroleum Engineer

ESO:bps cc: Emery Arnold Sam Smith Phil McGrath

orm 9-331a				expires 12-31-60.
(Feb. 1951)	(SUBMIT II	N TRIPLICATE)		w Mexico 3549
		D STATES	Lease No.	·····
			ີ ້ນ້ໍາ ກີງດາວຊາ	nce "C"
	GEOLOGI	CALSURVEY	7 53	
SUNDRY NO	TICES AN	D REPORTS	ON WELLS	
				·
NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF W	ATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SH	OOTING OR ACIDIZING.	
NOTICE OF INTENTION TO TEST WATER SHUT		SUBSEQUENT REPORT OF AL		
NOTICE OF INTENTION TO RE-DRILL OR REPA		SUBSEQUENT REPORT OF RE		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE				
NOTICE OF INTENTION TO PULL OR ALTER CAN NOTICE OF INTENTION TO ABANDON WELL		SUPPLEMENTART WELL HIST	UR1	
	· · · · · · · · · · · · · · · · · · ·			
(INDICATE ABOVI	BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR O	THER DATA)	
				101-
		June 23,		, 19 <u>61</u>
				·
Vell No. 10 is located 2		N line and 330ft	$\frac{E}{2}$ from $\left\{ \begin{array}{c} E \\ F \\$	·
Vell No. 10 is located 2 E Section 30 (14 Sec. and Sec. No.)			$\frac{E}{2}$ from $\left\{ \begin{array}{c} E \\ F \\$	·
E Section 30 (½ Sec. and Sec. No.)	28-N 8-W (Twp.) (Ra	N line and 330ft	$\frac{\mathbf{E}}{\mathbf{M} \cdot \mathbf{P} \cdot \mathbf{M} \cdot \mathbf{M}} = \mathbf{M} \cdot \mathbf{M} $	f sec. <u>30</u>
	28-N 8-W (Twp.) (Ra	N line and 330ft	$\frac{\mathbf{E}}{\mathbf{M} \cdot \mathbf{P} \cdot \mathbf{M} \cdot \mathbf{M}} = \mathbf{M} \cdot \mathbf{M} $	f sec. <u>30</u>
E Section 30 (½ Sec. and Sec. No.)	28-N 8-W (Twp.) (Ra San Juan (County or Su	Ine and 330ft	$\frac{\mathbf{E}}{\mathbf{M} \cdot \mathbf{P} \cdot \mathbf{M} \cdot \mathbf{M}} = \mathbf{M} \cdot \mathbf{M} $	f sec. <u>30</u>
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field)	28-N 8-W (Twp.) (Ra San Juan (County or St above sea level	Ine and 330ft	$\frac{\mathbf{E}}{\mathbf{M} \cdot \mathbf{P} \cdot \mathbf{M} \cdot \mathbf{M}} = \mathbf{M} \cdot \mathbf{M} $	f sec. <u>30</u>
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field)	28-N 8-W (Twp.) (Ra San Juan (County or Si above sea level DETAILS	N line and 330ft N. Inge) (Meridian Indivision) is 5936 ft. S OF WORK	. from $\left\{ \begin{matrix} \mathbf{E} \\ \mathbf{X} \\ \mathbf{X} \\ \mathbf{X} \end{matrix} \right\}$ line of $\left\{ \begin{matrix} \mathbf{M} \cdot \mathbf{P} \cdot \mathbf{M} \cdot \mathbf{A} \\ \mathbf{M} \cdot \mathbf{P} \cdot \mathbf{M} \cdot \mathbf{A} \\ \mathbf{N} \\ \mathbf{N} \\ (State or Territory) \end{matrix} \right\}$	f sec. <u>30</u>
E Section 30 (% Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor	28-N 8-W (Twp.) (Ra San Juan (County or Si above sea level DETAILS re sands; show sizes, y points, and all othe ell with rot	N line and 330ft M line and N. Meridian (. from $\left\{ \begin{matrix} E \\ \hline X \\ \hline$	f sec. <u>30</u>
E Section 30 (% Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int is intended to drill a we operforate & fracture pose	28-N 8-W (Twp.) (Ra San Juan (County or Si above sea level DETAILS re sands; show sizes, y points, and all othe ell with rot	N line and 330ft M line and N. Meridian (. from $\left\{ \begin{matrix} E \\ \hline X \\ \hline$	f sec. <u>30</u>
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we be perforate & fracture post asing Program:	28-N 8-W (Twp.) (Ra San Juan (County or St above sea level DETAILS re sands; show sizes, y points, and all othe ell with rot sible produc	N line and 330ft N. Meridian (Meridian abdivision) is 5936 ft. S OF WORK weights, and lengths of proposed r important proposed work) ary tools thru the ing zones. Est.	. from $\left\{ \begin{array}{c} \mathbf{E} \\ \mathbf{M}_{o} \mathbf{P}_{o} \mathbf{M}_{o} \end{array} \right\}$ New Mexico (State or Territory) ed cassings; indicate mud e Dakota forme T. D. 6838'	f sec. <u>30</u>
E Section 30 (% Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we o perforate & fracture post asing Program: 9 5/8" @ 280 with 300	28-N 8-W (Twp.) (Ra San Juan (County or Su above sea level DETAILS re sands; show sizes, spoints, and all other ell with rot sible produc O sacks ceme	N line and 330ft M line and 330ft (Meridian abdivision) is 5936 ft. S OF WORK weights, and lengths of proposed r important proposed work) ary tools thru the ing zones. Est.	. from E line of M.P.M. New Mexico (State or Territory) ed cassings; indicate mud e Dakota forma T. D. 6838' surface.	f sec. <u>30</u> Iding jobs, cement-
E Section 30 (% Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we be perforate & fracture post asing Program: 9 5/8" @ 280 with 300 4 1/2" @ 6838' with 300	28-N 8-W (Twp.) (Ra San Juan (County or Si above sea level DETAILS re sands; show sizes, y points, and all other ell with rot sible produc 0 sacks ceme 2 stage tool	N line and 330ft M line and 330ft (Meridian abdivision) is 5936 ft. S OF WORK weights, and lengths of proposed r important proposed work) ary tools thru the ing zones. Est.	. from $\left\{ \begin{matrix} \mathbf{E} \\ \mathbf{M}, \mathbf{P}, \mathbf{M} \\ \mathbf{M}, \mathbf{M} \\ $	f sec. <u>30</u> Iding jobs, coment- ation and
E Section 30 (¼ Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objectly int t is intended to drill a we b perforate & fracture post asing Program: 9 5/8" @ 280 with 300 4 1/2" @ 6838' with 3 3 stat lst s	28-N 8-W (Twp.) (Ra San Juan (County or Si above sea level DETAILS re sands; show sizes, y points, and all other ell with rot sible produc 0 sacks ceme 2 stage tool ge tool 100' tage - 360 s	N line and 330ft M line and 330ft M line and 330ft N. Meridian	. from $\left\{ \begin{matrix} E \\ \hline \\$	f sec. <u>30</u> ding jobs, coment- ation and put & Gallup top.
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we b perforate & fracture post asing Program: 9 5/8" @ 280 with 300 4 1/2" @ 6838' with 3 3 stat lst s: 2nd s:	28-N 8-W (Twp.) (Ra San Juan (County or St above sea level DETAILS re sands; show sizes, s points, and all othe ell with rot sible produc 0 sacks ceme 2 stage tool ge tool 100' tage - 360 s tage - 190 s	(N) line and 330ft Mark N. mge) (Meridian abdivision) is 5936 ft. S OF WORK weights, and lengths of proposed r important proposed work) ary tools thru the ing zones. Est. nt circulated to 100' below base of Pi- ks 150% to cover ks 150% to cover	. from E line of M.P.M. New Mexico (State or Territory) ed casings; indicate mud e Dakota forms T. D. 6838' surface. of Point Looko ctured Cliffs. er 100' above er 100' above	f sec. <u>30</u> Iding jobs, coment- ation and put & Gallup top. Cliff House
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we b perforate & fracture post asing Program: 9 5/8" @ 280 with 300 4 1/2" @ 6838' with 3 3 stat lst s: 2nd s:	28-N 8-W (Twp.) (Ra San Juan (County or St above sea level DETAILS re sands; show sizes, s points, and all othe ell with rot sible produc 0 sacks ceme 2 stage tool ge tool 100' tage - 360 s tage - 190 s	N line and 330ft M line and 330ft M line and 330ft N. Meridian	. from E line of M.P.M. New Mexico (State or Territory) ed casings; indicate mud e Dakota forms T. D. 6838' surface. of Point Looko ctured Cliffs. er 100' above er 100' above	f sec. <u>30</u> Iding jobs, coment- ation and put & Gallup top. Cliff House
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we b perforate & fracture post asing Program: 9 5/8" @ 280 with 300 4 1/2" @ 6838' with 3 3 stat lst s: 2nd s:	28-N 8-W (Twp.) (Ra San Juan (County or St above sea level DETAILS re sands; show sizes, g points, and all other ell with rot sible produc 0 sacks ceme 2 stage tool ge tool 100' tage - 360 s tage - 190 s tage - 130 s	N line and 330ft M line and N. (Meridian (Meridian abdivision) is 5936 ft. 5 OF WORK weights, and lengths of proposed r important proposed work) ary tools thru the ing zones. Est. nt circulated to 100' below base of Pi- ks 150% to cover ks 150% to cover ks 150% to cover	. from E line of M.P.M. New Mexico (State or Territory) ed casings; indicate mud e Dakota forms T. D. 6838' surface. of Point Looko ctured Cliffs. er 100' above er 100' above	f sec. <u>30</u> Iding jobs, coment- ation and put & Gallup top. Cliff House
E Section 30 (½ Sec. and Sec. No.) asin Dakota (Field) The elevation of the derrick floor State names of and expected depths to objective int t is intended to drill a we b perforate & fracture pose asing Program: 9 5/8" @ 280 with 300 4 1/2" @ 6838' with 3 3 stat 1st s: 2nd s: 3rd s:	28-N 8-W (Twp.) (Ra San Juan (County or St above sea level DETAILS re sands; show sizes, re points, and all other ell with rot sible produc 0 sacks ceme 2 stage tool ge tool 100' tage - 360 s tage - 190 s tage - 130 s dicated to t	(N) line and 330ft Mark N. mge) (Meridian abdivision) is 5936 ft. S OF WORK weights, and lengths of proposed important proposed work) ary tools thru the ing zones. Est. nt circulated to 100' below base of Pi- ks 150% to cover ks 150% to cover his well.	. from E line of M.P.M. New Mexico (State or Territory) ed casings; indicate mud e Dakota forms T. D. 6838' surface. of Point Looko ctured Cliffs. er 100' above er 100' above	f sec. <u>30</u> ding jobs, coment- ation and out & Gallup top. Cliff House Fruitland to

Farmington, New Mexico

By N. W. Mechan Title Petroleum Engineer

	TD 6838
Form C-128 (6-57) NEW ME:	XICO OIL CONSERVATION COMMISSION
• Well L	Location and Acreage Dedication Plat
Section A.	DateJUNE 20, 1961
Operator EL PASO NATURAL GAS COMP Well No. 10 Unit Letter H Set Located 2172 Feet From NORTH County SAN JUAN G. L. Elevat Name of Producing Formation DAKOTA 1. Is the Operator the only owner in the dedic	30 Township 28-N Range 8-W Line, 330 Feat From EAST tion 5926 Dedicated Acreage 320 Pool BASIN DAKOTA
	have the interests of all the owners been consolidated by communit No
3. If the answer to question two is "no", his	ist all the owners and their respective interests below:
Owner	Land Description
	· · · · · · · · · · · · · · · · · · ·
Section B. This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief. <u>El Paso Natural Gas Company</u> (Operator)	Note: All distances must be free enterboundarios of contion.
N. W. Mechan (Representative)	
Box 990 (Address)	
Farmington, New Mexico	SECTION 30 SECTION 30
	NM 03549
	c 330 660 990 1320 1650 1980 2310 2640 2000 150c 1000 500 0 Scale 4 inches equal 1 mile

Date Surveyed / Registered Professional Engineer and/or Land Surveyor

Farmington, New Mexico

(Seal)

/