

GW - 191

ENFORCMENT

Price, Wayne, EMNRD

From: Price, Wayne, EMNRD
Sent: Friday, August 03, 2007 8:05 AM
To: 'Greer, John'
Cc: Johnson, Larry, EMNRD
Subject: RE: Hobbs Gas Plant GW-191

Dear John:

The OCD hereby approves closure of the site and will terminate the Discharge Plan GW-191.

Please be advised that OCD approval of this termination of the Discharge Plan does not relieve the owner/operator of responsibility should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the owner/operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: Greer, John [mailto:John_Greer@kindermorgan.com]
Sent: Wednesday, August 01, 2007 10:32 AM
To: Price, Wayne, EMNRD
Cc: Johnson, Larry, EMNRD
Subject: RE: Hobbs Gas Plant GW-191

Wayne:

I was trying to close out this site internally and wanted to verify you have received our final report (12/06) documenting the plugging of the monitoring wells.

Will we receive a letter from your office terminating the discharge plan?

Thank you!

John M. Greer
Manager, Environmental Remediation
713-369-9193

From: Price, Wayne, EMNRD [mailto:wayne.price@state.nm.us]
Sent: Wednesday, September 27, 2006 5:45 PM
To: Greer, John
Cc: Johnson, Larry, EMNRD
Subject: Hobbs Gas Plant GW-191

8/3/2007

OCD is in receipt of the semi-annual groundwater monitoring report and site closure request dated August 30, 2006. OCD hereby approves of your request. Please submit a final report with photo documentation with your request to terminate the discharge plan within 60 days.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient (s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

This inbound email has been scanned by the MessageLabs Email Security System.

8/3/2007