

1R - 425-30

# REPORTS

DATE:

2006

Vac BP American Pool  
St "A" EOL

IR-425-30

RECEIVED

ADD - 3 2007  
Environmental Bureau  
Oil Conservation Division

# Final Report

RICE OPERATING COMPANY  
JUNCTION BOX FINAL REPORT

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
Vacuum	BP American Prod. St. 'A' EOL	M	22	17S	35E	Lea	Length	Width	Depth
							no box--System Abandonment		

LAND TYPE: BLM \_\_\_\_\_ STATE X FEE LANDOWNER \_\_\_\_\_ OTHER \_\_\_\_\_

Depth to Groundwater 70 feet NMOCD SITE ASSESSMENT RANKING SCORE: 10

Date Started 7/29/2005 Date Completed 3/3/2006 NMOCD Witness no

Soil Excavated 6 cubic yards Excavation Length 8 Width 3 Depth 7 feet

Soil Disposed 0 cubic yards Offsite Facility n/a Location n/a

FINAL ANALYTICAL RESULTS: Sample Date 7/29/2005 Sample Depth 7 ft

TPH and chloride laboratory test results completed by using an approved laboratory and testing procedures pursuant to NMOCD guidelines.

CHLORIDE FIELD TESTS

Sample Location	PID ppm	GRO mg/kg	DRO mg/kg	Chloride mg/kg
GRAB @ 7 ft BGS	0.0	<10.0	<10.0	50.8

LOCATION	DEPTH (ft)	ppm
vertical delineation trench at junction	2	145
	3	147
	4	149
	5	150
	6	147
	7	115

General Description of Remedial Action:

This junction box was addressed as \_\_\_\_\_

part of the Vacuum SWD System Abandonment. After the box was removed, a backhoe was used to produce a delineation trench at the former junction as soil samples were collected at regular depth intervals to 7 ft BGS. Chloride field tests were conducted on each of the samples and yielded very low concentrations. PID screenings were also conducted on the samples and these concentrations were also very low. Soil samples did not exhibit any physical indications of adverse impact. The excavated soil was blended on site and then backfilled into the trench and leveled to the surrounding terrain. The disturbed surface was seeded with a blend of native vegetation and is expected to return to productive capacity at a normal rate. Since the Vacuum SWD System has been abandoned, a junction box is no longer required here.

enclosures: photos, lab results, PID field screenings

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY  
KNOWLEDGE AND BELIEF.

SITE SUPERVISOR Jorge Hernandez SIGNATURE not available COMPANY RICE Operating Company

REPORT ASSEMBLED BY Kristin Farris Pope SIGNATURE Kristin Farris Pope

DATE 4/12/2006 TITLE Project Scientist



former junction box site flagged before excavation 7/11/2005



delineation trench at former box site 7/29/2005

## Vacuum BP American Prod. St. 'A' EOL

Unit 'M', Section 22, T17S, R35E



seeding disturbed area after backfilling trench 3/21/2006

# Rice Operating Company

HOBBS, NEW MEXICO 88240

PHONE: (505) 393-9174 FAX: (505) 397-1471

## VOC FIELD TEST REPORT FORM

MODEL NO: PGM 76IS

CALIBRATION GAS

GAS COMPOSITION: ISOBUTYLENE AIR

SERIAL NO: 104412

100 PPM

BALANCE

FILL DATE: 2-1-05

ACCURACY: ± 2%

LOT NO: 04-2747

EXP. DATE: 8-1-06

METER READING

ACCURACY: 100

SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE
<u>Vaporizer</u>	<u>B P Avestem</u> <u>Pod 51 "A" EOL</u>	<u>M</u>	<u>22</u>	<u>175</u>	<u>35E</u>

Vert. @ Source

SAMPLE	PID RESULT	SAMPLE	PID RESULT
<u>Source @ 2'</u>	<u>0.3</u>		
<u>3'</u>	<u>0.1</u>		
<u>4'</u>	<u>0.1</u>		
<u>5'</u>	<u>0.7</u>		
<u>6'</u>	<u>1.5</u>		
<u>7'</u>	<u>3.0</u>		
	<u>1</u>		
<u>* Sample Bottom @ 7'</u>	<u>2.9</u>		

COPY


I certify that I have calibrated the above instrument in accordance to the manufacture operation manual.

Signature

*Jose Hernandez*

Date

7-29-05



12600 West I-20 East - Odessa, Texas 79765

## Analytical Report

**Prepared for:**

Roy Rascon  
Rice Operating Co.  
122 W. Taylor  
Hobbs, NM 88240

COPY

Project: BP American Prod./ Vacuum St. A EOL

Project Number: None Given

Location: None Given

Lab Order Number: 5H01006

Report Date: 08/04/05

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: BP American Prod./ Vacuum St. A EOL  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

**Reported:**  
08/04/05 10:35

### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Bottom Sample @ 7'	5H01006-01	Soil	07/29/05 10:35	07/29/05 17:45

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: BP American Prod./ Vacuum St. A EOL  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
08/04/05 10:35

**Organics by GC**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Bottom Sample @ 7' (SH01006-01) Soil</b>									
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EH50101	08/01/05	08/01/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		90.4 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		120 %	70-130		"	"	"	"	



Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: BP American Prod./ Vacuum St. A EOL  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
08/04/05 10:35

**General Chemistry Parameters by EPA / Standard Methods**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Bottom Sample @ 7' (5H01006-01) Soil</b>									
Chloride	50.8	5.00	mg/kg	10	EH50311	08/03/05	08/03/05	EPA 300.0	
% Moisture	9.5	0.1	%	1	EH50201	08/01/05	08/02/05	% calculation	

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: BP American Prod./ Vacuum St. A EOL  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
08/04/05 10:35

## Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

### Batch EH50101 - Solvent Extraction (GC)

#### Blank (EH50101-BLK1)

Prepared & Analyzed: 08/01/05

Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	"							
Total Hydrocarbon C6-C35	ND	10.0	"							
Surrogate: 1-Chlorooctane	43.9		mg/kg	50.0		87.8	70-130			
Surrogate: 1-Chlorooctadecane	59.9		"	50.0		120	70-130			

#### LCS (EH50101-BS1)

Prepared & Analyzed: 08/01/05

Gasoline Range Organics C6-C12	442	10.0	mg/kg wet	500		88.4	75-125			
Diesel Range Organics >C12-C35	447	10.0	"	500		89.4	75-125			
Total Hydrocarbon C6-C35	889	10.0	"	1000		88.9	75-125			
Surrogate: 1-Chlorooctane	49.7		mg/kg	50.0		99.4	70-130			
Surrogate: 1-Chlorooctadecane	62.8		"	50.0		126	70-130			

#### Calibration Check (EH50101-CCV1)

Prepared & Analyzed: 08/01/05

Gasoline Range Organics C6-C12	455		mg/kg	500		91.0	80-120			
Diesel Range Organics >C12-C35	451		"	500		90.2	80-120			
Total Hydrocarbon C6-C35	906		"	1000		90.6	80-120			
Surrogate: 1-Chlorooctane	56.1		"	50.0		112	0-200			
Surrogate: 1-Chlorooctadecane	64.3		"	50.0		129	0-200			

#### Matrix Spike (EH50101-MS1)

Source: 5G29011-01

Prepared & Analyzed: 08/01/05

Gasoline Range Organics C6-C12	459	10.0	mg/kg dry	542	ND	84.7	75-125			
Diesel Range Organics >C12-C35	558	10.0	"	542	51.3	93.5	75-125			
Total Hydrocarbon C6-C35	1020	10.0	"	1080	51.3	89.7	75-125			
Surrogate: 1-Chlorooctane	49.6		mg/kg	50.0		99.2	70-130			
Surrogate: 1-Chlorooctadecane	63.2		"	50.0		126	70-130			

#### Matrix Spike Dup (EH50101-MSD1)

Source: 5G29011-01

Prepared & Analyzed: 08/01/05

Gasoline Range Organics C6-C12	470	10.0	mg/kg dry	542	ND	86.7	75-125	2.37	20	
Diesel Range Organics >C12-C35	560	10.0	"	542	51.3	93.9	75-125	0.358	20	
Total Hydrocarbon C6-C35	1030	10.0	"	1080	51.3	90.6	75-125	0.976	20	
Surrogate: 1-Chlorooctane	50.0		mg/kg	50.0		100	70-130			
Surrogate: 1-Chlorooctadecane	62.3		"	50.0		125	70-130			

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: BP American Prod./ Vacuum St. A EOL  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
08/04/05 10:35

**General Chemistry Parameters by EPA / Standard Methods - Quality Control**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch EH50201 - General Preparation (Prep)**

**Blank (EH50201-BLK1)**

Prepared: 08/01/05 Analyzed: 08/02/05

% Moisture	ND	0.1	%
------------	----	-----	---

**Duplicate (EH50201-DUP1)**

Source: 5G29011-01

Prepared: 08/01/05 Analyzed: 08/02/05

% Moisture	8.3	0.1	%	7.8	6.21	20
------------	-----	-----	---	-----	------	----

**Batch EH50311 - Water Extraction**

**Blank (EH50311-BLK1)**

Prepared & Analyzed: 08/03/05

Chloride	ND	0.500	mg/kg
----------	----	-------	-------

**LCS (EH50311-BS1)**

Prepared & Analyzed: 08/03/05

Chloride	10.1	mg/L	10.0	101	80-120
----------	------	------	------	-----	--------

**Calibration Check (EH50311-CCV1)**

Prepared & Analyzed: 08/03/05

Chloride	10.4	mg/L	10.0	104	80-120
----------	------	------	------	-----	--------

**Duplicate (EH50311-DUP1)**

Source: 5H01003-01RE1 Prepared & Analyzed: 08/03/05

Chloride	989	25.0	mg/kg	975	1.43	20
----------	-----	------	-------	-----	------	----

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: BP American Prod./ Vacuum St. A EOL  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
08/04/05 10:35

### Notes and Definitions

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference  
LCS Laboratory Control Spike  
MS Matrix Spike  
Dup Duplicate

Report Approved By:

Raland K. Tuttle

Date:

8-04-05

Raland K. Tuttle, Lab Manager  
Celey D. Keene, Lab Director, Org. Tech Director  
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director  
LaTasha Cornish, Chemist  
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

12600 West I-20 East  
Odessa, Texas 79763  
Phone: 915-563-1800  
Fax: 915-563-1713

vacuum

Project Name: BP American Prod st A EOL (Arco)

**Project Manager:** Roy Rascon

Company Name Rice Operating Company

**Project #:**

**Company Address:** 122 W Taylor

Project Loc:

City/State/Zip: Hobbs, NM 88240

PO #:

Telephone No: 505-393-9174

**Fax No: 505-397-1471**

**Sampler Signature:**

Jose Hernandez

[illegible]

**Special Instructions:**

Relinquished by:

Just Accepted

Received by:

2

Date	Time
------	------

1-2953

Date	Time
------	------

7/29 15:00

Sample Containers Intact?  
Temperature Upon Receipt:  
Laboratory Comments:

28

Y  
110 C

4oz glass on ice w/ labels + seal on cooling

# Environmental Lab of Texas

## Variance / Corrective Action Report – Sample Log-In

Client: Rice Operating Co.

Date/Time: 08-01-05 @ 0915

Order #: 5H01006

Initials: JMM

### Sample Receipt Checklist

Temperature of container/cooler?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	I.D	C
Shipping container/cooler in good condition?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Custody Seals intact on shipping container/cooler?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	Not present	
Custody Seals intact on sample bottles?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	Not present	
Chain of custody present?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Sample Instructions complete on Chain of Custody?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Chain of Custody signed when relinquished and received?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Chain of custody agrees with sample label(s)	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Container labels legible and intact?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Sample Matrix and properties same as on chain of custody?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Samples in proper container/bottle?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Samples properly preserved?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Sample bottles intact?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Preservations documented on Chain of Custody?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Containers documented on Chain of Custody?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
Sufficient sample amount for indicated test?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
All samples received within sufficient hold time?	<input checked="" type="radio"/> Yes	<input type="radio"/> No		
VOC samples have zero headspace?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	Not Applicable	

Other observations:

---



---



---

### Variance Documentation:

Contact Person: - \_\_\_\_\_ Date/Time: \_\_\_\_\_ Contacted by: \_\_\_\_\_  
Regarding: \_\_\_\_\_

---



---

Corrective Action Taken:

---



---



---



---



---



---



---



---