



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

Administrative Order SWD-1115

APPLICATION OF FASKEN OIL & RANCH, LTD FOR PRODUCED WATER DISPOSAL, EDDY COUNTY, NEW MEXICO

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 701(B), Fasken Oil & Ranch, Ltd (OGRID 151416) made application to the New Mexico Oil Conservation Division for permission to utilize for produced water disposal its Avalon State Well No. 1 (API No. 30-015-20743) located 1440 feet from the South line and 1650 feet from the West line of Section 7, Township 21 South, Range 26 East, NMPM, Eddy County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations;
- (2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified;
- (3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met; and
- (4) No objections have been received within the waiting period prescribed by said rule.

IT IS THEREFORE ORDERED THAT:

Fasken Oil & Ranch, Ltd is hereby authorized to utilize, its Avalon State Well No. 1 (API No. 30-015-20743) located 1440 feet from the South line and 1650 feet from the West line of Section 7, Township 21 South, Range 26 East, NMPM, Eddy County, New Mexico, in such manner as to permit the injection of produced water for disposal purposes into the Bone Spring formation through an open hole completion from 4000 feet to 8000 feet and through plastic-lined tubing set with a packer located within 100 feet of the top of the injection interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

As preparation and prior to any injection, the operator shall:

1) re-enter this plugged well to 8000 feet, make sure the well is adequately plugged back to 8000 feet, then run 5-1/2 inch casing to 4000 feet and circulate cement on this casing.

2) plug and abandon (with a procedure approved by the Artesia district office and designed to isolate the members of the Bone Spring as well as the top and bottom of the Bone Spring formation) the Samson owned Adobe Flat 18D State Com Well No. 1 (API No. 30-015-31133) located in Unit D of Section 18, Township 21 South, Range 26 East, NMPM, Eddy County, New Mexico.

The operator shall file sundry reports with the Division of the required work on the Adobe Flat 18D State Com Well No. 1 and obtain confirmation of this work and written permission from the Engineering bureau of the Division prior to commencing injection into the Avalon State Well No. 1.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer.

After installing injection tubing, the casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

Within six months of commencing injection and every 5 years thereafter, the operator shall run an injection profile survey on the Avalon State Well No. 1 and send a copy of this survey attached to a sundry to the Artesia district office.

The wellhead injection pressure on the well shall be limited to **no more than 800 psi**. In addition, the injection well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface injection pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the injection formation. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Artesia district office of the Division of the date and time of the installation of disposal equipment and of any mechanical integrity test so

that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Artesia district office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The operator shall provide written notice of the date of commencement of injection to the Artesia district office of the Division.

The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Rule Nos. 706 and 1120 of the Division Rules and Regulations.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator received by the Division prior to the termination date, may grant an extension thereof for good cause shown.

Approved at Santa Fe, New Mexico, on February 27, 2008.


MARK E. FESMIRE, P.E.
Director

MEF/wvjj

cc: Oil Conservation Division – Artesia
State Land Office – Oil, Gas, and Minerals Division