

HENRY
PETROLEUM LP

October 29, 2003

RECEIVED

NOV 03 2003

OIL CONSERVATION
DIVISION

New Mexico Oil Conservation
1220 So. St. Francis Drive
Santa Fe, New Mexico
Attn: ~~Wayne Price~~

*HOBBS
OCD*

Re: Rule 118 Compliance


Dear Sir:

Please find enclosed H₂S ROE calculations for all active Henry Petroleum wells and facilities in New Mexico, as required by rule 118 for locations with H₂S concentrations greater than 100 ppm. None of these locations meet the criteria that would require filing of an H₂S Contingency Plan.

HENRY PETROLEUM LP

Stephen D. Owen
Operations Engineer

cc: Cris Williams - NMOCD Hobbs Office



Justice Area ROE

HENRY PETROLEUM LP
LEA COUNTY, NEW MEXICO
RADIUS OF EXPOSURE FOR LEASES/WELLS

Lease Facility or Well #	Meter #	MMCFD	MCF Vol.	Mole % H ₂ S	Gas Anal.	PPM H ₂ S	ROE (ft) 100	ROE (ft) 500	Legal Description	API #
			Date		Date		PPM			
South Justice Unit CTB	59691	0.19	10/26/03	1.8	6/16/03	18000	217.5	99.4	Ut. Ltr. K, SW/NW/4 Sec. 24, T25S, R37E	
South Justice Unit Satt. 1	59751	0.277	10/26/03	0.9	6/16/03	9000	178.5	81.5	Ut. Ltr. H, NE/SE Sec. 11, T25S, R37E	
South Justice Unit Satt. 2	63754	0.189	10/26/03	1.7	6/16/03	17000	209.2	95.6	Ut. Ltr. K, SW/NW Sec. 13, T25S, R37E	
South Justice Unit Satt. 3	59679	0.323	10/26/03	1.1	6/23/03	11000	222.8	101.8	Ut. Ltr. C, NW/SW Sec. 24, T25S, R37E	
South Justice Unit Satt. 4	59684	0.447	10/26/03	0.75	6/23/03	7500	214.8	98.2	Ut. Ltr. P, SE/NW Sec. 25 T25S, R37E	
South Justice Unit Satt. 5	59752	0.387	10/26/03	1.5	6/23/03	15000	302.9	138.4	Ut. Ltr. J, SE/NE Sec. 36, T25S, R37E	
Wimberly Gas Com. #1	59975	0.257	10/26/03	0.25	6/20/03	2500	76.4	34.9	Ut. Ltr. G, Sec. 25, T25S, R37E	
Wimberly WN #9,11,12	59851	0.148	10/26/03	0.1	6/13/03	1000	30.5	13.9	Ut. Ltr. E, Sec. 24, T25S, R37E	
El Paso Federal #2	63968	0.019	10/26/03	0.7	6/13/03	7000	28.5	13.0	Ut. Ltr. N, Sec. 23, T25S, R37E	
Wimberly Ida #22	59794	0.081	10/26/03	0.2	6/23/03	2000	32.3	14.7	Ut. Ltr. F, Sec. 25, T25S, R37E	
State Y	59976	0.098	10/23/03	0.05	6/20/03	500	15.3	7.0	Ut. Ltr. A, Sec. 25, T25S, R37E	
Ramsey Arnott F	68025	0.036	10/26/03	1.5	6/23/03	15000	68.5	31.3	Ut. Ltr. H, Sec. 36, T25S, R37E	
298		0.020	10/5/03	0.75	6/23/03	7500	30.7	14.0	Ut. Ltr. P, Sec. 25, T25S, R37E	30-025-32936-0000
A11		0.009	10/15/03	1.8	6/16/03	18000	32.3	14.7	Ut. Ltr. D, Sec. 11, T25S, R37E	30-025-20533-0000
A12		0.009	10/2/03	1.8	6/16/03	18000	32.3	14.7	Ut. Ltr. E, Sec. 11, T25S, R37E	30-025-20995-0000
B11		0.041	10/5/03	1.8	6/16/03	18000	83.3	38.1	Ut. Ltr. C, Sec. 11, T25S, R37E	30-025-20275-0000
B16		0.012	10/14/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr. F, Sec. 14, T25S, R37E	30-025-21184-0000
B17		0.012	10/11/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr. K, Sec. 14, T25S, R37E	30-025-20150-0000
B18		0.017	10/9/03	1.7	6/16/03	17000	46.3	21.2	Ut. Ltr. N, Sec. 14, T25S, R37E	30-025-20464-0000
B20		0.009	10/14/03	1.1	6/23/03	11000	23.7	10.8	Ut. Ltr. F, Sec. 23, T25S, R37E	30-025-21354-0000
B21		0.008	10/15/03	1.1	6/23/03	11000	22.0	10.1	Ut. Ltr. K, Sec. 23, T25S, R37E	30-025-25474-0000
B110		0.007	10/3/03	0.9	6/16/03	9000	17.9	8.2	Ut. Ltr. C, Sec. 11, T25S, R37E	30-025-32321-0000
C11		0.045	9/9/03	0.9	6/16/03	9000	57.2	26.2	Ut. Ltr. B, Sec. 11, T25S, R37E	30-025-20130-0000
C12		0.030	10/13/03	0.9	6/16/03	9000	44.4	20.3	Ut. Ltr. G, Sec. 11, T25S, R37E	30-025-11541-0000
C13		0.012	10/15/03	0.9	6/16/03	9000	25.0	11.4	Ut. Ltr. J, Sec. 11, T25S, R37E	30-025-20544-0000
C131		0.020	10/2/03	0.9	6/16/03	9000	34.5	15.7	Ut. Ltr. J, Sec. 11, T25S, R37E	30-025-32322-0000
C14		0.011	10/3/03	0.9	6/16/03	9000	23.7	10.8	Ut. Ltr. O, Sec. 11, T25S, R37E	30-025-20391-0000
C15		0.006	10/15/03	1.7	6/16/03	17000	24.1	11.0	Ut. Ltr. B, Sec. 14, T25S, R37E	30-025-20308-0000
C16		0.006	10/11/03	1.7	6/16/03	17000	24.1	11.0	Ut. Ltr. G, Sec. 14, T25S, R37E	30-025-20032-0000
C17		0.013	10/10/03	1.7	6/16/03	17000	39.2	17.9	Ut. Ltr. J, Sec. 14, T25S, R37E	30-025-11584-0000
C18		0.011	10/9/03	1.7	6/16/03	17000	35.3	16.1	Ut. Ltr. O, Sec. 14, T25S, R37E	30-025-11582-0000
C19		0.012	10/14/03	1.1	6/23/03	11000	28.4	13.0	Ut. Ltr. B, Sec. 23, T25S, R37E	30-025-11717-0000
C20		0.014	10/16/03	1.1	6/23/03	11000	31.2	14.3	Ut. Ltr. G, Sec. 23, T25S, R37E	30-025-11715-0000
C21		0.012	10/8/03	1.1	6/23/03	11000	28.4	13.0	Ut. Ltr. J, Sec. 23, T25S, R37E	30-025-11706-0000
C23		0.014	9/5/03	0.75	6/23/03	7500	24.6	11.2	Ut. Ltr. B Sec. 26, T25S, R37E	30-025-21057-0000

Justice Area ROE

Lease Facility or Well #	Meter #	MMCFD	MCF Vol.		Gas Anal.		ROE (ft) 100		ROE (ft) 500	Legal Description	API #
			Date	Mole % H ₂ S	Date	PPM H ₂ S	PPM				
C24		0.013	10/17/03	0.75	6/23/03	7500	23.5	10.7	Ut. Ltr. G Sec. 26, T25S, R37E	30-025-20967-0000	
D11		0.094	10/7/03	0.9	6/16/03	9000	90.7	41.5	Ut. Ltr. A Sec. 26, T25S, R37E	30-025-21188-0000	
D12		0.026	10/4/03	0.9	6/16/03	9000	40.6	18.6	Ut. Ltr. H Sec. 11, T25S, R37E	30-025-21058-0000	
D15		0.006	10/13/03	1.7	6/16/03	17000	24.1	11.0	Ut. Ltr. A Sec. 14, T25S, R37E	30-025-11586-0000	
D16		0.012	10/14/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr. H Sec. 14, T25S, R37E	30-025-11585-0000	
D17		0.010	10/10/03	1.7	6/16/03	17000	33.2	15.2	Ut. Ltr. I Sec. 14, T25S, R37E	30-025-11583-0000	
D18		0.007	10/15/03	1.7	6/16/03	17000	26.6	12.2	Ut. Ltr. P Sec. 14, T25S, R37E	30-025-11581-0000	
D19		0.010	10/10/03	1.1	6/23/03	11000	25.3	11.6	Ut. Ltr. A Sec. 23, T25S, R37E	30-025-11711-0000	
D20		0.015	10/9/03	1.1	6/23/03	11000	32.6	14.9	Ut. Ltr. H Sec. 23, T25S, R37E	30-025-11712-0000	
D21		0.014	10/15/03	1.1	6/23/03	11000	31.2	14.3	Ut. Ltr. I Sec. 23, T25S, R37E	30-025-11704-0000	
D22		0.017	9/5/03	1.1	6/23/03	11000	35.3	16.1	Ut. Ltr. P Sec. 23, T25S, R37E	30-025-11701-0000	
D23		0.012	10/4/03	0.75	6/23/03	7500	22.3	10.2	Ut. Ltr. A Sec. 26, T25S, R37E	30-025-11793-0000	
D24		0.011	10/16/03	0.75	6/23/03	7500	21.1	9.7	Ut. Ltr. H Sec. 26, T25S, R37E	30-025-11794-0000	
D25		0.014	10/16/03	0.75	6/23/03	7500	24.6	11.2	Ut. Ltr. I Sec. 26, T25S, R37E	30-025-11797-0000	
D26		0.014	10/22/03	0.75	6/23/03	7500	24.6	11.2	Ut. Ltr. P Sec. 26, T25S, R37E	30-025-11798-0000	
D27		0.030	10/16/03	1.5	6/23/03	15000	61.1	27.9	Ut. Ltr. A Sec. 35, T25S, R37E	30-025-11892-0000	
D28		0.030	10/10/03	1.5	6/23/03	15000	61.1	27.9	Ut. Ltr. H Sec. 35, T25S, R37E	30-025-20993-0000	
E12		0.015	10/10/03	0.9	6/16/03	9000	28.8	13.1	Ut. Ltr. E Sec. 12, T25S, R37E	30-025-24686-0000	
E14		0.014	10/5/03	0.9	6/16/03	9000	27.6	12.6	Ut. Ltr. M Sec. 12, T25S, R37E	30-025-22061-0000	
E15		0.014	10/2/03	1.7	6/16/03	17000	41.0	18.8	Ut. Ltr. D Sec. 13, T25S, R37E	30-025-11558-0000	
E16		0.009	10/2/03	1.7	6/16/03	17000	31.1	14.2	Ut. Ltr. E Sec. 13, T25S, R37E	30-025-11557-0000	
E17		0.025	10/6/03	1.7	6/16/03	17000	59.0	27.0	Ut. Ltr. L Sec. 13, T25S, R37E	30-025-11571-0000	
E181		0.012	10/7/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr. M Sec. 13, T25S, R37E	30-025-20121-0000	
E201		0.024	10/13/03	1.1	6/23/03	11000	43.8	20.0	Ut. Ltr. E Sec. 24, T25S, R37E	30-025-11751-0000	
E21		0.028	10/7/03	1.1	6/23/03	11000	48.2	22.0	Ut. Ltr. L Sec. 24, T25S, R37E	30-025-11718-0000	
E23		0.016	10/18/03	0.75	6/23/03	7500	26.7	12.2	Ut. Ltr. D Sec. 25, T25S, R37E	30-025-11761-0000	
E25		0.015	10/15/03	0.75	6/23/03	7500	25.7	11.7	Ut. Ltr. L Sec. 25, T25S, R37E	30-025-11769-0000	
E26		0.014	10/21/03	0.75	6/23/03	7500	24.6	11.2	Ut. Ltr. M Sec. 25, T25S, R37E	30-025-11766-0000	
E27		0.028	10/17/03	1.5	6/23/03	15000	58.5	26.8	Ut. Ltr. D Sec. 36, T25S, R37E	30-025-11904-0000	
E29		0.025	10/18/03	1.5	6/23/03	15000	54.5	24.9	Ut. Ltr. L Sec. 36, T25S, R37E	30-025-11921-0000	
F11		0.006	10/8/03	0.9	6/16/03	9000	16.2	7.4	Ut. Ltr. C Sec. 12, T25S, R37E	30-025-24627-0000	
F12		0.006	10/12/03	0.9	6/16/03	9000	16.2	7.4	Ut. Ltr. F Sec. 12, T25S, R37E	30-025-24326-0000	
F13		0.014	10/8/03	0.9	6/16/03	9000	27.6	12.6	Ut. Ltr. K Sec. 12, T25S, R37E	30-025-23748-0000	
F14		0.010	10/6/03	0.9	6/16/03	9000	22.3	10.2	Ut. Ltr. N Sec. 12, T25S, R37E	30-025-32342-0000	
F15		0.012	10/2/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr. C Sec. 13, T25S, R37E	30-025-11559-0000	
F18		0.008	10/16/03	1.7	6/16/03	17000	28.9	13.2	Ut. Ltr. N Sec. 13, T25S, R37E	30-025-11565-0000	
F19		0.006	10/12/03	1.1	6/23/03	11000	18.4	8.4	Ut. Ltr. C Sec. 24, T25S, R37E	30-025-11749-0000	
F20		0.015	10/2/03	1.1	6/23/03	11000	32.6	14.9	Ut. Ltr. F Sec. 24, T25S, R37E	30-025-22742-0000	
F21		0.056	10/6/03	1.1	6/23/03	11000	74.4	34.0	Ut. Ltr. K Sec. 24, T25S, R37E	30-025-11734-0000	

Justice Area ROE

Lease Facility or Well #	Meter #	MMCFD	MCF Vol.		Gas Anal.		ROE (ft) 100		Legal Description	API #
			Date	Mole % H2S	Date	PPM H2S	PPM	ROE (ft) 500		
F22		0.056	10/11/03	1.1	6/23/03	11000	74.4	34.0	Ut. Ltr.N Sec. 24, T25S, R37E	30-025-11747-0000
F23		0.014	10/2/03	0.75	6/23/03	7500	24.6	11.2	Ut. Ltr.C Sec. 25, T25S, R37E	30-025-11760-0000
F24		0.016	10/21/03	0.75	6/23/03	7500	26.7	12.2	Ut. Ltr.F Sec. 25, T25S, R37E	30-025-11759-0000
F25		0.028	10/10/03	0.75	6/23/03	7500	37.9	17.3	Ut. Ltr.K Sec. 25, T25S, R37E	30-025-11768-0000
F26		0.022	10/9/03	0.75	6/23/03	7500	32.6	14.9	Ut. Ltr.N Sec. 25, T25S, R37E	30-025-11765-0000
F27		0.035	10/2/03	1.5	6/23/03	15000	67.3	30.8	Ut. Ltr.C Sec. 36, T25S, R37E	30-025-11903-0000
F28		0.023	10/11/03	1.5	6/23/03	15000	51.8	23.7	Ut. Ltr.F Sec. 36, T25S, R37E	30-025-11909-0000
F29		0.025	10/13/03	1.5	6/23/03	15000	54.5	24.9	Ut. Ltr.K Sec. 36, T25S, R37E	30-025-11915-0000
G14		0.012	10/16/03	0.9	6/16/03	9000	25.0	11.4	Ut. Ltr.O Sec. 12, T25S, R37E	30-025-23838-0000
G-15		0.018	10/16/03	1.7	6/16/03	17000	48.0	21.9	Ut. Ltr.B Sec. 13, T25S, R37E	30-025-32308-0000
G16		0.012	10/3/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr.G Sec. 13, T25S, R37E	30-025-11579-0000
G17		0.012	10/17/03	1.7	6/16/03	17000	37.3	17.0	Ut. Ltr.J Sec. 13, T25S, R37E	30-025-11566-0000
G18		0.007	10/5/03	1.7	6/16/03	17000	26.6	12.2	Ut. Ltr.O Sec. 13, T25S, R37E	30-025-11564-0000
G-181		0.006	10/6/03	1.7	6/16/03	17000	24.1	11.0	Ut. Ltr.O Sec. 13, T25S, R37E	30-025-11567-0000
G19		0.015	10/2/03	1.1	6/23/03	11000	32.6	14.9	Ut. Ltr.B Sec. 24, T25S, R37E	30-025-11729-0000
G20		0.021	10/17/03	1.1	6/23/03	11000	40.3	18.4	Ut. Ltr.G Sec. 24, T25S, R37E	30-025-11737-0000
G22		0.011	10/4/03	1.1	6/23/03	11000	26.9	12.3	Ut. Ltr.O Sec. 24, T25S, R37E	30-025-11738-0000
G23		0.012	10/2/03	0.75	6/23/03	7500	22.3	10.2	Ut. Ltr.B Sec. 24, T25S, R37E	30-025-11771-0000
G24		0.021	10/8/03	0.75	6/23/03	7500	31.7	14.5	Ut. Ltr.G Sec. 25, T25S, R37E	30-025-11762-0000
G251		0.040	10/4/03	0.75	6/23/03	7500	47.4	21.7	Ut. Ltr.J Sec. 25, T25S, R37E	30-025-32070-0000
G26		0.011	10/6/03	0.75	6/23/03	7500	21.1	9.7	Ut. Ltr.O Sec. 25, T25S, R37E	30-025-11785-0000
G27		0.024	10/2/03	1.5	6/23/03	15000	53.2	24.3	Ut. Ltr.B Sec. 36, T25S, R37E	30-025-11907-0000
G28		0.028	10/9/03	1.5	6/23/03	15000	58.5	26.8	Ut. Ltr.G Sec. 36, T25S, R37E	30-025-11901-0000
G29		0.027	10/21/03	1.5	6/23/03	15000	57.2	26.2	Ut. Ltr.J Sec. 36, T25S, R37E	30-025-11916-0000
G30		0.024	10/15/03	1.5	6/23/03	15000	53.2	24.3	Ut. Ltr.O Sec. 36, T25S, R37E	30-025-11919-0000
G31		0.025	10/22/03	1.5	6/23/03	15000	54.5	24.9	Ut. Ltr.B Sec. 36, T25S, R37E	30-025-11966-0000
H16		0.004	10/3/03	1.7	6/16/03	17000	18.7	8.6	Ut. Ltr.H Sec. 13, T25S, R37E	30-025-21461-0000
H18		0.007	10/8/03	1.7	6/16/03	17000	26.6	12.2	Ut. Ltr.P Sec. 13, T25S, R37E	30-025-11572-0000
H19		0.028	10/19/03	1.1	6/23/03	11000	48.2	22.0	Ut. Ltr.A Sec. 24, T25S, R37E	30-025-32307-0000
H20		0.044	10/3/03	1.1	6/23/03	11000	64.0	29.2	Ut. Ltr.H Sec. 24, T25S, R37E	30-025-32306-0000
H21		0.017	10/4/03	1.1	6/23/03	11000	35.3	16.1	Ut. Ltr.I Sec. 24, T25S, R37E	30-025-11740-0000
H22		0.012	10/5/03	1.1	6/23/03	11000	28.4	13.0	Ut. Ltr.P Sec. 24, T25S, R37E	30-025-11741-0000
H24		0.006	10/22/03	0.75	6/23/03	7500	14.5	6.6	Ut. Ltr.H Sec. 25, T25S, R37E	30-025-11774-0000
H27		0.017	10/3/03	1.5	6/23/03	15000	42.8	19.6	Ut. Ltr.A Sec. 36, T25S, R37E	30-025-11902-0000
H28		0.020	10/16/03	1.5	6/23/03	15000	47.4	21.7	Ut. Ltr.H Sec. 36, T25S, R37E	30-025-11908-0000
H29		0.020	10/17/03	1.5	6/23/03	15000	47.4	21.7	Ut. Ltr.I Sec. 36, T25S, R37E	30-025-11917-0000
H30		0.022	10/12/03	1.5	6/23/03	15000	50.3	23.0	Ut. Ltr.P Sec. 36, T25S, R37E	30-025-11918-0000
H31		0.013	10/21/03	1.5	6/23/03	15000	36.2	16.6	Ut. Ltr.A Sec. 01, T25S, R37E	30-025-11929-0000
I20		0.005	10/3/03	1.1	6/23/03	11000	16.4	7.5	Ut. Ltr.E Sec. 19, T25S, R37E	30-025-12416-0000

Justice Area ROE

Lease Facility or Well #	Meter #	MMCFD	MCF Vol. Date	Mole % H ₂ S	Gas Anal. Date	ROE (ft) 100		ROE (ft) 500	Legal Description	API #
						PPM	PPM			
I21		0.006	10/18/03	1.1	6/23/03	11000	18.4	8.4	Ut. Ltr.L Sec. 19, T25S, R37E	30-025-12422-0000
I27		0.019	10/5/03	1.5	6/23/03	15000	45.9	21.0	Ut. Ltr.D Sec. 31, T25S, R37E	30-025-12443-0000
I29		0.027	10/9/03	1.5	6/23/03	15000	57.2	26.2	Ut. Ltr.L Sec. 31, T25S, R37E	30-025-12444-0000
I30		0.028	10/10/03	1.5	6/23/03	15000	58.5	26.8	Ut. Ltr.M Sec. 31, T25S, R37E	30-025-12442-0000
CARLSON B-25 Federal #3		0.105	10/19/03	0.3	6/16/03	3000	48.9	22.3	Ut. Ltr.O Sec. 25, T25S, R37E	30-025-11783-0000
COATES AB C Gas Com #1		0.062	10/15/03	0.3	6/16/03	3000	35.2	16.1	Ut. Ltr.F Sec. 25, T25S, R37E	30-025-11737-0000
EL PASO-FEDERAL #02		0.019	10/20/03	0.7	6/13/03	7000	28.5	13.0	Ut. Ltr.N Sec. 23, T25S, R37E	30-025-22961-0000
RAMSAY ARNOTT F #2		0.007	10/15/03	1.5	6/23/03	15000	24.6	11.2	Ut. Ltr.H Sec. 36, T25S, R37E	30-025-11899-0000
RAMSAY ARNOTT F #3		0.021	10/16/03	1.5	6/23/03	15000	48.9	22.3	Ut. Ltr.B Sec. 36, T25S, R37E	30-025-11900-0000
RAMSAY ARNOTT F #8		0.008	10/7/03	1.5	6/23/03	15000	26.7	12.2	Ut. Ltr.A Sec. 36, T25S, R37E	30-025-11906-0000
STATE Y #08		0.025	10/5/03	0.05	6/20/03	500	6.5	3.0	Ut. Ltr.H Sec. 25, T25S, R37E	30-025-11776-0000
STATE Y #11		0.065	10/16/03	0.05	6/20/03	500	11.8	5.4	Ut. Ltr.B Sec. 25, T25S, R37E	30-025-32934-0000
WIMBERLY IDA #11		0.030	10/12/03	0.1	6/13/03	1000	11.2	5.1	Ut. Ltr.L Sec. 24, T25S, R37E	30-025-11721-0000
WIMBERLY IDA #13		0.028	10/16/03	0.25	6/20/03	2500	19.1	8.7	Ut. Ltr.M Sec. 24, T25S, R37E	30-025-11722-0000
WIMBERLY IDA #20		0.032	10/20/03	0.25	6/20/03	2500	20.7	9.5	Ut. Ltr.E Sec. 25, T25S, R37E	30-025-32832-0000
WIMBERLY IDA #22		0.076	10/16/03	0.2	6/23/03	2000	31.0	14.2	Ut. Ltr.F Sec. 25, T25S, R37E	30-025-33470-0000
WIMBERLY IDA Gas Com #1		0.252	10/23/03	0.25	6/20/03	2500	75.5	34.5	Ut. Ltr.G Sec. 25, T25S, R37E	30-025-33450-0000
WIMBERLY WN #09		0.056	10/18/03	0.1	6/13/03	1000	16.6	7.6	Ut. Ltr.E Sec. 24, T25S, R37E	30-025-21092-0000
WIMBERLY WN #11		0.052	10/15/03	0.1	6/13/03	1000	15.8	7.2	Ut. Ltr.C Sec. 24, T25S, R37E	30-025-25537-0000
WIMBERLY WN #12		0.041	10/11/03	0.25	6/20/03	2500	24.2	11.1	Ut. Ltr.D Sec. 24, T25S, R37E	30-025-27819-0000