

Jones, William V., EMNRD

From: Ysasaga, Stephanie [Stephanie.Ysasaga@dvn.com]
Sent: Monday, June 22, 2009 11:19 AM
To: Jones, William V., EMNRD
Subject: Parkway 13: DHC-4194 - Allocation Check

Good Afternoon Will,

I just received the approval letter on the DHC-4194 and thought I should bring something to your attention. If you look at the allocation of production the percentages are not totaling 100% for the gas and oil percentages. I think the Morrow zone numbers were flopped, they currently read Gas 60% and Oil 80%, but should be Gas 80% and Oil 60%. I looked back at my sundry and the C-107A and I did have these percentages correct, I'm sure this is a typo.

Should I look for a revised letter to come from the Santa Fe office or can you scan one back to me or should I just wait for the revised letter to show up on the NMOCD website? I know you are swamped, so let me know! J

Stephanie A. Ysasaga

Sr. Staff Engineering Technician
(405)-552-7802 Phone (405)-721-7689 Cell
(405)-552-8113 Fax
Corporate Tower 03.056
Stephanie.Ysasaga@dvn.com

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.

This inbound email has been scanned by the MessageLabs Email Security System.
